

BATORAY

WHOLESALE DISTRIBUTORS
BATTERIES - FLASHLIGHTS - WORK GEAR



FAMILY OWNED & OPERATED
SINCE 1987



BATORAY

WHOLESALE DISTRIBUTORS

BATTERIES - FLASHLIGHTS - WORK GEAR

648 Elm Street Ludlow, KY 41016
 (859) 431-7587 Fax (859) 431-0600
 (800) 450-6776
 www.Batoray.com

- No Minimum Order
- Custom Battery Assembly
- Master Distributor - Large Inventory
- No additional charge for broken case orders
- Same Day Shipping
- Standard Terms = Net 30
- Freight Paid on orders over \$350.00
- Low Everyday Pricing
- Volume Discount Pricing available
- Expert product knowledge and experience
- Owned and operated by the Egbers Family since 1987

Wholesale Only - We're committed to making sure your customers remain **your** customers!

Table of Contents

Manufacturer	Page(s)	Products	Page(s)
AriCell	14	Custom Battery Assembly: BATORAY	3-5
Accusharp	40	Connector Options: BATORAY	6-7
BATORAY Connectors	6-7	Batteries: PowerSonic	8-13
BATORAY Custom Batteries	3-5	Batteries: AriCell	14
Bullhead	46-51	Batteries: Empire	14
Duracell	15	Batteries: EnerSys	15
Empire	14	Batteries: Duracell	15
Energizer & Rayovac	16-22	Batteries and Flashlights: Rayovac	16-22
EnerSys	15	Batteries and Flashlights: Energizer	16-22
EPIC-TIANS	42	Batteries: Panasonic	23
Evergreen	24	Batteries: Evergreen	24
Global Glove	42-45	Flashlights: Streamlight	25-33
Harris	41	Flashlights, Coolers and Tumblers: Pelican	34-36
Nite-Ize	38-39	Flashlights: Outback	37
Outback	37	Innovative Accessories: Nite-Ize	38-39
Panasonic	23	Knives and Knife Sharpeners: Accusharp	40
Pelican	34-36	Insect Repellent: Harris	41
PowerSonic	8-13	Gloves: Global Glove	42-45
Rayovac & Energizer	16-22	Shoe / Boot Covers: EPIC-TIANS	42
Streamlight	25-33	Safety Glasses and other Safety Products: Bullhead	46-51
Terms and Conditions		Terms and Conditions	52

Batoray Recycles!

Please send your spent Sealed Lead, Nickel Cadmium or Nickel Metal Hydride Batteries to Batoray for recycling.



Custom Battery Assembly



Single Cell
Assemblies:



PSAA-84R
AA Nickel Cadmium
1.2 Volts 800 MAH



PSSC-60
Sub C Nickel Cadmium
1.2 Volts 1,500 MAH



CR14250SE-16
1/2 AA Lithium
3 Volts 1,200 MAH



CR17450SE-R-09
4/5A Lithium
3 Volts 2,500 MAH



LS17330-17
2/3A Lithium
3.6 Volts 1,200 MAH



BL06-09
AA Lithium
3.6 Volts 2,400 MAH



PS4/5A-60
4/5A Nickel Cadmium
1.2 Volts 1,200 MAH



BR2/3A-49
2/3A Lithium
3 Volts 1,200 MAH



2 Cell
Side x Side
Assemblies:



PSAA2-05
AA Nickel Cadmium
2.4 Volts 800 MAH



PSAA2-84
AA Nickel Cadmium
2.4 Volts 800 MAH



BRC2F-09
C Lithium
6 Volts 10,000 MAH



2 Cell Stick
Assemblies:



PSAA2S-05
AA Nickel Cadmium
2.4 Volts 800 MAH



PSSC2S-WL
Sub C Nickel Cadmium
2.4 Volts 1,500 MAH



This catalog is dedicated to Dave "Skip" and Marlene "Marty" Egbers. It is because of their vision, hard work, sacrifice and love of family that Batoray was founded in 1987. They are both semi-retired but continue to contribute wherever needed. Today, their sons, grandson and staff are dedicated to Batoray's success.


Custom Battery Assembly continued...



3 Cell Stick Assemblies:



PSAA3S-12R
AA Nickel Cadmium
3.6 Volts 800 MAH



3 Cell 1 x 2 Assemblies:



PSAA3-1x2S-43
AA Nickel Cadmium
3.6 Volts 800 MAH



3 Cell 1 x 2 Assemblies:



PSAA3-1x2-84
AA Nickel Cadmium
3.6 Volts 800 MAH



3 Cell Side x Side Assemblies:



PSAA3-60
AA Nickel Cadmium
3.6 Volts 800 MAH



4 Cell Stick Assemblies:



PSAA4S-05
AA Nickel Cadmium
4.8 Volts 800 MAH



4 Cell 2 x 2 Stick Assemblies:



PSAA4-2X2S-84R
AA Nickel Cadmium
4.8 Volts 800 MAH



4 Cell 2 x 2 Assemblies:



PSAA4-2X2-84
AA Nickel Cadmium
4.8 Volts 800 MAH



4 Cell 2 x 2 Nested Assemblies:



BR2/3A4-2X2N-09
2/3A Lithium
6 Volts 2,400 MAH



4 Cell Side x Side Assemblies:



PSAA4-20
AA Nickel Cadmium
4.8 Volts 800 MAH



5 Cell Side x Side Assemblies:




PSAA5-05
AA Nickel Cadmium
6 Volts 800 MAH



5 Cell 3 x 2 Nested Assemblies:



PSD5-3X2-20
D Nickel Cadmium
6 Volts 4,000 MAH



5 Cell 3 x 2 Stick Assemblies:



PSC5-3X2S-20
C Nickel Cadmium
6 Volts 2,500 MAH



Batoray manufactures hundreds of different assemblies. Only our most popular are published in this Catalog.
Scott Allen, Assembly Mgr.

Custom Battery Assembly continued...



**6 Cell 2 x 3
Assemblies:**




PSAA6-2X3-05R
AA Nickel Cadmium
7.2 Volts 800 MAH



**6 Cell
2 x 3 Stick
Assemblies:**



PSAA6-2X3S-67
AA Nickel Cadmium
7.2 Volts 800 MAH




**6 Cell
3 x 2 Stick
Assemblies:**




PSAA6-3X2S-67
AA Nickel Cadmium
7.2 Volts 800 MAH



**7 Cell Side x Side
Assemblies:**



PSC7-05
C Nickel Cadmium
8.4 Volts 2,500 MAH



**8 Cell 2 x 4
Assemblies:**



PSAA8-2X4-84R
AA Nickel Cadmium
9.6 Volts 800 MAH



**8 Cell 2 x 4 Stick
Assemblies:**



PSAA8-2X4S-04R
AA Nickel Cadmium
9.6 Volts 800 MAH



**10 Cell 2 x 5
Assemblies:**



PSD10-6V-82
D Nickel Cadmium
6 Volts 4,000 MAH



**10 Cell 2 x 5 Nested
Assemblies:**




PSF10-2X5N-20
F Nickel Cadmium
12 Volts 8,000 MAH




**10 Cell 2 x 5 Stick
Assemblies:**



PSD10-2X5S-27
D Nickel Cadmium
12 Volts 4,000 MAH


















**12 Cell 4 x 3 Stick
Assemblies:**



PSD12-4X3S-87
D Nickel Cadmium
14.4 Volts 4,000 MAH

Connector Options

Part # and Dimensions	Connector
WH-04 WH-04R (Reverse Polarity) L.32xW.23xH.13	
WH-05 WH-05R (Reverse Polarity) L.58xW.22xH.19	
WH-06 WH-06R (Reverse Polarity) L.78xW.30xH.13 (Female Pins)	
WH-09 WH-09R (Reverse Polarity) L.56xW.21xH.21	
WH-10 WH-10R (Reverse Polarity) L.63xW.34xH.27	
WH-12 WH-12R (Reverse Polarity) (2 Pin) L.52xW.20xH.13	
WH-14 WH-14R (Reverse Polarity) L.63xW.33xH.25	

Part # and Dimensions	Connector
WH-15 WH-15R (Reverse Polarity) L.60xW.20xH.10	
WH-16 (3 Pin) L.58xW.34xH.16	
WH-17 (2 Pin) L.49xW.24xH.16	
WH-20 WH-20R (Reverse Polarity) L.85xW.43xH.24	
WH-24 WH-24R (Reverse Polarity) (24 mates with WH-51) L.72xW.32xH.28	
WH-26 WH-26R (Reverse Polarity) L.50xW.32xH.21	
WH-29 L.31xW.41xH.18	
WH-32 L.72xW.33xH.30	

Part # and Dimensions	Connector
WH-42 L1.03xW.54xH.25 (Same Housing as WH-82 but this one has Female Pins)	
WH-43 L.78xW.29xH.45	
WH-44 WH-44R (Reverse Polarity) L.58xW.22xH.19	
WH-49 L.55xW.21xH.09	
WH-51 WH-51R (Reverse Polarity) L.47xW.22xH.16	
WH-52 L.71xW.51xH.14	
WH-57 L.24xW.18xH.14	
WH-60 WH-60R (Reverse Polarity) (2 Pin) L.52xW.20xH.13	

Images enlarged to show detail. Reference dimensions for actual size.

Connector Options continued...

Part # and Dimensions	Connector	Part # and Dimensions	Connector	Part # and Dimensions	Connector
WH-62 L.31xW.22xH.19		WH-81 L.26xW.24xH.16		WH-101 (2 Pin) L.52xW.30xH.12	
WH-65 WH-65R (Reverse Polarity) L.26xW.27xH.13 (Female Pins)		WH-82 L.1.03xW.54xH.25 (Same Housing as WH-42 but this one has Male Pins)		WH-103 L.32xW.32xH.16	
WH-67 WH-67R (Reverse Polarity) L.81xW.34xH.19 (Female Pins)		WH-84 WH-84R (Reverse Polarity) L.30xW.22xH.16		WH-111 L.56xW.30xH.12	
WH-73 L.20xW.23xH.16		WH-85 L.98xW.33xH.15		WH-117 WH-117R (Reverse Polarity) L.56xW.41xH.20	
WH-74 L.55xW.20xH.12		WH-89 L.1.43xW.76xH.34		WH-120 L.1.08xW.43xH.19	
WH-75 WH-75R (Reverse Polarity) L.63xW.50xH.26		WH-92 L.49xW.32xH.20		WH-122 WH-122R (Reverse Polarity) L.27xW.17xH.15	
WH-76 WH-76R (Reverse Polarity) L.16xW.13xH.08		WH-95R (Male Pins- same Polarity as WH-67R) L.81xW.34xH.19 (Same Housing as WH-67)		WH-135 L.71xW.43xH.20	
WH-80 L.97xW.62xH.26		WH-100 L.31xW.22xH.14		WH-138 L.53xW.20xH.12	

Please reference our website for a complete listing of Connector Options: www.BATORAY.com / Products



PS Series

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PS-445	4	4.5	1.89	2.09	3.70	1 Each	20	1.5	F2
PS-4100	4	10	4.01	1.97	3.70	1 Each	10	3.1	F1
PS-610	6	1.1	2.00	1.65	2.00	1 Each	20	0.6	F1
PS-612	6	1.4	3.82	0.94	2.00	1 Each	20	0.6	F1
PS-621	6	2	1.69	1.46	2.99	1 Each	20	0.75	F1
PS-628	6	2.9	2.60	1.30	3.86	1 Each	20	1.25	F1
PS-630	6	3.5	5.28	1.34	2.35	1 Each	20	1.5	F1
PS-632	6	3.5	2.60	1.30	4.65	1 Each	20	1.5	F1
PS-640	6	4.5	2.76	1.86	3.94	1 Each	20	2	F1
PSH-655FR	6	5.5	2.76	1.86	3.94	1 Each	20	2	F1
PS-650	6	5	2.64	2.64	3.94	1 Each	25	2	F1 or SP
PS-665	6	6.5	3.86	2.20	3.78	1 Each	10	3	FP
PS-670	6	7	5.95	1.34	3.70	1 Each	10	3	F1
PS-682	6	9	3.86	2.20	4.65	1 Each	10	3.3	F1
PS-6100	6	12	5.95	2.00	3.70	1 Each	10	5	F1 or F2
PS-6120	6	13	4.25	2.80	5.55	1 Each	10	5.2	FP
PS-6200	6	20	6.18	3.27	4.92	1 Each	4	8.2	NB1
PS-6360	6	36	6.25	3.35	6.50	1 Each	2	13.8	F2
PS-6580	6	58	7.28	4.41	8.07	1 Each	1	21	F2
PS-62000	6	210	12.05	6.65	8.65	1 Each	1	64	T8
PS-832	8	3.2	5.29	1.44	2.49	1 Each	10	1.9	F1
PS-1208WL	12	0.8	3.78	0.98	2.44	1 Each	20	0.8	WL
PS-1212	12	1.4	3.78	1.69	2.04	1 Each	20	1.3	F1
PS-1220	12	2.5	7.00	1.38	2.36	1 Each	20	2	F1
PS-1221S	12	2	5.91	0.80	3.52	1 Each	20	1.7	F1/0
PS-1223	12	2.3	7.17	0.94	2.40	1 Each	20	1.8	PC
PS-1227	12	2.9	3.11	2.20	3.90	1 Each	10	2.4	F1
PS-1228	12	2.8	5.24	1.30	3.82	1 Each	10	2.6	F1
PS-1229L	12	2.9	7.00	1.38	2.36	1 Each	10	2.2	F1
PS-1230	12	3.4	5.24	2.64	2.36	1 Each	10	2.6	F1
PS-1238	12	3.8	7.68	1.85	2.91	1 Each	10	3.5	F1
PS-1250	12	5	3.54	2.76	3.98	1 Each	10	4	F1 or F2
PSH-1255FR	12	6	3.54	2.76	3.98	1 Each	10	4.19	F2
PS-1270	12	7	5.94	2.56	3.70	1 Each	5	4.8	F1 or F2
PS-1280	12	8	5.94	2.56	3.72	1 Each	5	5.8	F1 or F2
PSH-1280FR	12	8.5	5.94	2.56	3.72	1 Each	5	6	F2
PS-1282L	12	9	7.72	2.20	4.65	1 Each	1	6.7	F1
PS-1282S	12	9	3.86	4.40	4.65	1 Each	1	6.7	F1
PS-1290	12	9	5.94	2.56	3.70	1 Each	5	6.1	F2 or NB1
PS-1290HD	12	9	5.94	2.56	3.68	1 Each	5	5.9	F2
PS-12100H	12	10.5	5.94	2.56	4.40	1 Each	5	7.23	F2
PSH-12100FR	12	10.5	5.94	2.56	4.37	1 Each	5	7.05	F2
PS-12100	12	12	5.94	4.00	3.70	1 Each	4	9.2	F1 or F2

PS Series Batteries General Purpose Design

This series features Absorbent Glass Mat (AGM) technology for superior performance. They are valve regulated, spill proof and allow for safe operation in any position. UL recognized under file number MH 20845.



PSH Series Batteries High Rate Discharge Design

This series has the same features as the PS series but are specifically designed for high rate discharge applications. Valve regulated. Rugged, fire retardant case and cover.



PS Series continued...

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PS-12120	12	12	5.94	3.86	3.66	1 Each	4	9	F2 or NB1
PS-12140	12	14	5.94	3.86	3.70	1 Each	4	9	F2
PS-12120L	12	12	8.52	2.75	5.75	1 Each	4	9.9	FP
PS-12180	12	18	7.13	3.00	6.57	1 Each	2	13	F2, NB2, T12
PSH-12180FR	12	21	7.14	3.03	6.59	1 Each	2	13.3	NB2
PS-12200	12	20	7.13	3.00	6.57	1 Each	2	13.2	NB1
PS-12260	12	26	6.56	6.97	4.92	1 Each	2	18.7	F2, NB2, T12
PS-12280	12	28	6.50	4.92	6.89	1 Each	2	19.4	NB1
PS-12350	12	35	7.68	5.12	6.46	1 Each	1	26.5	NB3 or T6
PS-6360-1X2	12	36	6.25	6.75	6.50	1 Each	1	27.6	F2
PS-6360-1X2 L	12	36	12.50	3.50	6.50	1 Each	1	27.6	F2
PS-12400	12	40	7.76	6.50	6.69	1 Each	1	31	NB4
PS-12550	12	55	8.90	5.31	8.15	1 Each	1	41.1	U or T6
PS-12750	12	75	10.25	6.69	7.95	1 Each	1	52.3	U or T6
PS-121000	12	100	12.05	6.61	8.19	1 Each	1	65.7	U or T6
PS-121100	12	110	13.00	6.81	8.35	1 Each	1	69.5	T11
PS-121400	12	140	13.50	6.73	10.80	1 Each	1	99	T11
PS-122500	12	260	20.55	10.88	8.66	1 Each	1	161	T11

No Minimum Order and Same Day Shipping



PG Series

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PG-6V210 FR	6	210	12.70	7.00	8.98	1 Each	1	69	T11
PG-12V6	12	5.8	3.54	2.75	3.97	1 Each	10	4.15	F2
PG-12V9	12	8.46	5.94	2.55	3.68	1 Each	5	5.51	F2
PG-12V14	12	14	5.94	3.85	3.74	1 Each	4	8.93	F2
PG-12V28 FR	12	28	6.56	6.96	4.92	1 Each	1	18.5	T12
PG-12V35 FR	12	35	7.80	5.20	6.22	1 Each	1	27	T6
PG-12V42 FR	12	42	7.76	6.50	6.69	1 Each	1	32.5	T6
PG-12V55 FR	12	56	8.98	5.39	8.27	1 Each	1	39.5	T6
PG-12V65	12	65	10.23	6.61	8.26	1 Each	1	46.3	T6
PG-12V75 FR	12	75	13.70	6.57	7.00	1 Each	1	55.1	T6
PG-12V75T FR	12	75	10.24	6.61	8.27	1 Each	1	55.1	T6
PG-12V100 FR	12	92	12.05	6.61	8.27	1 Each	1	60.3	T6
PG-12V110 FR	12	111	13.00	6.80	8.35	1 Each	1	70	T11
PG-12V120 FR	12	124	16.14	6.97	8.86	1 Each	1	81.5	T11
PG-12V140 FR	12	144	13.50	6.73	10.79	1 Each	1	98.4	T11
PG-12V150 FR	12	153	19.09	6.69	9.53	1 Each	1	103.5	T11
PG-12V220 FR	12	226	20.55	9.45	8.58	1 Each	1	144	T11
PG-12V250 FR	12	268	20.55	10.55	8.66	1 Each	1	163	T11

When Power-Sonic batteries need to be replaced, please do not toss the spent ones in the trash. Ship them to us and we will have them recycled.



PG Series Batteries – Long Life Design
This series features Absorbent Glass Mat (AGM) technology but has thicker plates and lead calcium alloy grids that yield a life expectancy of 10 years in standby mode. Valve regulated. Rugged, fire retardant case and cover.





PHR Series Batteries – High Rate Discharge, Long Life Design

This series features Absorbent Glass Mat (AGM) technology. It has thicker plates and lead calcium alloy grids designed for High Rate Discharge UPS system applications. It yields a life expectancy of 10 years in standby mode. Valve regulated, rugged, fire retardant case and cover.

PHR-Series

STOCK NO.	Voltage	AMP. Hours	Watts / cell @ 15 min.	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PHR-12100	12	30	103	6.50	4.92	6.97	1 Each	1	21.38	T12
PHR-12150	12	36	129	7.70	5.12	6.22	1 Each	1	26.6	T6
PHR-12200	12	60	192	9.02	5.43	8.15	1 Each	1	40.12	T6
PHR-12300	12	80	279	10.20	6.61	8.19	1 Each	1	58.4	T6
PHR-12350	12	98	340	11.97	6.61	8.19	1 Each	1	68.7	T6
PHR-12400	12	110	430	12.81	6.69	8.39	1 Each	1	69.2	T8
PHR-12500	12	154	508	13.58	6.77	10.83	1 Each	1	92.6	T8
PHR-12550	12	155	539	13.19	6.77	10.83	1 Each	1	93.5	T8



PSL Series Batteries

The PSL series of LiFeP04 batteries have been designed and developed to provide a lighter, higher power and longer life solution to lead acid batteries. They are 40% lighter than SLA, last longer, deliver twice the power and can produce 10 times the number of cycles than a typical lead acid battery. Rugged impact resistant case and cover.

PSL Lithium Series

STOCK NO.	Voltage	AMP. Hours	Watt Hour	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PSL-24100	25.6	10	280	7.13	3.03	6.57	1 Each	1	6.06	M6

The PSL series has 3 other models to choose from. Reference www.power-sonic.com for details.



PSL-24100



PSL-BTC-1290



PSL-BTC Lithium Series Bluetooth Communication Capable

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PSL-BTC-1290	12.8	9	5.94	2.55	3.74	1 Each	5	2.64	F2
PSL-BTC-12120	12.8	12	5.94	3.87	3.74	1 Each	4	3.52	F2
PSL-BTP-12200	12.8	20	7.13	3.00	6.50	1 Each	1	6.61	M6



PSL Bluetooth Series Batteries

The PSL Bluetooth series of LiFeP04 batteries have been designed as a drop in replacement to Sealed Lead Acid batteries. Combining proven lithium iron phosphate technology with an intelligent protection circuit module (PCM), the PSL Bluetooth series delivers more power, faster charging, 10 times the number of charge cycles and 40% less weight than the equivalent lead acid battery. With the free Bluetooth app you can get instant access to the battery state of charge, voltage, cycles and a complete log on any potential issues. Rugged impact and fire resistant case and cover.

Several more models are available in this series. Reference www.power-sonic.com for more details.

PSL-SC Lithium Series Can be connected in Series or Parallel

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PSL-SC-1270	12.8	7.2	5.94	2.55	3.74	1 Each	20	2.00	F2
PSL-SC-1290	12.8	9	5.94	2.55	3.74	1 Each	20	2.64	F2
PSL-SC-12100	12.8	10	5.94	3.90	4.00	1 Each	16	2.90	F2
PSL-SC-12120	12.8	12	5.94	3.87	3.74	1 Each	16	3.52	F2
PSL-SC-12200	12.8	20	7.13	3.00	6.50	1 Each	2	6.61	NB
PSL-SC-12350-GU1	12.8	35	7.80	6.50	6.70	1 Each	1	9.70	T11



PSL-SC Series Batteries

The PSL-SC series combines proven lithium technology with an intelligent battery management system (BMS). This series delivers a battery that can be connected in a series or parallel configuration, lasts longer, weighs 40% less and charges quicker than the equivalent lead acid battery. Rugged impact resistant case and cover.

Several more models are available in this series. Reference www.power-sonic.com for more details.

PSL-SC-1270



PSL-SC-12350



Power Sport and Hyper Sport Series

The **PowerSport** series are sealed lead acid batteries using AGM (Absorbant Glass Matt) technology, are factory sealed and maintenance free.

The **HyperSport** series uses LiFePO4 lithium Iron Phosphate technology. They are factory sealed, are 4x lighter, 4x faster charging and last 4x longer than typical sealed lead batteries.

Call for cross reference to other brands or with the make, model and year of the vehicle.



Power-Sonic Lithium Battery Chargers



The LiFe Series lithium battery chargers feature an intelligent 3-step charging logic, which can help charge even the deepest of discharged batteries.

STOCK NO.	Description
PSC-2410000-LiFe	25.6 Volt battery charger for 8.5-85Ah
PSC-1220000-LiFe	12.8 Volt battery charger for 17-170Ah

Power-Sonic Sealed Lead Acid Battery Chargers

Automatic, current sensing dual-rate charging for efficient, care-free operation. LED indicators show the state of charge. All models include alligator clip connectors with insulated sleeves.

STOCK NO.	Description
PSC-6500ACX	6 Volt battery charger for 2-5 AH batteries
PSC-61000ACX	6 Volt battery charger for 5-12 AH batteries
PSC-12500ACX	12 Volt battery charger for 2-5 AH batteries
PSC-121000ACX	12 Volt battery charger for 15-12 AH batteries
PSC-124000ACX	12 Volt battery charger for 14-55 AH batteries



Linda, Katelyn & Emily Egbers
Letcher County, KY

Battery Sitter

The Battery Sitter charges, desulfates, tests and maintains all 12 Volt conventional, AGM, and Gell type batteries from 2.5Ah to 32Ah capacity (PS, PSH and Power-Sport). All major starter battery manufacturers recommend maintaining starter batteries FULLY CHARGED during periods of non-use. The battery sitter is automatic and totally safe for months long connection during off season. **DO NOT USE ON BATTERIES WITH AMP RATINGS HIGHER THAN 32 AMPS.**

STOCK NO.	Description
PS-MCA12C	Battery Sitter

PSC-6500ACX



PSC-121000ACX



PSC-124000ACX



Battery Sitter



POWERSONIC[®]

TRUSTED BATTERY SOLUTIONS

KEEPING YOU IN CHARGE

POWER SONIC have been delivering quality, reliable and safe battery solutions worldwide since 1970.

Our battery solutions are designed and manufactured using the latest state-of-the-art equipment and subject to the most stringent quality control. This process is key to ensuring both consistency and reliability with any product that carries the Power Sonic name.

Our range of battery solutions include valve regulated lead acid (VRLA), often called sealed lead acid (SLA) and lithium iron phosphate (LiFePO4) technologies, chargers and related accessories.



KEY MARKET SECTORS



Industrial Automation



Powersports



Life Safety



Utilities and Infrastructure



Medical

QUALITY APPROVED PRODUCTS AND MANUFACTURING PROCESSES



AriCell Lithium Batteries

STOCK NO.	Description	Battery Size	Volts	MAH	Battery Dimensions (inches)	Minimum Order Qty.
SCL-06	AriCell Lithium Battery - Button Top	AA	3.6	2400	.55 x 1.94	1 Battery
SCL-06AX	AriCell Lithium Battery - Axial Leads	AA	3.6	2400	.55 x 1.94	1 Battery
SCL-03	AriCell Lithium Battery - Button Top	1/2 AA	3.6	1200	.55 x .98	1 Battery
SCL-03AX	AriCell Lithium Battery - Axial Leads	1/2 AA	3.6	1200	.55 x .98	1 Battery
SCL-05	AriCell Lithium Battery - Button Top	2/3 AA	3.6	1650	.55 x 1.27	1 Battery
SCL-10	AriCell Lithium battery - Button Top	A	3.6	3400	.65 x 1.97	1 Battery
SCL-14	AriCell Lithium battery - Button Top	C	3.6	8500	1.01 x 1.89	1 Battery
SCL-20	AriCell Lithium battery - Button Top	D	3.6	19000	1.31 x 2.30	1 Battery



FDK (Sanyo), Saft, Ultrafire, Ultralast Batteries

STOCK NO.	Description	Battery Size	Volts	MAH	Battery Dimensions (inches)	Minimum Order Qty.
B9508	Lithium Battery - Snap Tabs		3	1200	.66x1.42	1 Battery
CR12600SE	FDK Sanyo Lithium Battery - Button Top		3	1500	.45 x 2.35	1 Battery
CR14250SE	FDK Sanyo Lithium Battery - Flat Top	1/2 AA	3	850	.56 x .97	
CR17335SE	FDK Sanyo Lithium Battery - Flat Top	2/3 A	3	1800	.66 x 1.31	1 Battery
CR17335SE-3PIN	FDK Sanyo Lithium Battery - 3 Pins	2/3 A	3	1800	.66 x 1.31	1 Battery
CR17450SE	FDK Sanyo Lithium Battery - Flat Top	A	3	2500	.66 x 1.76	1 Battery
WF-139	Charger for the 18650 batteries. Charges 1 or 2 batteries.					1 Charger
LC14500	Ultrafire Lithium Ion Rechargeable Battery		3.7	900	.56 x 1.98	1 Battery
LIR2032	Lithium Ion Rechargeable 2032 Coin Cell Battery		3.6		.11 x .76	1 Battery
LS17330	SAFT Lithium Battery - Button Top	2/3A	3.6	2100	.63 x 1.24	1 Battery
LTC-7PN	KEEPER Lithium Battery		3.5	350	.67x.59x.26	1 Battery
UL14430SL-2P	Ultralast Lithium Phosphate Rechargeable Battery. 2 Batteries per Card		3.2	400	.57 x 1.70	1 Card
UL14500SL-2P	Ultralast Lithium Phosphate Rechargeable Battery. 2 Batteries per Card		3.2	600	.57 x 1.97	1 Card
18500	Ultralast Lithium Phosphate Rechargeable Battery		3.2	2000	.71x2.02	1 Battery
18650	Ultrafire 18650 Lithium ion Rechargeable Battery		3.7	3000	.72x2.73	1 Battery



18650



LS17330



B9508



18650 Charger



Cell Phone Batteries



Empire Batteries

2-Way Radio Batteries



Call us if looking for Cordless Phone, Camcorder, and Digital Camera Batteries.

**Cyclon Batteries
Monoblock, Shrink Wrap Packs and Single Cells**

STOCK NO.	Description	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	STD. Terminal	Weight Each	Minimum Order Quantity
0819-0010	Cyclon Monoblock Battery	4	2.5	3.00	1.75	2.75	F2	0.80	1 Battery
0809-0010	Cyclon Monoblock Battery	4	5	3.75	2.00	3.00	F2	1.62	1 Battery
0859-0010	Cyclon Monoblock Battery	4	8	3.75	2.00	4.00	F2	2.11	1 Battery
0819-0012	Cyclon Monoblock Battery	6	2.5	4.15	1.63	2.70	F2	1.15	1 Battery
0809-0012	Cyclon Monoblock Battery	6	5	5.28	2.00	3.00	F2	2.16	1 Battery
0859-0012	Cyclon Monoblock Battery	6	8	5.28	2.00	4.00	F2	3.15	1 Battery
0810-0004	Cyclon D Cell Battery - single cell	2	2.5		1.35	2.50	F1	0.40	1 Battery
0860-0004	Cyclon DT Cell Battery - single cell	2	4.5		1.35	3.75	F1	0.50	1 Battery
0800-0004	Cyclon X Cell Battery - single cell	2	5		1.75	2.95	F2	0.84	1 Battery
0850-0004	Cyclon E Cell Battery - single cell	2	8		1.75	3.94	F2	1.25	1 Battery
0820-0004	Cyclon BC Cell Battery - single cell	2	25		2.50	6.25	NB	3.68	1 Battery
0810-0103	Cyclon (3) D cells side x side with blunt cut wire leads	6	2.5	4	1.50	2.50	WL	1.25	1 Battery
0800-0103	Cyclon (3) X cells side x side with blunt cut wire leads	6	5	5.25	1.75	3.00	WL	2.52	1 Battery



Monoblocks



Procell Alkaline Batteries - Boxed

STOCK NO.	Description	Minimum Order Qty.	Batteries Per Inner Carton	Batteries Per Case	Weight per Battery
PC1300	Procell Alkaline D Battery	1 Battery	12	72	0.32
PC1400	Procell Alkaline C Battery	1 Battery	12	72	0.16
PC1500	Procell Alkaline AA Battery	1 Battery	24	144	0.05
PC2400	Procell Alkaline AAA Battery	1 Battery	24	144	0.03
PC1604	Procell Alkaline 9 Volt Battery	1 Battery	12	72	0.11



Photo, Electronic, Medical & Special Application Batteries

STOCK NO.	Description	Minimum Order Qty.	Pack Qty.	Weight Per Battery
DL1/3NB	3 volt Lithium Battery	1 Battery	6	0.02
DL2016BPK	3 volt Lithium Coin Cell Battery	1 Battery	6	0.02
DL2025BPK	3 volt Lithium Coin Cell Battery	1 Battery	6	0.02
DL2032BPK	3 volt Lithium Coin Cell Battery	1 Battery	6	0.02
DL2430BPK	3 volt Lithium Coin Cell Battery	1 Battery	6	0.02
DL2450BPK	3 volt Lithium Coin Cell Battery	1 Battery	6	0.02
DL123A	3 volt Lithium Battery - Bulk	1 Battery	10	0.04
MN175B	7.5 volt Alkaline Battery	1 Battery	6	0.05
MN21B	12 volt Alkaline Battery	1 Battery	6	0.02
MN21B2PK	12 volt Alkaline Battery - 2 per Card	1 Card	6	0.06
MN27B	12 volt Alkaline Battery	1 Battery	6	0.01
PX28AB	6 volt Alkaline Battery	1 Battery	6	0.01
PX28LB	6 volt Lithium Battery	1 Battery	6	0.02
PC133A	4.5 volt Alkaline Battery	1 Battery	--	0.08
MN908	6 volt, 13Ah Battery - Spring Terminal	1 Battery	6	1.72
MN9100B2	N cell Alkaline Battery - 2 per Card	1 Card	6	0.06
MX2500B2	AAAA Alkaline Battery - 2 per Card	1 Card	6	0.06
PX76/675AB	1.5 volt Alkaline Button Battery	1 Battery	6	0.04
D303/357B	1.5 volt Silver Oxide Button Battery	1 Battery	6	0.04

DURACELL®



MN21B



DL123A



MN908



Marc Egbers, working hard!
Do you need a special package size or custom label? We can help you with it.

ULTRA PRO Industrial Multi-Pack Batteries (Shrink Wrapped)

STOCK NO.	Description	Minimum Order Qty.	Batteries per Pack	Packs per case	Batteries per case	Weight per Battery
ALAAA-8	Alkaline AAA Size Batteries	1 Battery	8	12	96	0.03
ALAA-8	Alkaline AA Size Batteries	1 Battery	8	12	96	0.05
ALC-6	Alkaline C Size Batteries	1 Battery	6	12	72	0.16
ALD-6	Alkaline D Size Batteries	1 Battery	6	12	72	0.32
AL9V-6	Alkaline 9-volt Batteries	1 Battery	6	12	72	0.11



ULTRA PRO Industrial Multi-Pack Batteries (Contractor Pack) - Reclosable Clam Pack

STOCK NO.	Description	Minimum Order Qty.	Batteries per Pack	Packs per case	Batteries per case	Weight Per Battery
ALAAA-18	Alkaline AAA Batteries	18 Batteries	18	12	216	0.03
ALAAA-24	Alkaline AAA Batteries	24 Batteries	24	12	288	0.03
ALAA-24	Alkaline AA Batteries	24 Batteries	24	12	288	0.05
ALC-12	Alkaline C Batteries	12 Batteries	12	8	96	0.16
ALD-12	Alkaline D Batteries	12 Batteries	12	8	96	0.32
AL9V-12	Alkaline 12-volt Batteries	12 Batteries	12	12	144	0.11



Joe Egbers, Ohio River, Cincinnati, OH



F725SHRPP Display
 UltraPro gravity feed display. Metal display merchandises either contractor pack or shrink packs on counters, slat wall or peg wall. Dimensions: 25.5"x29.4"x14.25" FREE with qualifying order. Call for details.

Lantern Batteries					
STOCK NO.	Description	Minimum Order Qty.	Batteries per Case	Weight per Battery	
941	6 Volt battery with Spring Terminals, General Purpose	1 Each	12	1.42	
944	6-Volt battery with Spring Terminals, Heavy Duty	1 Each	4	1.38	
808	6 Volt battery with Spring Terminals, Alkaline (F Cells)	1 Each	4	1.96	
945	6 Volt Screw Terminals, Heavy Duty	1 Each	4	1.38	
926	12 Volt battery with Screw Terminals, General Purpose	1 Each	6	2.83	
803	7.5 Volt battery with screw terminals, Alkaline	1 Each	4	5.25	
903	7.5 Volt Multiple Ignition Battery	1 Each	4	6.7	



941



808



945



926



803



903



FUSION - Premium Alkaline Batteries

Specially formulated for power hungry, high drain devices.



STOCK NO.	Description	Minimum Order Qty.	Batteries per Pack	Packs per case	Batteries per case	Weight Per Battery
824-30PPFUS	Alkaline AAA Batteries	30 Batteries	30	12	360	0.03
815-30PPTFUSJ	Alkaline AA Batteries	30 Batteries	30	12	360	0.05



815-30



824-30

Hearing Aid Batteries



Formulated to provide quality performance over the life of the battery and deliver more power when you need it. Easy to use package features longer battery tabs, a secure dial and a recloseable door. **Made in USA.**

STOCK NO.	Description	Minimum Order Qty.	Cards per Inner Carton	Cards per case
ROV10-8	Size 10 - 8 Batteries per Card	1 Card	4	24
ROV10-16	Size 10 - 16 Batteries per Card	1 Card	4	24
ROV13-8	Size 13 - 8 Batteries per Card	1 Card	4	24
ROV13-16	Size 13 - 16 Batteries per Card	1 Card	4	24
ROV312-8	Size 312 - 8 Batteries per Card	1 Card	4	24
ROV312-16	Size 312 - 16 Batteries per Card	1 Card	4	24
ROV675-6	Size 675 - 6 Batteries per Card	1 Card	4	24



Energizer Industrial Alkaline Batteries - Display Packs


STOCK NO.	Description	Minimum Order Qty.	Batteries per Inner Carton	Batteries per Master Case	Weight per Battery
EN91	Industrial Alkaline AA Battery	1 Battery	24	144	0.05
EN92	Industrial Alkaline AAA Battery	1 Battery	24	144	0.03
EN93	Industrial Alkaline C Battery	1 Battery	12	72	0.16
EN95	Industrial Alkaline D Battery	1 Battery	12	72	0.32
EN22	Industrial Alkaline 9V Battery	1 Battery	12	72	0.11
EN529	Industrial Alkaline 6V Lantern Battery - Spring Top	1 Battery	-	6	1.70



EN91



Energizer MAX Alkaline Batteries - Display Packs


 STOCK NO.	Description	Minimum Order Qty.	Batteries per Inner Carton	Batteries per Master Case	Weight per Battery
E91	MAX Alkaline AA Battery	1 Battery	24	144	0.05
E92	MAX Alkaline AAA Battery	1 Battery	24	144	0.03
E93FP-8	MAX Alkaline C Battery	1 Battery	8	96	0.16
E95FP-8	MAX Alkaline D Battery	1 Battery	8	96	0.32

E91



E95FP-8

Energizer Max Alkaline Batteries - Retail Carded

 STOCK NO.	Description	Size	Cards Per Inner	Cards Per Case
E91BP-2	MAX Alkaline AA Battery - 2 per Card	AA	12	24
E91BP-4	MAX Alkaline AA Battery - 4 per Card	AA	12	24
E91MP-8	MAX Alkaline AA Battery - 8 per Card	AA	6	24
E91BW12EM	MAX Alkaline AA Battery - 12 per Card	AA	n/a	12
E92BP-2	MAX Alkaline AAA Battery - 2 per Card	AAA	12	24
E92BP-4	MAX Alkaline AAA Battery - 4 per Card	AAA	12	24
E92MP-8	MAX Alkaline AAA Battery - 8 per Card	AAA	6	24
E92BP-12	MAX Alkaline AAA Battery - 12 per Card	AAA	6	24
E93BP-2	MAX Alkaline C Battery - 2 per Card	C	6	12
E95BP-2	MAX Alkaline D Battery - 2 per Card	D	n/a	12
522BP	MAX Alkaline 9V Battery - 1 per Card	9V	12	24
522BP-2	MAX Alkaline 9V Battery - 2 per Card	9V	12	24












Counter Display INDCD.2
16"L x 11"W x 17"H

Free Counter Display with qualifying order. Call for details.



No Minimum Order and Same Day Shipping

Lithium, Special Application and Lantern Batteries

STOCK NO.	Description	Minimum Order Qty.	Inner Case Qty.	Master Case Quantity	Weight per Item
 LN91	Energizer AA Industrial Lithium 1.5 volt Battery	1 Battery	24	144	0.05
L91BP-2	Energizer AA Ultimate Lithium 1.5 volt Battery - 2 per card	1 Card	6	24	0.04
L91SBP-4	Energizer AA Ultimate Lithium 1.5 volt Battery - 4 per card	1 Card	6	24	0.07
 LN92	Energizer AAA Industrial Lithium 1.5 volt Battery	1 Battery	24	144	0.02
L92BP-2	Energizer AAA Ultimate Lithium 1.5 volt Battery - 2 per card	1 Card	6	24	0.03
 LN522	Energizer 9 Volt Industrial Lithium Battery - 12 batteries per Display Box	1 Battery	12	48	0.11
 ELN123-12	Energizer 123A 3 volt Industrial Lithium Battery - 12 batteries per Display Box	1 Battery	12	96	0.04
 EL123APVP	Energizer 123A 3 volt Ultimate Lithium battery - 10 per pack	1 Battery	10	400	0.04
 EL1CR2BP	Energizer CR2 3 volt Lithium Battery - 1 per card	1 Battery	6	24	0.05
 ELN1CR2-8	Energizer CR2 3 volt Lithium Battery - 8 batteries per Display Box	1 Battery	8	-	0.04
 EL223APBP	Energizer 223A 6 volt Lithium Battery - 1 per card	1 Battery	6	24	0.06
 EL2CR5BP	Energizer 2CR5 6 volt Lithium Battery - 1 per card	1 Battery	6	24	0.06
E96VP	Energizer AAAA Alkaline Battery - 20 per pack	1 Battery	20	1148	0.02
E96BP-2	Energizer AAAA Alkaline Battery - 2 per card	1 Card	6	12	0.04
E90BP-2	Energizer N cell 1.5 volt Battery - 2 per card	1 Card	6	48	0.04
A23BPZ	Energizer 12 volt Alkaline Battery - 1 per card	1 Battery	12	72	0.03
A23BPZ-2	Energizer 12 volt Alkaline Battery - 2 per card	1 Card	12	72	0.06
1209	Eveready 6 volt Heavy Duty Lantern Battery - spring top	1 Battery	-	12	1.26



Energizer RECHARGE Nickel Metal Hydride Batteries and Chargers

STOCK NO.	Description	Minimum Order Qty.	Inner Case Qty.	Case Qty.	Weight per Item
NH50BP-2	Rechargeable D Batteries (2,500 mAh) - 2 Batteries per Card	1 Card	6 Cards	24 Cards	0.38
NH35BP-2	Rechargeable C Batteries (2,500 mAh) - 2 Batteries per Card	1 Card	6 Cards	24 Cards	0.3
NH15BP-4	Rechargeable AA Batteries (2,300 mAh) - 4 Batteries per Card	1 Card	6 Cards	24 Cards	0.15
NH15BP-8	Rechargeable AA Batteries (2,300 mAh) - 8 Batteries per Card	1 Card	6 Cards	12 Cards	0.26
NH12BP-4	Rechargeable AAA Batteries (800 mAh) - 4 Batteries per Card	1 Card	6 Cards	24 Cards	0.08
NH22NBP	Rechargeable 9 volt Battery (175 mAh) - 1 Batteries per Card	1 Card	6 Cards	24 Cards	0.11
CHFC	Battery Charger. Universal. Charges up to (4) AA or (4) AAA or (4) C or (4) D or (2) 9 volt batteries. Helps to maximize battery performance. Ensures full charge. LED charge status indicator. Carded	1	3	3	0.8
CHVCMWB-4	Battery Charger. Value Charger. Charges (2 or 4) AA or AAA batteries in anywhere from 6 to 10 hours based on mAh of batteries. Safety auto shut off. Charge status indicator. Overcharge protection. Includes (4) AA NiMH batteries. Carded	1	3	3	0.4
CHPROWB4	Battery Charger. PRO Series. Charges (2 or 4) AA or AAA batteries in anywhere from 3 to 5 hours based on mAh of batteries. Safety auto shut off. Charge status indicator. Overcharge protection. Includes (4) AA NiMH batteries. Carded	1	3	3	0.6



Button Cell and Lithium Coin Cell Batteries

BP = 1 per card / 6 cards per pack / 72 per case.

All others are 5 batteries per perforated strip pack. 100 per case.

STOCK NO.	Description	Minimum Order Qty.	Quantity Per Pack
A76BP	1.5-volt Alkaline Button Cell Battery	1 Battery	6
EPX76BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
317	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
319	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
321	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
329	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
337	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
344	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
357-303	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
357BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
362-361	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
364BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
365	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
371-370	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
371BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
373	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
377BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
379BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
386-301	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
389BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
392BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
392-384	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
393	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
394-380	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
395BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
395-399	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
397-396	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
ECR1025BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR1216	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR1216BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR1220	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR1616BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR1620BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR1632	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR1632BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR2012	3.0-volt Lithium Coin Cell Battery	1 Battery	5
New ECRN2016	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR2016BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
New ECRN2025	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR2025BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
New ECRN2032	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR2032BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR2430BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR2450BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6

Energizer

No Minimum Order and Same Day Shipping

Perforated Strip Pack



Blister Pack



357BP



Items ending in "BP" are for Blister Packs










Coin Cell



Button Cell



Joe Egbers, Cumberland River Burkesville KY
Wearing Sawfish BH2679PFT Glasses. See page 49.

Energizer & Rayovac Flashlights & Lanterns			
STOCK NO.	Description	Minimum Order Qty.	Case Quantity
BEPN1AAA-BTA	Rayovac 1 cell AAA LED penlight. Anodized aluminum body. Tailcap switch. Pocket clip. 3 lumens 5 hours. Includes (1) AAA battery. Carded	1 Each	6
 RNP2AAA	Rayovac 2 cell AAA LED penlight. Machined aluminum body with pocket clip. Tactical on/off push button switch. 115 lumens 7 hours. Includes batteries and counter display tray. Carded	1 Each	6
 ENPMHH11E	Energizer 1 cell AA machined aluminum LED flashlight. Push button tail switch with High, Low and Strobe modes. Body: 1"x3.94". 130 lumens 4 hours High. Includes dual use clip. AA battery and display tray. Carded	1 Each	4
 EVML33ASD	Energizer 3 cell AAA machined aluminum body LED flashlight. 80 lumens 11 hours. Push button tail cap switch. Wrist lanyard. Includes 3 Eveready super heavy duty AAA batteries. 12 per display tray.	1 Each	12
BEUV3AAA-BTB	Rayovac 3 cell AAA LED Ultraviolet flashlight. Aluminum body with rubber handle. 9 UV LED's. Carded	1 Each	4
BER2AA-BA	Rayovac 2 cell AA LED flashlight. Aluminum/rubber body. On/Off push button switch. 25 lumens 23 hours. Includes batteries. Carded	1 Each	4
DIY3AAA-BXTB	Rayovac 3 cell AAA LED virtually indestructible flashlight. Anodized aluminum body. Shock absorbing rubber bezel. Tactical On/Off switch. 300 lumens 3 hours High. 30 lumens 39 hours Low. Includes batteries. Carded	1 Each	4
 ROVVMHAL8H	Rayovac USB Rechargeable LED flashlight. Machined aluminum body. Push button switch. 320 lumens 3 hours High, 130 lumens 4 hours Low. Lithium Ion battery is non replaceable. counter display tray included. Carded	1 Each	4
 RN3AAA-BXT	Rayovac 3 cell AAA LED tactical flashlight. Aluminum body. Spot to flood focus. Push button switch. 320 lumens 3.5 High, 100 lumens 14 hours Low. Belt holster, batteries and display tray included. Carded	1 Each	4
 ENPMTRL8	Energizer Durable machined aluminum, USB rechargeable , tactical LED flashlight. Rear push button switch with High, Medium, Low and Strobe modes. Body: 1.28"x6.22". 700 lumens 2 hours High, 20 lumens 30 hours Low. Includes pocket clip, non-removeable 18650 Lithium Battery and counter display tray. Carded	1 Each	4
 EPMZH21E	Energizer 2 cell AA machined aluminum LED flashlight. One touch digital focusing. Easily go from spot to flood. High, Low and Strobe modes. Body: 1.19"x6.25". 400 lumens 4 hours High, 50 lumens 21 hours Low. Batteries and display tray included. Carded	1 Each	6
DIY2AA-BXTB	Rayovac 2 cell AA LED virtually indestructible flashlight. Anodized aluminum body. Shock absorbing rubber bezel. Tactical On/Off switch. 350 lumens 2 hours High, 90 lumens 12 hours Low. Includes batteries. Carded	1 Each	4
RCL1FN2WR	Energizer WeatherReady Power Failure Rechargeable LED flashlight. Plugs directly into AC outlet. Turns on Automatically during a power outage. Runs 3 hours on High, longer in power save mode. 8 lumens High. 5" total length. Carded	1 Each	3
 ENPMZH611	Energizer 6 cell AA machined aluminum high performance LED flashlight. One touch digital focusing. Easily go from spot to flood. High, Low and Strobe modes. Body: 1.38"x8.88". 1,500 lumens 4 hours High, 250 lumens 15 hours Low. Batteries included. Carded	1 Each	4
 ENISHH25E	Energizer 2 cell D industrial safety LED flashlight. Body made of durable polypropylene. Push button switch is easy to use when wearing gloves. 150 lumens for 65 hours. Safety rated UL class 1 Div 1. Requires (2) D batteries. Boxed	1 Each	4
WHH2D-BA	Rayovac 2 cell D industrial grade LED flashlight. Slide switch. 20 lumens 55 hours. Carded	1 Each	6
1251L	Energizer 2 cell D LED Industrial flashlight. Body made of Polypropylene. Requires (2) D cell batteries. 35 Lumens. Run time: 113 hours. Not Carded	1 Each	12

BEPN1AAA-BTA



RNP2AAA



EVML33ASD



ENPMHH11E



BEUV3AAA-BTB



BER2AA-BA



DIY3AA-BXTB



RN3AAA-BXT



ENPMTRL8



EPMZH21E



DIY2AA-BXTB

RCL1FN2WR



ENPMZH611



ENISHH25E







WHH2D-BA



1251L

Energizer & Rayovac Flashlights & Lanterns CONTINUED...

STOCK NO.	Description	Minimum Order Qty.	Case Quantity
 ENPMHRL7	Energizer durable machined aluminum high performance rechargeable LED flashlight. Push button switch. 1200 lumens 4 hours high. 250 lumens 8 hours low. One touch digital focusing ion battery. Includes USB cord. Carded	1 Each	4
BEPLN6V-BTB	Rayovac 6 volt LED floating lantern with 10 LED's. 200 lumens 30 hours. 120 meter beam distance. Includes (1) 6 volt alkaline spring top battery. Carded	1 Each	4
WHKLN6V-BA	Rayovac 6 volt lantern with krypton bulb. Adjustable base for hands free lighting. Push button switch. 75 lumens 7 hours. Includes (1) 6 volt G.P. spring top battery. Carded	1 Each	2
DIYSP6AA-BXB	Rayovac virtually indestructible spotlight. Shock absorbing rubber around lens and back plate. Waterproof up to 3 feet. On/Off trigger with lock. Includes wrist lanyard & 6 AA batteries. 440 meter beam distance. 750 lumens 8 hours High, 80 lumens 40 hours Low. Display box.	1 Each	2
HCAL41E	Energizer Hardcase work light. 6 bright white LEDs provide 550 lumens of light in a flood pattern. 23 foot drop tested. Retractable rotating hook on top. Powerful magnetic back. Run time: 8 hours High, 40 hours Low. Includes (4) AA Alkaline batteries. Carded	1 Each	4
 ENAWLL8	Energizer rechargeable LED Panel Work Light. 2 adjustable panels and legs. Push button switch. 1100 lumens 6 hours High, 550 lumens Low. Lithium Ion Battery. USB out port to charge other devices. Includes Micro USB cord. Size 6"x8". Boxed	1 Each	2
DIYHL3AAA-BXTB	Rayovac 3 cell AAA LED Headlamp . Virtually indestructible. aluminum body with shock absorbing rubber pivoting head. Push button switch. Cloth head strap. Includes 3 AAA batteries. 100 lumens 9 hours High, 25 lumens 20 hours Low. Carded	1 Each	4
DIYPHL3AAA-BXTB	Rayovac 3 cell AAA LED Headlamp . Virtually indestructible. Aluminum body with shock absorbing rubber pivoting head. Push button switch. Cloth head strap. Includes 3 AAA batteries. 210 lumens 5 hours High, 50 lumens 17 hours Low. Carded	1 Each	4
DIYHPL3AAA-BXTB	Rayovac 3 cell AAA LED Headlamp . Virtually indestructible. Aluminum body with shock absorbing rubber pivoting head. Push button switch. Cloth head strap. Includes 3 AAA batteries. 350 lumens 3 hours High, 60 lumens 14 hours Low. Carded	1 Each	4
HDA32E	Energizer Headlamp with 3 LED's and 2 operating modes. 200 lumens 7 hours High, 45 lumens 20 hours Low. Swivel tilt adjustment for light where you need it. Includes 3 alkaline AAA batteries and elastic head strap. Carded	1 Each	4
HDBIN32EB	Energizer Headlamp with 3 LED's and 4 operating modes: High, Medium, Low and Dimable. 300 lumens 4 hours High, 45 lumens 35 hours Low. Swivel tilt adjustment for light where you need it. Includes 3 alkaline AAA batteries and elastic head strap with silicone backing. Boxed	1 Each	4
HDDIN32EB	Energizer Headlamp with 3 LED's and 4 operating modes: High, Low, Night Vision Red and Dimable. 400 lumens 3 hours High, 45 lumens 45 hours Low. Digital focus. Includes 3 alkaline AAA batteries and elastic head strap with silicone backing. Boxed	1 Each	4
 ENISHD32E	Energizer Headlamp with high output single LED. Push button switch. 130 lumens 6 hours High, 20 lumens 42 hours Low. Elastic strap with non slip grip for use on hard hats. Intrinsically safe; Class 1, Div 1. Includes 3 AAA batteries. Boxed	1 Each	4
 ENHDGRLP	Energizer Multi-Use rechargeable COB LED Headlamp . Can use as headlamp or detach from strap to use the multi-functional clip to attach to hats, etc. Hold switch for night vision red. Head swivels for light where you need it. 180 lumens 2.5 hours High, 70 lumens 3 hours Low. Includes USB cord and counter display tray. Carded	1 Each	4



ENPMHRL7



BEPLN6V-BTB



WHKLN6V-BA



DIYSP6AA-BXB



ENAWLL8

HCAL41E



DIYHL3AAA-BXTB



DIYHPL3AAA-BXTB



DIYHPL3AAA-BXTB



HDA32E



HDBIN32EB



HDDIN32EB



ENISHD32E



ENHDGRLP

Panasonic, Alkaline & Lithium Batteries					
STOCK NO.	Description	Minimum Order Qty.	Batteries per Case	Weight per Battery	
CR123APA/B	3 volt Lithium Battery (10 per shrink)	1 Battery	1200	0.04	
CR-123APA/1B	3 volt Lithium Battery (1 per card)	1 Battery	12	0.05	
CR-123APA/2B	3 volt Lithium Battery (2 per card)	1 Battery	12	0.08	
CR-P2PA/1B	6 volt Lithium Battery (1 per card)	1 Battery	12	0.05	
2CR-5MPA/1B	6 volt Lithium Battery (1 per card)	1 Battery	12	0.05	
CR-2PA/1B	3 volt Lithium Battery (1 per card)	1 Battery	12	0.05	
CR-2PA/2B	3 volt Lithium Battery (2 per card)	1 Battery	12	0.08	
BR1225	3 volt Lithium Battery	1 Battery	1	0.05	
BR2032	3 volt Lithium Battery	1 Battery	1	0.05	
BR2325	3 volt Lithium Battery	1 Battery	1	0.05	
BR2/3A	3 volt Lithium 2/3A Battery	1 Battery	200	0.03	
BR-A	3 volt Lithium A Battery	1 Battery	200	0.02	
BR-C	3 volt Lithium C Battery	1 Battery	10	0.02	
LR6XWA/B	Alkaline AA (Industrial label) Bulk (no shrink)	500 Batteries	500	0.05	
LR03XWA/B	Alkaline AAA (Industrial label) Bulk (no shrink)	500 Batteries	500	0.03	
LR6PA/4S	Alkaline AA Battery (4 per shrink)	420 Batteries	420	0.05	
LR03PA/4S	Alkaline AAA Battery (4 per shrink)	400 Batteries	400	0.03	



Alkaline Batteries (Carded)					
STOCK NO.	Description	Minimum Order Qty.	Cards per Inner Carton	Cards per Case	Weight per Card
AM-4PA/2B	Alkaline AAA Batteries - Carded (2 per card)	12 Cards	12	48	0.04
AM-4PA/4B	Alkaline AAA Batteries - Carded (4 per card)	12 Cards	12	48	0.08
AM-3PA/2B	Alkaline AA Batteries - Carded (2 per card)	12 Cards	12	48	0.13
AM-3PA/4B	Alkaline AA Batteries - Carded (4 per card)	12 Cards	12	48	0.23
AM-2PA/2B	Alkaline C Batteries - Carded (2 per card)	12 Cards	12	48	0.32
AM-1PA/2B	Alkaline D Batteries - Carded (2 per card)	12 Cards	12	48	0.62
6AM-6PA/1B	Alkaline 9 Volt Battery - Carded (1 per card)	12 Cards	12	48	0.13



Steve Egbers
Halibut
Ketchikan, Alaska



The "Big One" got away. Steve is wearing Maki BH14209 Glasses. See page 49.



Evergreen Batteries			
STOCK NO.	Description	Minimum Order Qty.	Qty. Per Pack
H2500-AA	AA Button Top 1.2 volt 2500 mAh Ni-Mh. Rechargeable	1 Battery	50
N800-AA	AA Button Top 1.2 volt 800 mAh Ni-Cd. Rechargeable	1 Battery	50
N300-AAA	AAA Button Top 1.2 volt 300 mAh Ni-Cd. Rechargeable	1 Battery	50
PS-4/5A	4/5A Flat Top 1.2 volt 1200 mAh Ni-Cd. Rechargeable	1 Battery	10
N2500-C	C Button Top 1.2 volt 2500 mAh Ni-Cd. Rechargeable	1 Battery	10
N4000-D	D Button Top 1.2 volt 4000 mAh Ni-Cd. Rechargeable	1 Battery	20
N2400-1/2D-B	1/2 D Button Top 1.2 volt 2400 mAh Ni-Cd. Rechargeable	1 Battery	10
L1028	Alkaline 12 volt - Crosses to 23A	1 Battery	5
LR1N	Alkaline 1.5 volt N Cell	1 Battery	2
L1325	Alkaline 6 volt. Crosses to: PX28AB	1 Battery	5
L544	Lithium 6 volt. Crosses to: PX28LB	1 Battery	2
L1131	Alkaline 1.5 volt Button Cell	1 Battery	10
L1154	Alkaline 1.5 volt Button Cell - Crosses to: LR44, A76	1 Battery	10
L1560F	Alkaline 1.5 volt Button Cell - Crosses to: PX625A or EPX625	1 Battery	5
CR1/3N	Lithium 3 volt Battery	1 Battery	5
CR2	Lithium 3 volt Battery	1 Battery	2
CR927	Lithium 3 volt Coin Cell	1 Battery	5
CR1225	Lithium 3 volt Coin Cell	1 Battery	1
CR1616	Lithium 3 volt Coin Cell	1 Battery	5
CR1620	Lithium 3 volt Coin Cell	1 Battery	5
CR1632	Lithium 3 volt Coin Cell	1 Battery	5
CR2016	Lithium 3 volt Coin Cell	1 Battery	5
CR2025	Lithium 3 volt Coin Cell	1 Battery	5
CR2032	Lithium 3 volt Coin Cell	1 Battery	5
CR2325	Lithium 3 volt Coin Cell	1 Battery	5
CR2330	Lithium 3 volt Coin Cell	1 Battery	5
CR2335	Lithium 3 volt Coin Cell	1 Battery	1
CR2354	Lithium 3 volt Coin Cell	1 Battery	5
CR2450	Lithium 3 volt Coin Cell	1 Battery	5
CR2450N	Lithium 3 volt Coin Cell	1 Battery	1
CR2477	Lithium 3 volt Coin Cell	1 Battery	5
CR2477N	Lithium 3 volt Coin Cell	1 Battery	4
CR3032	Lithium 3 volt Coin Cell	1 Battery	1
391	Silver Oxide 1.5 volt Button Cell	1 Battery	10
392	Silver Oxide 1.5 volt Button Cell	1 Battery	10
357F	Silver Oxide 1.5 volt Button Cell - Crosses to: 357, SR44	1 Battery	10
DL-02	Door Lock Battery - 4 AA Alkaline side x side with Hole	1 Battery	24
DL-08	Door Lock Battery - 4 AA Alkaline side x side	1 Battery	24
A10	Zinc Air Hearing Aid - 6 Batteries per card	1 Card	10
A13	Zinc Air Hearing Aid - 6 Batteries per card	1 Card	10
A312	Zinc Air Hearing Aid - 6 Batteries per card	1 Card	10
A312-10	Zinc Air Hearing Aid - 10 Batteries per card	1 Card	10
A675	Zinc Air Hearing Aid - 6 Batteries per card	1 Card	10



Nickel Metal Hydride



Nickel Cadmium Batteries



Lithium Cylindrical



Lithium Coin Cells



Hearing Aid Batteries

1000 LUMENS & SOMETHING UP ITS SLEEVE.



PROTAC HL® USB

With **1000 LUMENS**, a **USB PORT**, and **TRI-FUEL**, this is one of our **MOST VERSATILE LIGHTS**.

The ProTac HL's USB port allows for on-the-go charging wherever and whenever you need it. This light operates on a proprietary Streamlight rechargeable battery, one 18650, or two CR123 batteries. Like all ProTac lights, the ProTac HL® USB comes equipped with Ten-Tap® programming so you can customize your modes of operation based on your needs. The ProTac HL USB – it's not magic. It's Streamlight.

©2016 STREAMLIGHT, INC.



www.BATORAY.com ph: 859-431-7587



WORK

LIGHTS THAT

YOU NEED IT, WE GOT IT - USB RECHARGEABLE, ALKALINE, LONG RUN TIME, SPOT BEAM, FLOOD LIGHT AND MORE. BUILT LIGHTWEIGHT AND LOW-PROFILE, STREAMLIGHT HEADLAMPS OFFER MAXIMUM COMFORT OVER THE LONG HAUL. WITH MULTIPLE MODES TO CHOOSE FROM, THEY CAN DELIVER BRIGHTER BEAMS OR LONGER RUN TIMES. AND AS ALWAYS, THEY'RE BACKED BY OVER 45 YEARS OF STREAMLIGHT COMMITMENT.



ENDURO® PRO SEPTOR® BANDIT® TRIDENT HAZ-LO® DOUBLE CLUTCH™

www.BATORAY.com ph: 859-431-7587

STYLUS PRO® Penlights



Stylus Pro® Slim, bright, and rugged, this LED Penlight features a machined aluminum body that is only 5.3" long. Rubber push button tail cap switch, o-ring sealed, unbreakable lens and pocket clip. (2) alkaline AAA batteries and belt holster included.

66118 - Stylus Pro® - Black Body - White LED

66121 - Stylus Pro® - Silver Body - White LED

66129 - Stylus Pro® - Green Body - White LED

66120 - Stylus Pro® - Red Body - White LED

66122 - Stylus Pro® - Blue Body - White LED

66128 - Stylus Pro® - Orange Body - White LED

Replacement Battery: Alkaline AAA x 2

Safety Ratings: None

Light Output: 100 Lumens / 62m

Run Time: 8 hours

Minimum Order: 1 Each / Case Qty: 6



Microstream USB



Stylus Pro - Silver



Stylus Pro - Red



Stylus Pro - Blue



Stylus Pro - Orange



Stylus Pro - Green

STYLUS PRO® USB Rechargeable Penlights



Stylus Pro® USB. Super bright USB Rechargeable LED Penlight. Machined aluminium Body is only 5.95" long. Rubber push button tail cap switch allows user to choose between high and low beams. Sliding metal sleeve protects USB charge port. O-ring sealed, unbreakable lens and removable pocket clip. Includes micro USB cord and nylon holster. **Carded**

66133 - Stylus Pro® USB - Black Body - White LED.

66134 - Stylus Pro® USB - Black Body - White LED. (includes AC adaptor)

66149 - Stylus Pro® USB UV - Black body - ULTRA VIOLET LED.

Replacement Battery: 66143 (Lithium Ion)

Safety Ratings: None

Light Output:
350 Lumens / 109 m (Stylus Pro® USB)
325 mW (Stylus Pro® USB UV)

Run Time: 3.5 hours (Stylus Pro® USB)
2.5 hours (Stylus Pro® USB UV)

Minimum Order: 1 Each / Case Qty: 6



Counter Display Box available for Microstream and Stylus Pro. FREE with qualifying order. Call for details.

MICROSTREAM® Pocket Light



Microstream® LED Pocket Light is so small you can keep it in your pocket or clip it to a cap for hands free lighting. Machined aluminum body is only 3.6" long. Rubber push button tail cap switch, o-ring sealed, unbreakable lens and removable multi-directional pocket clip. Includes 1 alkaline AAA battery. **Carded**

66318 - MicroStream® - Black Body - White LED.

Replacement Battery: Alkaline AAA X 1

Safety Ratings: None

Light Output: 45 Lumens / 420 cd / 52 m

Run Time: 2.5 hours

Minimum Order: 1 Each / Case Qty: 6

MICROSTREAM® USB Rechargeable Pocket Light



Microstream® USB. This Rechargeable USB LED Pocket Light is so small, you can keep it in your pocket or clip it to a cap for hands free lighting. Machined aluminum body is only 3.87" long. Rubber push button tail cap switch allows user to choose high or low beam. O-ring sealed, unbreakable lens and removable multi-directional pocket clip. Sliding metal sleeve protects USB charge port. Includes micro USB cord and lanyard. **Carded**

66601 - MicroStream® USB - Black body - White LED

66602 - MicroStream® USB - Red body - White LED

66603 - MicroStream® USB - Blue body - White LED

66608 - MicroStream® USB - Coyote Tan body - White LED

Replacement Battery: 66607 (Lithium Ion)

Safety Ratings: None

Light Output: 250 Lumens / 1,150 cd / 68 m

Run Time: 1.5 hours High, 3.5 hours Low

Minimum Order: 1 Each / Case Qty: 6

MACROSTREAM® USB Rechargeable Flashlight



Macrostream® USB This compact, rechargeable LED personal light fits in the palm of your hand or in your pocket. Machined aluminum body is only 4.5" long. Rubber push button tail cap switch with High and Low modes, unbreakable lens and removable multi-directional pocket clip. Sliding metal sleeve protects USB port. Includes micro USB cord. **Carded**

66320 - MacroStream® USB - Black Body - White LED.

Replacement Battery: 66321 (Lithium Ion)

Safety Ratings: None

Light Output: 500 Lumens / 90 m

Run Time: 2 hours High 8 hours Low

Minimum Order: 1 Each / Case Qty: 6

**PROTAC® 1 AAA
FLASHLIGHT**


Multi Function TEN TAP push button tailcap switch allows user to choose between 3 different operating modes: high-Strobe-low, High Only, Low-High. C4 LED technology delivers a bright white stream of light. Operates on alkaline or lithium AAA battery. Machined aluminum body is only 3.94" long. Impact resistant tempered glass lens. Removable multi directional pocket clip. Anti Roll head. includes 1 alkaline AAA battery and nylon belt holster. **Carded**

88049 - Protac® 1 AAA

Replacement Battery: AAA x 1

Safety Ratings: None

Light Output: 115 Lumens / 890 cd / 60 m

Run Time: 1.7 hours (Alkaline) 2.25 hours (Lithium)

Body Color: Black only

Minimum Order: 1 Each / Case Qty: 6

**PROTAC® 2 AA
TACTICAL
FLASHLIGHT**


Multi Function TEN TAP push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-Low, High Only, Low-High. C4 LED technology delivers a bright white stream of light. Solid state power regulation provides maximum light output throughout battery life. Machined aluminum body is 6.4" long. Impact resistant tempered glass lens. Removable and unbreakable pocket clip. Anti-roll head. Includes 2 alkaline AA batteries and nylon belt holster. **Carded**

88033 - Protac® 2 AA

Replacement Battery: AA x 2

Safety Ratings: None

Light Output: 250 Lumens / 4,250 cd / 130 m

Run Time: 2 hours (High) 36 hours (Low)

Body Color: Black only

Minimum Order: 1 Each / Case Qty: 6

**PROTAC® 2 AAA
TACTICAL
FLASHLIGHT**


Multi Function TEN TAP push button tailcap switch allows user to choose between 3 different operating modes: high-Strobe-low, High Only, Low-High. C4 LED technology delivers a bright white stream of light. Solid state power regulation provides maximum light output throughout battery life. Machined aluminum body is 5.62" long. Impact resistant tempered glass lens. Removable and unbreakable pocket clip. Anti Roll head. includes 2 alkaline AAA batteries and nylon belt holster. **Carded**

88039 - Protac® 2 AAA

Replacement Battery: AAA x 2

Safety Ratings: None

Light Output: 130 Lumens / 1,230 cd / 70 m

Run Time: 1.7 hours (High) 13 hours (Low)

Body Color: Black only

Minimum Order: 1 Each / Case Qty: 6

**PROTAC® HL USB
Rechargeable FLASHLIGHT**


High lumen USB rechargeable LED flashlight. Accepts multiple battery sources: Uses Streamlights 74175 lithium ion battery (included), or, SL-B26 rechargeable Lithium-ion battery or (2) CR123A lithium batteries. Durable machined aluminum body. Sliding metal sleeve protects USB charge port. Anti Roll head. TEN TAP programmable tactical switch. User can choose High/strobe/low, High only or Low/Medium/High. Includes micro USB charge cord, removable pocket clip and nylon holster. **Carded**

88052 - Protac® HL USB

Replacement Battery: 74175, 22101 (SL-B26) or CR123A x 2

Safety Ratings: None

Light Output: 1,000 Lumens / 219 m

Run Time: 1.5 hours (High) 23 hours (Low)

Body Color: Black

Minimum Order: 1 Each / Case Qty: 6

**PROTAC® HL 5-X USB
Rechargeable FLASHLIGHT**


Blindingly bright tactical flashlight with a wide beam pattern that will illuminate an entire area. Durable machined aluminum body with rubber sleeve for thermal insulation and a sure grip. Anti Roll head. Dual fuel source: Operates on (2) rechargeable SL-B26 lithium ion batteries or (4) non rechargeable CR123A lithium batteries. TEN TAP programmable switch. User can choose High/strobe/low, High only or Low/Medium/High. Includes (2) SL-B26 batteries, USB cord, wrist lanyard & nylon holster. **Carded**

88080 - Protac® HL 5-X USB (includes 2 SL-B26 Batteries)

88074 - Protac® HL 5-X (includes 4 CR123 Batteries)

Replacement Battery: 22102 (SL-B26) x 2 or CR123A x 4

Safety Ratings: None

Light Output: 3,500 Lumens / 452 m

Run Time on CR123's: 1.5 hours HIGH
40 hours LOW

Run Time on 18650's: 1.25 hours High,
10.5 hours LOW

Body Color: Black

Minimum Order: 1 Each / Case Qty: 6

**PROTAC® HL-X USB
Rechargeable FLASHLIGHT**


High lumen USB rechargeable LED flashlight. Accepts multiple battery sources: Uses Streamlights SL-B26 rechargeable Lithium-ion battery or (2) CR123A lithium batteries. Durable machined aluminum body. Anti Roll head. TEN TAP programmable tactical switch. User can choose High/strobe/low, High only or Low/Medium/High. Includes USB charge cord, removable pocket clip and nylon holster. **Carded**

88064 - Protac® HL-X (includes 2 CR123 lithium batteries)

88084 - Protac® HL-X USB (includes SL-B26 battery)

Replacement Battery: 22101 (SL-B26 Rechargeable) or (2) CR123A

Safety Ratings: None

Light Output: 1,000 Lumens / 27,000 cd / 330 m

Run Time: 1.5 hours (High) 23 hours (Low)

Body Color: Black

Minimum Order: 1 Each / Case Qty: 6

**Twin Task® 3C-UV Ultraviolet
LED Flashlight**


Machined aluminum body 1.26" x 9.02". Push button switch allows user to choose a high powered bright white C4 LED in flashlight mode or a series of either 3 or 6 **ULTRAVIOLET** LEDs for detecting fraudulent documents or engine or HVAC leaks. Includes wrist lanyard. Uses (3) alkaline C batteries (not included). **Carded**.

51045 - Twin Task® 3C-UV

Replacement Battery: Alkaline C x 3

Safety Ratings: None

Body Color: Black

Light Output C4 LED: 185 Lumens / 3730 cd / 116 m

Light Output UV's: 6 UV's = 44mw 3 UV's = 30mw

Run Time C4 LED: 27 hours / 6 UV's 63 hours / 3 UV's 81 hours

Minimum Order: 1 Each / Case Qty: 12

JR LED[®] and JR F-STOP[®] LED FLASHLIGHT



The JR LED[®] is made of rugged anodized aluminum. Body length is 6.5". Recessed tail button switch. Unbreakable lens. Will operate using alkaline or lithium AA batteries. Includes 2 alkaline AA batteries, removable pocket clip and nylon belt holster. **Carded**

The JR F-STOP[®] has all of the same features as listed above but has a sliding lens that provides a smooth transition from flood beam to spot beam. **Carded**

71500 - JR LED[®]

71700 - JR F-STOP[®]

Replacement Battery: Alkaline or Lithium AA x 2

Safety Ratings: None

Body Color: Black only

Light Output: 250 Lumens / 5,600 cd / 150 m

Run Time: 6 hours

Minimum Order: 1 Each / Case Qty: 6

PROPOLYMER[®] 4 AA FLASHLIGHT



Compact high performance safety rated flashlights. Polymer body is 7" long with a tail button switch. Choose model with 7 LED's in flood pattern for close work and long run time or single super bright C4 LED for long range work. Includes 4 AA alkaline batteries. **Carded**

68202 - Yellow body with 7 LED's in flood pattern

68244 - Yellow body with single C4 LED

Replacement Battery: AA x 4

Safety Ratings: None

Body Color: Also available in Black

Light Output: 68202 : 67 Lumens
68244: 100 Lumens 4,200cd 130m

Run Time: 68202 155 hours
68244 6 hours

Minimum Order: 1 Each / Case Qty: 6



DUALIE[®] 2AA



Intrinsically safe multi-function flashlight. The DUALIE 2AA has 2 switches that work independently or both at the same time. The top switch turns on a focused spot light. The bottom switch operates a soft flood light to illuminate your work area and help avoid slips, trips and falls. Integrated magnet on base for hands free operation. Removable/reversible belt/pocket clip. 7" long body is made non conductive polymer resin. Operates on 2 AA Batteries (included). **Carded**

67750 - Dualie 2 AA with Yellow Body.

Replacement Battery: AA x 2

Body Color: Also available in Black

Safety Ratings: Class 1 & 2, Div 1

Light Output Spot: 115 Lumens / 3100 cd / 111 m

Light Output Flood: 115 Lumens / 75 cd / 17 m

Light Output Combined: 175 Lumens

Run Time: 24 hours (Spot), 24 hours (Flood), 15 hours simultaneously

Minimum Order: 1 Each / Case Qty: 6

DUALIE[®] 3AA



Intrinsically safe multi-function flashlight. The Dualie 3 AA has 2 switches that work independently or both at the same time. The top switch turns on a focused spot light. The bottom switch operates a soft flood light to illuminate your work area and help avoid slips, trips and falls. Rugged, integrated, snag-free clip. 7" long body is made non conductive polymer resin. Operates on 3 AA batteries (included). Available in Standard, Magnetic Clip or with Laser.

68750 - Dualie 3 AA with Yellow Body. **Carded**

68782 - Dualie 3AA with Yellow Body and MAGNETIC CLIP. **Boxed**

68760 - DUALIE 3AA with Yellow Body and LASER. **Boxed**
(Laser Model does not have a flood light)

Replacement Battery: AA x 3

Body Color: Also available in Black

Safety Ratings: Class 1 & 2, Div 1

Light Output Spot: 140 Lumens / 7300 cd / 171 m

Light Output Flood: 140 Lumens / 80 cd / 18 m

Light Output Combined: 245 Lumens

Run Time: 18 hours (Spot), 18 hours (Flood), 9 hours simultaneously

Minimum Order: 1 Each / Case Qty: 12

SL-B26 BATTERIES & CHARGERS



Streamlight rechargeable Lithium Ion replacement batteries includes built in Micro USB charge port, safety circuit protection and charge status indicator.

22101 - 1 Battery Per Pack

22102 - 2 Batteries Per Pack

Streamlight SL-B26 Lithium Ion battery chargers. Will also charge 18650 Lithium Ion batteries.

20221 - Lithium Ion bank charger with 110V AC transformer. Charges up to 8 Streamlight SL-B26 batteries.

22010 - Lithium Ion USB charge cradle. Charges up to 2 Streamlight SL-B26 batteries. Includes USB cord and 2 batteries

22100 - Lithium Ion USB charge cradle. Charges up to 2 Streamlight SL-B26 batteries. Does not include batteries or charge cord.

Minimum Order: 1 Each / Case Qty: 1



22010



20221



Joe Egbers - Walleye, Lake Erie, Ohio
Wearing Sawfish BH2679PFT Glasses. Page 51.

ENDURO® Headlamp


Push button switch allows user to switch between Low and High light output. Also securely clips to the brim of your cap for convenient hands free use. Tilting head. Headstrap is a combination of Rubber & Elastic. (2) AAA batteries (included). **Carded**

61400 - Black body with white LED

Replacement Battery: AAA

Light Output: 50 Lumens / 1100 cd / 66 m

Safety Ratings: None

Run Time: 6 hours (high white LED)

Minimum Order: 1 Each / Case Qty: 6

ENDURO® PRO Headlamp


Multi-function push button switch allows user to choose spot LED beam for long range lighting, flood LED beam for soft area illumination or red LEDs to preserve night vision. Remembers last mode used. Defaults to low beam when powering on. Low profile design. Easy open battery door. Removable yellow face plate. Includes 3 alkaline AAA batteries.

61420 - Includes yellow face plate & elastic headstrap. **Carded**

61422 - Industrial Series includes yellow face plate, elastic and rubber hard hat strap, and 3M Dual Lock for mounting directly to hard hats. **Boxed**



61424 - HAZ-LO series safety rated - Includes yellow face plate, elastic & rubber hard hat strap and 3M Dual Lock for mounting directly to hard hats. **Boxed**

Replacement Battery: AAA x 3

Light Output: 61420 & 61422 : High Spot: 200 Lumens / 2,250 cd / 95 m
High Flood: 135 Lumens / 210 cd / 29 m
HAZ-LO: 160 Lumens 1320 cd 73m

Safety Ratings: 61420 & 61422 None / HAZ-LO series = MSHA, UL class 1, div 1

Run Time:
61420 & 61422: 6 hours (High) 14 hours (Med) 38 hours (Low)
HAZ-LO: 5 hours spot or flood, 4.45 hours spot & flood combined

Minimum Order: 1 Each / Case Qty: 6

ENDURO® PRO USB Rechargeable Headlamp


USB rechargeable Multi-function push button switch allows user to choose spot LED beam for long range lighting, flood LED beam for soft area illumination both modes allow user to select high, med or low. Low profile design. Black body with removable yellow face plate. Charge indicators show state of charge.

61435 - Includes USB cord & elastic headstrap. **Boxed**

61436 - Industrial series - Includes USB cord, elastic & rubber hard hat strap and 3M Dual Lock for mounting directly to hard hats. **Boxed**

Replacement Battery: Lithium Polymer. Factory replaced.

Light Output: High Spot: 200 Lumens 2080cd 91m
High Flood: 145 Lumens 220cd 30m

Safety Ratings: None

Run Time: 7 hours (High) 21 hours (Med) 48 hours (Low)

Minimum Order: 1 Each / Case Qty: 6

SEPTOR® Headlamp


This headlamp is the best choice for close up tasks. It features 7 LED's in a low profile reflector with 3 output modes. Impact resistant housing, Unbreakable lens, O ring sealed, tilting head, recessed push button switch. Low battery indicator. Includes elastic strap, rubber strap for hard hat use and 3 alkaline AAA batteries. **Carded**

61052 - SEPTOR®

Replacement Battery: Alkaline AAA x 3

Light Output: 120 Lumens / 900 cd / 60 m

Safety Ratings: Class 1 Div 2

Run Time: 3.5 hours (High) 10 hours (Med) 55 hours (Low)

Minimum Order: 1 Each / Case Qty: 6

ARGO® Headlamp


This headlamp features a single C4 LED for extremely long distance lighting. Impact resistant housing, Unbreakable lens, O ring sealed, tilting head, recessed push button switch with 3 output modes. Low battery indicator. Includes elastic strap, rubber strap for hard hat use and 3 alkaline AAA batteries. **Carded**

61301 - ARGO®

Replacement Battery: Alkaline AAA x 3

Light Output: 150 Lumens / 9,250 cd / 190 m

Safety Ratings: Class 1 Div 2

Run Time: 3 hours (High) 4.5 hours (Med) 30 hours (Low)

Minimum Order: 1 Each / Case Qty: 6

TRIDENT® Headlamp


This multi purpose headlamp offers the versatility of switching between either a bright C4 LED for distance lighting or a soft flood of smaller LED's to light tasks at arms length. Impact resistant housing, Unbreakable lens, O ring sealed, tilting head, recessed push button switch. Low battery indicator. Includes elastic strap, rubber strap for hard hat use and 3 alkaline AAA batteries. **Carded**

61050 - TRIDENT®

Replacement Battery: Alkaline AAA x 3

Light Output: 80 Lumens / 4,000 cd / 126 m

Safety Ratings: Class 1 Div 2

Run Time: 5 hours (C4 LED), 10 hours 2 LED's, 53 hours (1 LED)

Minimum Order: 1 Each / Case Qty: 6

3 AA HAZ-LO® Headlamp


Safety approved compact, high performance, C4 LED headlight. Made for the stringent requirements of Division 1 Hazardous Locations. Impact resistant housing. Unbreakable lens, O ring sealed, tilting head, simple on/off push button switch. Includes elastic cloth strap for head/hat, rubber strap for hard hat use and 3 alkaline AA batteries. **Carded**

61200 - 3 AA Haz Lo® Headlight - Yellow and Black Body

Replacement Battery: Alkaline AA

Light Output: 120 Lumens / 6,800 cd / 165 m

Safety Ratings: Class 1 Div 1 & MSHA

Run Time: 11 hours

Minimum Order: 1 Each / Case Qty: 6



Lisa Egbers
Deer Sheds
Found on Steve and Lisa's farm in Gallatin County, KY

BANDIT® PRO USB Rechargeable LED Headlamp



Ultra-bright white COB LED produces bright, even, diffused, widespread light. Low profile design. Multi-function push button switch with charge indicator allows user to choose between High, Low or flash modes. **Carded**

61710 - Yellow body. Includes micro USB cord, elastic head strap and removable hat clip. **Carded**

61714 - Black body. Includes micro USB cord, elastic head strap and removable hat clip. **Carded**

61716 - Yellow body. Includes micro USB cord, elastic head strap, rubber hard hat strap and 3M Dual Lock material for strapless mounting. **Boxed**

Replacement Battery: Lithium Polymer battery is not replaceable (2 year warranty)

Light Output: 180 Lumens (High) / 35 Lumens (Low)

Safety Ratings: None

Run Time: 4.5 hours (High) 21 hours (Low)

Minimum Order: 1 Each / Case Qty: 6

PROTAC® HL USB Rechargeable Headlamp



Extremely bright white LED provides a wide and long range beam. 90° tilting head. TEN-TAP programming lets user choose the order of operating modes (High, Medium, Low). Machined Aluminum Body. Includes optional red and green lenses. **Carded**

61305 - Protac® HL USB Headlight with micro USB cord, elastic and rubber straps.

61306 - Protac® HL USB Headlight with micro USB cord, AC adaptor, elastic and rubber straps.

Replacement Battery: 74175 Lithium Ion (can be charged while in the headlight) or 22101 (SL-B26) Lithium Ion with charge port

Light Output: 1000 Lumens / 13,500 cd / 232 m (High)

Safety Ratings: None

Run Time: 1.5 hours (High) 2.75 hours (Med) 20 hours (Low)

Minimum Order: 1 Each / Case Qty: 6

QB® Rechargeable USB Headlamp



This Ultra-compact and lightweight USB headlamp is small but it's also big on power. Multi function push button switch with High, low and flash modes, low profile design, attaches to visors of caps, adjustable elastic strap with silicone backing, LED charge indicators. Includes micro USB cord. **Carded**

61430 - Yellow body with white LED

61432 - Black body with white LED

Replacement Battery: Non replaceable Lithium polymer battery with 2 year warranty

Light Output: 200 Lumens 85 m

Safety Ratings: None

Run Time: 2 hours (High) 4 hours (Low) or flash modes

Minimum Order: 1 Each / Case Qty: 6

KEYMATE® USB Rechargeable Personal Light



This unique light features a rugged body that looks and feels like a key. It features a spring loaded clip for easily attaching to key rings, zippers, lanyards etc, push button switch with high, low and flash modes, Lithium polymer battery. Charge indicator LED. Includes 5" micro USB cord. **Carded**

73200 - Keymate® USB

Replacement Battery: None (2 yr. warranty)

Light Output: 35 Lumens (High) 16 Lumens (Low)

Safety Ratings: None

Run Time: 1 hour (High), 2 hours (Low) or Flash Modes

Minimum Order: 1 Each / Case Qty: 6



The Siege Lantern®



44956



44931

The Siege® LED lanterns emit a bright white light that is bright enough to light up a whole campsite or even a whole room during a power outage. User can also choose High, medium or low settings. You can hang it upright or inverted. Switch over to the Red LED's for night vision or signaling for help. They are waterproof to 1 meter and they float. Unbreakable polycarbonate lenses. Recessed power button prevents accidental actuation and has a battery life indicator. (2) D rings, top and bottom, on D cell models. 1 D ring on bottom of the AA models. Top can be removed for direct illumination on all except Siege X. Ergonomic handle makes it easy to carry and is designed to hook on any edge, bar or tree limb. **Boxed. Boxed**

44931 - 3 cell D model - Coyote tan & black body. Body size 3.8" x 7.25". Batteries not included.

44941 - 3 cell AA model - Coyote tan & black body. Body size 2.37" x 5.44". Batteries not included.

44943 - 3 cell AA model with MAGNETIC BOTTOM - Yellow & black body. Body size 2.37" x 5.44". Batteries not included.

44956 - SIEGE X USB RECHARGEABLE model - Coyote tan & black body. Multi fuel options: Operates on Streamlight's SL-B26 rechargeable battery (included) or (2) non rechargeable lithium CR123A batteries. Includes 22" micro USB cord. Body size 2.20" x 5.35".

Replacement Battery: Alkaline D, AA, SL-B26 or CR123A depending on model

Max Light Output: 340 Lumens (D cell model)
200 Lumens (AA cell model)
325 Lumens (SIEGE X)

Safety Ratings: None

Run Time D cell model: 30 hours (High), 70 hours (Medium), 295 hours (Low)

Run Time AA cell models: 7 hours (High), 15 hours (Medium), 37 hours (Low)

Run Time Siege X: 4.5 hours (High), 7.75 hours (Med), 25 hours (Low)

Minimum Order: 1 Each / Case Qty: 6



VULCAN® 180 Rechargeable Lantern



Lightweight and versatile. This lantern features a 180 degree tilting head that allows you to direct light where you need it. Three C4 LED's provide an extremely bright, far reaching beam and two ultra bright blue LED's provide visibility from behind. Multi function push button switch. 7.43" long and weighs only 2.47 lbs.

44301 - VULCAN® 180 standard system. Includes AC&DC chargers and shoulder strap - Yellow Body

Replacement Battery: 44351 Lithium ion

Light Output: 1,200 Lumens / 75,000 cd / 548 m (High)
350 lumens / 22,000cd / 296m (Low)

Safety Ratings: NFPA, Class 1 div 2

Run Time: 4.75 hours (High) 12 hours (Low)

Minimum Order: 1 Each / Case Qty:

E-FLOOD® LITEBOX® and E-SPOT® LITEBOX®



The E-FLOOD has 6 ultra bright C4® LEDs set in wide parabolic reflectors that produce a uniform flood pattern. The E-SPOT has 3 C4® LEDs and deep dish parabolic reflectors to produce a large, long range spot pattern. Both models include charger/ mounting rack and shoulder strap.

45801 - E-Flood® Standard System with AC & DC chargers

45851 - E-Spot® Standard System with AC & DC chargers

Replacement Battery: PS-6100 F1

Replacement Bulb: None

Light Output: E-Flood®: 615 Lumens / 4,000 cd / 126 m
E-Spot®: 540 Lumens / 55,000 cd / 469 m

Safety Ratings: NFPA

Run Time: E-Spot 7 hours (High) E-Flood: 8 hours (High)

Minimum Order: 1 Each

WAYPOINT® & WAYPOINT 300® Rechargeable Spotlights



Features a cushioned pistol grip handle, rubberized lens ring and an integrated stand for precise scene lighting. 3 lighting modes: High, Low, strobe. Ultra Bright C4 LED in deep dish parabolic reflector produces long range targeting beam with optimum peripheral illumination. The Alkaline Model is IPX4 rated water resistant and powered by (4) alkaline C batteries (not included) or use the 12 volt DC power cord with cig lighter adaptor for unlimited use with or without the batteries installed.

The Lithium Ion rechargeable model is IPX8 rated waterproof to 2 meters and it floats. Includes AC charge cord. DC charge cord sold separately. The Rechargeable model will not turn on while being charged.

Both Models Include polymer storage mount and are Boxed.

44900 - Waypoint® Alkaline Battery Model - Yellow Body

44902 - Waypoint® Alkaline Battery Model - Black Body



44910 - Waypoint® 300 Rechargeable Lithium Ion Model - Yellow Body

44911 - Waypoint® 300 Rechargeable Lithium Ion Model - Black Body

44924 - Red Filter lens/cap (fits Waypoint & Dualie Waypoint)

44925 - Green Filter lens/cap (fits Waypoint & Dualie Waypoint)

44915 - Red Filter lens/cap (fits Waypoint Rechargeable)

44916 - Green Filter lens/cap (fits Waypoint Rechargeable)

44923 - DC charge cord for Lithium ion rechargeable model only

Replacement Battery: Alkaline C x 4 (alkaline model only)

Light Output:

Alkaline Model: 550 Lumens / 100,000 cd / 625 m (High)

Rechargeable Model: 1000 Lumens / 270,000 cd / 1,039 m (High)

Run Time: Alkaline Model: 10 hours (High) 82 hours (Low)

Rechargeable Model: 3.75 hours (High) 87 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty: 1



Emily Egbers
Bullfrogs
Boone County, KY

**No Minimum Order
and Same Day Shipping**

STINGER® and STRION® SWITCHBLADE Rechargeable LED Work Light



Five lights in one. It's a drop light, hands-free light, UV light, bright white light and a high CRI light with Streamlights Color-Rite technology for paint matching or identifying differences in wires. The blade of the Switchblade can rotate 180 degrees on the body. The weighted base with Magnet allows the light to stand on it's tail with the double sided light bar in any position. Retractable hook makes it even more versatile. It's the multitaskers dream light. Boxed (fits existing Stinger or Strion chargers)
Body Size:
Stinger Switchblade: folded 9.8" Extended 17"
Strion Switchblade: folded 6" Extended 10.75"

New

74850 - STRION SWITCHBLADE with micro USB charge cord. **Boxed**

New

74851 - STRION SWITCHBLADE with AC charger & holder. **Boxed**

76800 - STINGER SWITCHBLADE with micro USB charge cord. **Boxed**

76801 - STINGER SWITCHBLADE with AC charger holder. **Boxed**

Replacement Battery:
Stinger Switchblade 76805
Strion Switchblade 74175

Body Color: Red

Safety Ratings: None

Light Output: Stinger Switchblade:
800 Lumens (Cool White), 600 Lumens (90 CRI), 500 mW (UV LED)

Light Output: Strion Switchblade:
500 Lumens (Cool White), 400 Lumens (90 CRI), 500 mW (UV LED)

Run Time: Stinger Switchblade: 3.75 hours (Cool White or 90 CRI), 15 hours UV
Run Time: Strion Switchblade:
3 hours (Cool White or 90 CRI), 5 hours UV

Minimum Order: 1 Each / Case Qty: 6

FLIPMATE® Rechargeable Worklight



Compact and versatile USB rechargeable worklight. Features a series of bright white LEDs and series of high CRI LEDs with Streamlights Color-Rite technology for paint matching or identifying differences in wires. Push button switch allows user to choose high or low in either mode. Magnetic base with stowable hang hook for hands free lighting. 270 degree rotating light bar aims beam where needed. Charge indicators show the state of charge. Includes micro USB cord. Body size: 4.58" folded, 7.94" extended. **Boxed**

61500 - BLACK body

61501 - RED body

61502 - BLUE body

Replacement Battery: Lithium Ion - factory replaced

Body Color: Black, Blue or Red

Light Output: Cool white 500 Lumens / 90 CRI
LED's 400 Lumens

Safety Ratings: None

Run Time: 2.5 hours (High) 6 hours (Low)

Minimum Order: 1 Each / Case Qty: 6

SYCLONE® Rechargeable Worklight



Compact and versatile USB rechargeable worklight. Features a bright white light LED and a high CRI LED with Streamlights Color-Rite technology for paint matching or identifying differences in wires. Push button switch allows for high, medium or low in either mode. 360 degree rotating body. Magnetic base with stowable hang hook for hands free lighting. Charge indicators show the state of charge. Includes micro USB cord. Body size: 2.97". **Boxed**

61510 - Syclone®

Replacement Battery: Lithium Polymer - factory replaced

Body Color: Red

Light Output: (High): 400 Lumens 141 m

Safety Ratings: None

Run Time: 2 hours (High) 4.5 hours (Med)
9.5 hours (Low)

Minimum Order: 1 Each / Case Qty: 6

PEAK BEAM INTENSITY
The maximum luminous intensity typically along the central axis of a cone of light. This measures the brightest part of the beam. The value is reported in candela (cd).



LIGHT OUTPUT
A measurement of the total quantity of emitted overall light energy. The value is reported in lumens.



BEAM DISTANCE
The distance from the device at which the light beam is 0.25 lux. Results are reported in meters.



Jake Finke
Smallmouth Bass
Lake St. Clair - Michigan

POLYSTINGER® LED
Rechargeable
Flashlight



Super-tough, non-conductive nylon polymer body. 8.4" long. Rubberized grip. Super bright C4® LED. Push button switch allows user to choose between 4 modes: high, medium, low or strobe. Steady charge snap in wall mount charger/holder. Fits existing Stinger Chargers. Boxed.

76163 - Yellow body with AC & DC chargers and 2 holders

Replacement Battery: 77375 (Ni-Mh)

Body Color: also available in Black

Light Output: 485 Lumens / 28,000 cd / 335 m

Safety Ratings: None

Run Time: 3 hours (High) 5.5 hours (Med) 10 hours (Low)

Minimum Order: 1 Each

STRION® LED & STRION LED
HL® Rechargeable
Flashlights



Ultra-compact aluminum body. Only 5.9" long. Multi function push button tailcap switch. One handed operation of momentary, variable intensity or strobe mode. Includes Snap in Wall mount Charger/holder.

74301 - Strion LED with AC & DC chargers and (1) holder

74751 - Strion LED HL with AC & DC chargers and 1 holder


Replacement Battery: 74175 (Lithium Ion)

Light Output:
 Strion LED: 375 Lumens / 12,000 cd / 219m
 Strion LED HL: 615 Lumens / 12,000 cd / 219m

Safety Ratings: None

Run Time:
 Strion LED: 2.5 hours (High) 4.75 hours (Med) 9.5 hours (Low)
 Strion LED HL: 1.25 hour (High) 2.5 hours (Med) 4.5 hours (Low)

Minimum Order: 1 Each



STINGER® HPL
Rechargeable Flashlight



High Performance flashlight. Super bright C4® LED. Push button switch allows user to choose between high, medium, low or strobe modes. Compact aluminum body with non slip grip. Body length 9.23 ". Deep dish parabolic reflector produces a long range targeting beam with optimal peripheral illumination.

75763 - Stinger® HPL with AC & DC steady chargers and 2 holders

Replacement Battery: 75375 (Ni-Mh)

Light Output: 800 Lumens / 48,000 cd / 438 m

Safety Ratings: None

Run Time: 1.5 hours (High) 5 hours (Low)

Minimum Order: 1 Each

STINGER 2020® Rechargeable
LED Flashlights



This is Streamlights next evolution in their work ready Stinger line. It features a compact aluminum body with anti-roll design and is ergonomically shaped for a sure grip. Independently functioning head and tail switches. Separate mode switch for selecting low, medium or high output. Lithium Ion battery offers multiple charging options: battery USB port, battery bank charger or existing Stinger smart chargers. Body length is 7.67"

78100 - Stinger 2020 - Flashlight only

78101 - Stinger 2020 - with AC & DC chargers and 1 Holder

Replacement Battery:
 22102 (SL-B26 batteries - 2 pack)
 78105 (battery holder that includes 2 SL-B26 batteries)

Light Output: 2000 Lumens 315 m

Safety Ratings: None

Run Time: 2 hours (High) 4 hours (Med) 24 hours (Low) 3.25 hours (Strobe)

Minimum Order: 1 Each

STINGER® LED and
STINGER DS® LED
Rechargeable
Flashlights



Compact aluminum body with non-slip rubberized grip and anti-roll rubber ring. Choose between standard model with one switch on the side or the DS model with both a side switch and a tactical switch on the rear. Super bright C4® LED. Steady charge snap in wall mount Charger/holder. Four modes: high, medium, low or strobe. Includes anti-roll ring. Body length = 8.41". Fits existing Stinger chargers. Boxed.

75713 - Stinger® LED with AC & DC chargers - 2 holders

75711 - Stinger® LED with AC only and 1 holder

75813 - Stinger DS® LED (dual switch) with AC & DC chargers and 2 holders

75811 - Stinger DS® LED (dual switch) with AC only and 1 holder

Replacement Battery: 75375 (Ni-Mh)

Body Color: Black

Light Output: 425 Lumens / 26,000 cd / 322 m

Safety Ratings: None

Run Time: 3 hours (High) 10 hours (Low)

Quantity per case: 1 Each

Minimum Order: 1 Each

STINGER LED HL® Rechargeable
Flashlight



Compact aluminum body with non slip rubberized grip and anti-roll rubber ring. Super bright C4 LED. Steady charge snap in wall mount charger/holder. Four modes: high, medium, low or strobe. Body length 8.4"

75430 - Stinger LED HL® with AC & DC chargers and 2 holders

Replacement Battery: 75375 (Ni-Mh)

Light Output: 800 Lumens / 24,000 cd / 310 m

Safety Ratings: None

Run Time: 1.5 hours (High) 5 hours (Low)

Minimum Order: 1 Each

LED Penlights



These LED Penlights feature an aluminum core with a ABS plastic overmold for work in tough environments. Wide beam angle. Built in pocket clip. Push button tail switch activates with a click or momentary contact. Safety model comes with helmet mount. Both models include 2 AAA batteries. **Carded**

1970 - Standard model - Black body

1975 - Safety approved model - Yellow body

Replacement Battery: AAA x 2

Safety Ratings:

1970 None
1975 Class I,II, III, Div 1

Light Output:

1970: 139 Lumens, 205 cd, 29 m
1975: 117 Lumens, 141 cd, 24 m

Run Time: 1970: 4 hours 1975: 2 hours

Minimum Order: 1 Each / Case Quantity: 6

LED Penlight



This light allows the user to move from flood to spot beam by sliding the head. Slim aluminum body with tough stainless steel pocket clip. Push button tail switch with High, low or flash modes and battery level indicator. Body length: 5.59". **Carded**

5000

Replacement Battery: AAA x 2

Safety Ratings: None

Light Output: 202 Lumens, 1176 cd, 69 m

Run Time: 1.15 hours (High) 7 hours (Low)

Minimum Order: 1 Each / Case Quantity: 6

LED Flashlight



This light allows the user to move from flood to spot beam by sliding the head. Push button tail switch with High, low or flash modes and a battery level indicator. Body length: 6.26". **Carded**

5010

Replacement Battery: AA x 2

Safety Ratings: None

Light Output: 392 Lumens, 8507 cd, 184 m

Run Time: 2.15 hours (High) 26 hours (Low)

Minimum Order: 1 Each / Case Quantity: 6

LED Flashlights



These LED flashlights feature an aluminum core with a ABS plastic overmold for work in tough environments. Built in pocket clip. Push button tail switch activates with a click or momentary contact. long range beam. Safety model comes with helmet mount. Both models include 2 AA batteries. **Carded**

2310 - Standard model - Black body

2315 - Safety approved model - Yellow body

Replacement Battery: AA x 2

Safety Ratings:

2310 None 2315 Class I,II, III, Div 1

Light Output:

2310: 350 Lumens, 4516 cd, 134 m
2315: 115 Lumens, 1403 cd, 75 m

Run Time: 2310: 2 hours 2315: 6 hours

Minimum Order: 1 Each / Case Quantity: 6

3310PLCC & 3315 LED Flashlights



Durable Polymer Body. 6.4" long. 6.2 oz. The lightweight and compact design uses (3) AA batteries to power a single high output bright white LED. Push button on/off switch. Includes batteries, wrist lanyard and removable pocket clip. The 3310PLCC model has a glow in the dark body and a color correct LED which allows the user to see true colors. **Carded**

3310PLCC - Color correct model

3315 - Safety approved model

Replacement Battery: AA x 3

Safety Ratings:

Light Output:

3310PLCC: 283 Lumens, 7150 cd, 169 m
3315: 160 Lumens, 5143 cd, 144 m

Run Time:

3310PLCC: 8 hours (High) 175 (Low)
3315: 19 hours

Minimum Order: 1 Each / Case Quantity: 6



Jake Finke
Wild Turkey
Gallatin County, KY

Industrial Grade Flashlight



This industrial grade flashlight features a variable light output sensor that automatically adjusts lumen brightness level depending on what is needed. Dual beams - spot & downcast flood. Battery level indicator. Durable polymer resin body. Integrated clip. Powered by 3 AA batteries (not included)

3345
Replacement Battery: AA x 3
Safety Ratings: Class I,II, III, Div 1
Light Output: 280 Lumens, 3990 cd, 137 m
Run Time: 7 hours (High) 14 (Low)
Minimum Order: 1 Each / Case Quantity: 6

Multi-Task LED Lighting Tool



The 3410M is molded from "glow in the dark" photoluminescent material so it's easy to find, even when it's off. The 3415M is molded using high viz yellow resin. Both models feature bright white LED's. Push button switch allows user to choose High, Medium or Low modes, spot or flood beam, or both spot and flood combined. Articulating light head. Magnetic clip. Body length is 7.44". Operates on (3) alkaline AA batteries. **Carded**

3410M - Standard model with glow in the dark body
3415M - Safety approved model
Replacement Battery: AA x 3
Safety Ratings: 3410M None 3415M Class I,II, III, Div 1
Light Output: 3410 (High): 653 Lumens, 8504 cd, 184 m 3415M (High): 336 Lumens, 4544 cd, 135 m
Run Time: 5 hours (High) 19 (Med) 61 (Low)
Minimum Order: 1 Each / Case Quantity: 6



Steve Egbers
Wild Turkey
Gallatin County, KY

7100 USB Rechargeable Flashlight



High performance tactical LED flashlight. Anodized aluminum body is 5.12" in length. Push button tail switch allows user to choose between high, medium, low or strobe modes. Includes micro USB cord, removable pocket clip and Lithium ion battery. Full time battery level indicator. Protected charge port. Also runs on (1) AA alkaline battery (not included). **Carded**

7100
Replacement Battery: 7109 Lithium Ion or (1) AA alkaline
Safety Ratings: None
Light Output: 965 Lumens, 9413 cd, 194 m
Run Time: 1.2 hours (High) 1.5 (Med) 9.1 (Low)
Minimum Order: 1 Each / Case Quantity: 1

7600 USB Rechargeable Flashlight



User can choose between High, Medium, Low or Strobe modes, or choose from 5 different programs to personalize the bright white LED to your liking. Easily switch to Red or Green LED's. Anodized aluminum body is 6" in length. Push button tail switch. Includes micro USB cord, pocket clip and Lithium Ion Battery. Also runs on (2) Lithium CR123 Batteries (not included). **Carded**

7600
Replacement Battery: 2389 Lithium Ion or (2) CR123A
Safety Ratings: None
Light Output: 944 Lumens, 12693 cd, 225 m (High)
Run Time: 3.15 hours (High) 4.5 (Med) 29 (Low)
Minimum Order: 1 Each / Case Quantity: 1

LED Headlamps



Bright, compact, lightweight and built for harsh environments. Equipped with a single high powered LED. Push button switch allows user to choose between High, Low, or Flashing modes. It also has a built in battery life indicator. Includes cloth strap, rubber strap, adhesive backed helmet mounting bracket and 3 alkaline AAA batteries. **Carded**

2750 - Standard model - Black Body
2755 - Safety approved model - Yellow Body
Replacement Battery: AAA x 3
Body Color: Black or Yellow
Safety Ratings: 2755: UL Class 1, Div 1
Light Output: 2750: 259 Lumens, 2041 cd, 90 m 2755: 72 Lumens, 807 cd, 57 m
Run Time: 2750: 2.5 hours (High) 11 (Low) 2755: 7.5 hours (High) 16 (Low)
Minimum Order: 1 Each / Case Quantity: 6

Headlamps



Tough, lightweight and super bright. Multi function push button switch allows user to choose between High, Medium, Low, Flashing, Downcast or Red LED modes. Includes cloth strap, strap free adaptor and (3) AAA alkaline batteries. **Carded**

2760 - Standard model - Black body
2765 - Safety approved model, Class I Div I - Yellow body
Replacement Battery: AAA x 3
Safety Ratings: None
Light Output: 2760: (High) 289 Lumens, 2540 cd, 101 m 2765: (High) 155 Lumens, 1649 cd, 81 m
Run Time: 2760: 1.5 hours (High) 3.15 (Med) 5.5 (Low) 2765: 6.0 hours (High) 14 (Low)
Minimum Order: 1 Each / Case Quantity: 6





Pelican Elite Coolers. Engineered for Extreme performance. Two inches (2") polyurethane insulation gives you 7-10 day ice retention. Freezer grade gasketed lid. Corrosion resistant stainless steel hardware. Press and Pull Latches. Engineered Drainage. Built in Stainless Steel Bottle Opener. Moulded in cupholders, lock hasp, handles and tiedowns. Non-Skid and non-marking raised feet. Holds up against UV exposure, salt water, sand abrasion and extreme temperature fluctuations. Elite Coolers are built to last, guaranteed for life and made in U.S.A.

Capacity	STOCK NO. Options	Body Color Options	Dimensions	Weight Each
20 Quart	20Q-1-WHTGRY 20Q-2-TANORG 20Q-1-DKGRYEGRN	White/Gray Tan/Orange Dark Gray/Green	Exterior: 18.80" x 12.60" x 17.70" Interior: 12.00" x 6.70" x 14.10"	12.52 lbs.
30 Quart	30Q-1-WHTGRY 30Q-2-TANORG 30Q-1-DKGRYEGRN	White/Gray Tan/Orange Dark Gray/Green	Exterior: 25.30" x 19.00" x 18.50" Interior: 14.60" x 10.20" x 11.00"	21.67 lbs.
50 Quart	50Q-1-WHTGRY 50Q-2-TANORG 50Q-1-DKGRYEGRN	White/Gray Tan/Orange Dark Gray/Green	Exterior: 30.00" x 20.30" x 20.40" Interior: 17.50" x 11.00" x 13.70"	26.39 lbs.
70 Quart	70Q-1-WHTGRY 70Q-2-TANORG 70Q-1-DKGRYEGRN	White/Gray Tan/Orange Dark Gray/Green	Exterior: 36.00" x 20.30" x 21.00" Interior: 23.50" x 11.00" x 14.30"	33.29 lbs.



20 Qt.
Dark Gray/Green



30 Qt.
White/Gray



50 Qt.
Tan/Orange



70 Qt.
White/Gray

Pelican 14 QT Personal Coolers. Cool on so many levels. The 14Q features commercial grade 1.5" thick polyurethane walls and a freezer grade gasketed lid. 3 levels of cool: Dry box to keep your personal items dry, Inner tray keeps food cold and dry, the bottom section stores ice and drinks. Extra storage for keys and gear under the cup holder - with an easel slot for your phone or tablet. Bottle opener with magnetic catch. Carry handle. Get out and stay out - 36 hours of ice retention. Guaranteed for life.

Capacity	STOCK NO. Options	Body Color Options	Dimensions	Weight Each
14 Quart	14Q-1-WHTGRY 14Q-DKGRYEGRN	White/Gray Dark Gray/Green	Exterior: 18.00" x 11.50" x 13.00" Interior: 12.75" x 7.25" x 8.75"	10 lbs.



14 Qt.
Dark Gray/Green

Re-Useable Ice Packs

Pelican's Ice Pack chills contents faster and stays cold longer than ice. Dual-Grip design for easy handling. Made in U.S.A.



STOCK NO.	Dimensions
PI-1LB	1.25" x 5.75" x 5.75"
PI-2LB	1.5" x 6.25" x 9"
PI-5LB	2" x 8.75" x 11"

Dry Rack Baskets for Pelican Elite Coolers



Fits Cooler Size	STOCK NO.
30 Quart	30-WB
50 Quart	50-WB
70 Quart	70-WB





RIPPER + LED Flashlights



Compact but powerful. Sturdy machined aluminum body. .66" x 3.65". Soft touch switch with High and Low modes. Includes rubber bite grip, secure pocket/hat clip and (1) alkaline AAA battery. **Carded**

00141 - Assorted colors: Black, Red, Blue, Gray

Replacement Battery: AAA x 1

Light Output: 85 Lumens

Safety Ratings: None

Run Time: 1.5 hrs (High) 3 hrs (Low)

Minimum Order: 1 Each / Case Quantity: 20

FREE Counter Display Box when ordering full case.

821 MAX USB Rechargeable Flashlight



Super bright Cree LED. Push button switch allows user to choose High, Medium or flash modes. Body made of machined aluminum: .87" x 3.68". Head swivels 90 degrees. Magnetic base. Includes micro USB cord & sturdy belt/hat/pocket clip. **Individually Boxed**

00143 - 821 MAX with Black Aluminum Body

16340 - Replacement Lithium Ion Battery

Light Output: 500 Lumens (High) 170 Lumens (Low)

Safety Ratings: None

Run Time: 1 hr (High) 2 hrs (Med)

Minimum Order: 1 Each / Case Quantity: 12

FREE Counter Display Tray when ordering full case.

Mini MONGO + LED Flashlights



Super bright Cree LED. Soft touch push button on/off switch allows user to choose High, Medium or Low modes. Body made of machined aluminum: 1.2" x 7". Operates on 4 alkaline AAA batteries (included). **Individually Boxed**

00156 - Black Aluminum Body

Replacement Battery: AAx 4

Light Output: 500 Lumens

Safety Ratings: None

Run Time: 1 hr (High) 4 hrs (Med) 22 hrs (Low)

Minimum Order: 1 Each / Case Quantity: 12

FREE Counter Display Tray when ordering full case.

MONGO + LED Flashlights



Super bright Cree LED. Soft touch push button on/off switch allows user to choose High or Low modes. Body made of machined aluminum: 1.5" x 9.2". Operates on 3 alkaline C batteries (included). **Boxed**

00158 - Black Aluminum Body

Replacement Battery: C

Light Output: 550 Lumens

Safety Ratings: None

Run Time: 11 hrs (High) 35 hrs (Low)

Minimum Order: 1 Each / Case Quantity: 6

FREE Counter Display Tray when ordering full case.

JOEY XL LED Flashlights



Machined aluminum utility flashlight. Dimensions: 1.25" X 9". Soft touch push button switch allows user to choose between flashlight mode, High intensity LED light bar in handle or safety red flash mode in handle. Super strong magnetic base. Operates on 3 AAA alkaline batteries (included).

00149 - Black Aluminum Body

Replacement Battery: Alkaline AAA x 3

Light Output: Flashlight 520 Lumens / Light Bar 300 Lumens

Safety Ratings: None

Run Time: Flashlight 6 hrs / Light Bar 13 hrs

Minimum Order: 1 Each / Case Quantity: 12

FREE Counter Display when ordering full case.



Eric Weber
Joey Egbers and
Joe Egbers
Ghost Crabbing
in South Carolina
with a Joey XL
Flashlight 00149.
See above Item.

Gear Ties

Rubber coated - ReUsable twist ties have a tough rubber shell that provides excellent grip. A strong wire inside the shell allows the tie to hold it's shape. Organize or tie down virtually anything from small cords to large sporting equipment. Waterproof and safe for use in fresh or salt water. UV resistant. Won't scratch or mark. Use in any weather. Twist it, Tie it. Reuse it.



Stock No.	Length	Color Options and Quantity per Card	Minimum Order Qty.	Master Case Qty.
GT12-2PK-01	12"	Black - 2 per card	1 Card	6
GT18-2PK-01	18"	Black - 2 per card	1 Card	6
GT24-2PK-01	24"	Black - 2 per card	1 Card	6
GT32-2PK-01	32"	Black - 2 per card	1 Card	6
GT64-01-R6	64"	Black - 1 per card	1 Card	6
GT18-2PK-33	18"	Yellow - 2 per card	1 Card	6
GT24-2PK-33	24"	Yellow - 2 per card	1 Card	6
GT32-2PK-33	32"	Yellow - 2 per card	1 Card	6

G-Series Dual Chamber CARABINER

These carabiners feature two connected yet distinct chambers and are built with strong stainless steel. Clip your keys etc. into the first chamber of the carabiner and pass them through the inner gate to the second chamber to keep them safe and secure.



Stock No.	Description	Minimum Order Qty.	Master Case Qty.
GS1-01-2R6	G-SERIES size #1 - Black Body Dimensions: .71"x1.42"x.26"- 2 per Card	1 Each	4
GS1-11-2R6	Same as above but Stainless Steel Body	1 Each	4
GS2-01-R6	G-SERIES size #2 - Black Body Dimensions: 1.02"x2.00"x.26"- 1 per Card	1 Each	4
GS2-11-R6	Same as above but Stainless Steel Body	1 Each	4
GS3-01-R6	G-SERIES size #3 - Black body Dimensions: 1.26"x2.51"x.26"-1 per Card	1 Each	4
GS3-11-R6	Same as above but Stainless Steel Body	1 Each	4
GS4-01-R6	G-SERIES size #4 - Black body Dimensions: 1.50"x3.00"x.26"- 1 per Card	1 Each	4
GS4-11-R6	Same as above but Stainless Steel Body	1 Each	4

Gear Tie Bendable S-Hook.

This bendable S-Hook features a strong, yet flexible wire interior, and a soft, grippy rubber exterior, allowing you to form it around objects and hang items virtually anywhere, whether in the garage, kitchen, shed, truck or campsite. Waterproof and UV resistant. Dimensions: 3/8" x 9"



Stock No.	Description	Minimum Order Qty.	Master Case Qty.
GTS-01-R6	Gear Tie Bendable S-Hook - Black - 1 per Card	1 Each	4

Radiant 170 USB Rechargeable Task Light

This hands free rechargeable LED task light features a bright white diffused light with 2 modes, high or low. User can also switch to night vision Red in either high or flash modes. Two versatile attachment options for securing to virtually anything: wrap and secure around items using the Gear Tie or attach to metal surfaces using the magnetic mount. 170 lumens 2 hours or 20 lumens 11 hours. Micro USB cord not included. Dimensions: 0.67"x1.8"x2.37".



Stock No.	Description	Minimum Order Qty.	Master Case Qty.
R170TR-01-R7	Radiant 170 USB rechargeable Task Light. Carded	1 Each	3



Joe Egbers, Letcher County, KY
Wearing Swordfish X BH2519AF Glasses, Page 49,
and SG9003 Gloves, Page 45. Pelican Cooler, Page 36.

CamJam Tie Down Straps



Features a 1" wide high density weave polypropylene strap that is securely attached to a sturdy cast zink alloy cam mechanism. The non-slip buckle on the cam not only latches securely, it allows the User to gradually release even under high tension.

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
CJWR6-09-R6	Strap Length: 6 feet. Carded	1 Each	6
CJWR12-09-R6	Strap Length: 12 feet. Carded	1 Each	6

Dual CamJam Tie Down System



The Dual CamJam Tie Down System is the ultimate tie down for all your gear, tools, and toys. It's adjustable zink alloy buckle features two separate cam locking mechanisms for precise positioning and security. The Nite Ize high quality polypropylene webbing strap features an integrated end loop for strength and versatility. Working load limit: 530 lbs. Breaking strength: 1200 lbs.

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
CJD12-09-R3	Dual CamJam with 12' of Nite Ize 1" webbing. Carded	1 Each	3
CJD-11-R3	Dual CamJam - without webbing strap. Works with Virtually all 1" webbing straps. Carded	1 Each	3

CamJam XT Rope and Cord Tighteners



Durable cast aluminum body. When paired with a rope or cord, these tighteners offer a knot-free solution for tensioning, connecting and securing serious loads. Rotating cam allows easy and safe tension adjustments. Spring loaded clip for securely anchoring to D-rings or other structures.

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
NCJSA-01-R3	CAMJAM XT cord tightener. Works best with paracord or solid braided cords from 1/16" to 3/16". Load limit: 280 lbs. Dimensions: 1.3"x2.5"x.75". Carded	1 Each	3
NCJLA-01-R3	CAMJAM XT rope tightener. Works best with solid braided rope from 1/8" to 3/8". Load limit: 500 lbs. Dimensions: 1.86"x3.8"x.90". Carded	1 Each	3

Pockets Holsters & Phone Holsters

Durable Ballistic Nylon. Belt clip rotates and locks into 8 positions. Hook & loop closures.



CCCT-03-01



LHS-03



Pockets NPXL-03-01

Stock No.	Description	Dimensions	Minimum Order Qty.	Master Case Qty.
NPXL-03-01	Pockets XL Holster. Holds 2 AA size flashlights. Multi-Tools and other small items. Versatile clip for clothing or belts. Hook & Loop Closure. Carded	7.25" x 4.59" x 1.78"	1 Each	12
LHS-03	Stretch Holster. Universal holster with elastic sides, expands to fit most shapes and sizes of flashlights. Carded	5.87" x 2.10" x 1.77"	1 Each	6
CCCT-03-01	Pockets Phone Holster - Tall	5.80" x 3.23" x 2.20"	1 Each	6
CCCXT-01-R3	Pockets Phone Holster - Xtra Tall	3.7" x 6.7" x 1.9"	1 Each	6
CCCXL-01-R3	Pockets Phone Holster - Wide Load	3.7" x 5.9" x 2.4"	1 Each	6
CCC2W-01-R3	Pockets Phone Holster - Double Wide	4.1" x 6.9" x 1.9"	1 Each	6

Steelie Orbiter Dash Mount Kit






This powerful magnetic phone mounting system allows you to easily attach, detach and rotate your phone on the dash mount. The low-profile metal plate adheres to your phone or case using 3M 3DDLSE adhesive, creating a strong magnetic connection with the Orbiter Magnetic Socket. The dash mount adheres to dash using strong, removable 3M VHB adhesive. **Boxed**

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
STODK-01-R8	Steelie Orbiter Dash Kit. Includes Dash mount ball, Orbiter magnetic socket and metal plate. Boxed	1 Each	3
STP-11-R8	Steelie Pedestal Mount. Boxed	1 Each	3
STO-01-R7	Steelie magnetic socket and metal plate. Boxed	1 Each	3

**No Minimum Order
and Same Day Shipping**

Paraforce Full Size Multi-Tool  			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
00802	15 Stainless steel tools in one - everything you would expect in a multi-tool. Size: 4" closed, 6" open. Includes nylon belt pouch. Individually Carded.	1	6

ACCUSHARP Knife Sharpeners   				
Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00001	A knife sharpener anyone can use! In about 10 seconds, sharpens knives, cleavers, axes and many other cutting tools. Full length finger guard. The replaceable diamond honed tungsten carbide blades will provide years of reliable service. Will not rust and is dishwasher safe. Free display box with every 12 ordered. Carded	White	1	12
00003	Replacement Blade	--	1	12

PARAFORCE Lockback Folding Knife  				
Lightweight polymer body. Stainless steel blade securely locks into place. Includes one-hand opening slot and pocket clip. Size: 7" open, 4" closed, 3" blade length.				
Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00801	Paraforce lock back knife set - with Display Tray . Assorted colors: Blue, Black, Orange and Camo	Assorted	18	18
 00801C	Paraforce lockback knife - Retail carded . 1 per card. Assorted colors: Blue, Black, Orange and Camo	Assorted	1	18

Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00001	A knife sharpener anyone can use! In about 10 seconds, sharpens knives, cleavers, axes and many other cutting tools. Full length finger guard. The replaceable diamond honed tungsten carbide blades will provide years of reliable service. Will not rust and is dishwasher safe. Free display box with every 12 ordered. Carded	White	1	12
00003	Replacement Blade	--	1	12

Pull-Through Knife Sharpener 				
Commercial grade sharpener has diamond honed tungsten carbide blades and fine ceramic rods. The heavy duty handle with over moulded rubber provides a comfortable and stable platform for sharpending your knives. Carded				
Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00036	Pull-Through Knife Sharpener	White/Blue	1	4

SHARP N EASY Honer Sharpener   				
The Sharp N Easy knife sharpener has coarse ceramic rods on one side and fine ceramic rods on the other. It has over molded grips that allow the user to have a comfortable and secure grip while sharpening. Free Counter Display when ordering 24.				
Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00011	Sharp N Easy two step sharpener	Blue/Black	1	24

Swamp Gator Natural Insect Repellent



Swamp Gator Natural insect repellent. Lotion based formula contains 5 different oils and has a light lemon scent. Spray on, rub gently and repel Mosquitos, Gnats, Flies and No-See-ums. Deet Free. Made in USA.

Stock No.	Description	Minimum Order Qty.	Case Qty.
HSG-6	Swamp Gator 6 oz. Pump Spray Bottle	12 Bottles	12 Bottles

FREE Counter Display Box with every order.

Wasp and Hornet Killer Dielectric: Electrically Non Conductive



Wasp and Hornet Killer. Electrically non-conductive with dielectric breakdown voltage up to 47,300 volts. Jet blast up to 20 feet. Instantly kills wasps, hornets, yellow jackets and many other insects on contact. Made in USA.

Stock No.	Description	Minimum Order Qty.	Case Qty.
WH-16	16 oz. Dielectric Non Conductive Wasp/Hornet Killer.	12 Bottles	12 Bottles

PRO Sprayer



Sprays fine mist or 20 foot stream. Holds up to 32 ounces. Heavy duty construction.

Stock No.	Description	Minimum Order Qty.	Case Qty.
PRO-32	Pro Sprayer	12 Bottles	12 Bottles

Harris is the oldest EPA registered pest control brand in the U.S.A.



Katelyn Egbers
Emily Egbers and Joey Egbers
Letcher County, KY

String Knit



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Case
S55G	General purpose Gray Poly/Cotton string knit. 12 pair per wrap. Not retail hang tagged.	Mens	12 Pair	300 Pair

Disposable Powder Free Nitrile



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Case
New 705BPFE	3.5 mil disposable powder free BLACK Nitrile. 9.5" Rolled cuff. Ambidextrous. Industrial use only. 100 gloves per dispenser box.	S, M, L, XL	1 Box	10 Boxes
705PF	5 mil disposable powder free BLUE Nitrile. 9" Rolled cuff. Ambidextrous. Industrial use only. Not for medical use. 100 gloves per dispenser box.	XS,S, M, L, XL, 2XL	1 Box	10 Boxes
New 965BPF	6 mil disposable powder free BLACK Nitrile. 9.5" long rolled cuff. Ambidextrous. Tractor tread pattern for grip. Industrial use only. 100 gloves per dispenser box.	M, XL, 2XL	1 Box	10 Boxes
805PF	8 mil disposable powder free BLUE Nitrile. 11" long Rolled cuff. Ambidextrous. Approved for medical use. 50 gloves per dispenser box.	S, M, L, XL	1 Box	10 Boxes
800F	8 mil BLACK Nitrile. Flock lined interior absorbs perspiration. 11" long Rolled cuff. Ambidextrous. Not for medical use. 50 gloves per dispenser box.	S, M, L, XL, 2XL	1 Box	10 Boxes

Brown Jersey



STOCK NO.	Description	Sizes	Minimum Order Qty.	Master Case Qty.
New C70BJ-2PK	7 oz large Brown Jersey Poly/Cotton blend. Packaged 2 pair per Retail hang tagged. 6 (2pks) per wrap.	L	6 2-pks	150 2-pks
C80BJC	8 oz Large Brown Jersey 100% Cotton 12 pair per Pack - Not retail hang-tagged.	L	12 Pair	300 Pair
C90BJ-W	9 oz Small Brown Jersey (poly/cotton blend) 12 pair per Pack Not retail hang-tagged.	S	12 Pair	300 Pair
C10BJR-LT	10 oz. Large Red Lined Heavyweight Jersey (poly/cotton blend). Retail hang-tagged.	L	1 Pair	144 Pair

Shoe & Boot Covers



STOCK NO.	Description	Size	Minimum Order Qty.	Boxes per Pallet
514673-XL 51467BX3-XL	Blue Polypropylene (cloth-like) shoe/boot covers with clear-white anti-skid bottom. 300 covers per box. 100 per inner wrap.	XL	1 Box	1 Box
New 51467BX3-XL	Same covers as above but different package. 300 covers per Box. 100 covers per inner DISPENSER BOX.	XL	1 Box	1 Box
537782-XL	SafeTrack Blue Polypropylene/Polyethylene shoe/boot covers. Impervious to liquids. Unique laminated fabric offers Unbelievable traction and skid resistance. 200 covers per box. 100 per inner wrap.	XL	1 Box	1 Box
New 723783-L	Blue polyethylene (plastic) shoe/boot covers. Lightweight and impervious to liquids. Heat sealed seams and seamless bottom. Embossed to provide skid resistance. 6" high x 16" length. 5 mil material thickness. 300 covers per box. 100 covers per inner bag.	L	1 Box	1 Box
72488-3L	White (plastic) Polyethylene shoe/boot covers. Lightweight and impervious to liquids. Seamless bottom. 7.5" high x 16" length for full coverage of shoes. 5 mil material thickness. 300 covers per box. 100 per inner wrap.	XL	1 Box	1 Box

Vice Gripster



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
300RV	10 gauge RED poly/cotton liner with black rubber palm. Hook & loop closure. Retail hang-tagged.	M, L, XL	1 Pair	12 Pair
303RV	13 gauge BLUE seamless nylon liner with black rubber palm. Hook & loop closure. Retail hang-tagged.	M, L, XL	1 Pair	12 Pair

Ice Gripster



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
300INT	YELLOW seamless acrylic terrycloth shell with heavy nap, soft brushed interior provides warmth and comfort in cold conditions. Etched rubber finish for great grip. Stays flexible in cold conditions. Elastic cuff. Retail hang-tagged.	M, L, XL	1 Pair	12 Pair
348INT	BLACK two layer nylon over seamless synthetic terrycloth provides warmth and comfort in cold conditions. 3/4 dipped with black foam PVC for great grip. Stays flexible in cold conditions. Elastic cuff. Retail hang-tagged.	S, M, L, XL	1 Pair	12 Pair
New 380INT	ORANGE two layer gloves provide insulation from the cold with a 13 gauge nylon shell over brushed acrylic terry cloth. Double dipped in smooth rubber to create a liquid resistant barrier. The palm is then dipped in foam rubber for a great grip. Retail hang-tagged.	M, L, XL	1 Pair	12 Pair
388INT	ORANGE two layer nylon over seamless synthetic terrycloth provides warmth and comfort in cold conditions. Etched rubber finish for great grip. Stays flexible in cold conditions. Elastic cuff. Retail hang-tagged.	M, L, XL	1 Pair	12 Pair

Tsunami Grip Light Mach

Black Foam Finish Nitrile on 13 Gauge Lightweight Nylon Liner. Cool and comfortable with great grip and dexterity in wet or dry conditions.



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
500G	Black Foam Nitrile on Lightweight 13 gauge Nylon. Elastic wrist. Not retail hang tagged.	S,M, L, XL, 2XL	12 Pair	12 Pair
500G-T	Black Foam Nitrile on Lightweight 13 gauge Nylon. Elastic wrist. Retail hang tagged.	S,M, L, XL	1 Pair	12 Pair

Tsunami Grip Lightweight



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
500NFT-T	New foam technology Nitrile on 15 gauge seamless nylon and elastic shell. Bare hand sensitivity for state of the art feel. The foam nitrile is breathable and provides outstanding wet/oily grip plus extra wear and abrasion resistance. Retail hang-tagged.	S,M, L, XL	1 Pair	12 Pair



Joey Egbers
Catfish
Kenton Co.
Kentucky

Material handling gloves with touch screen responsive fingertips



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
PUG14TS	Black polyurethane on green/black 13 gauge nylon with touch responsive fingertips for using touch screen devices. Not Retail hang-tagged.	S, M, L, XL,	1 Pair	12 Pair

Samurai Cut Resistant



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
CR788-RT	Lightweight seamless 18 gauge Tuffalene shell. Foam nitrile palm provides excellent dry, wet or oily grip. Knit wrist cuff. ANSI level A4 cut resistant. Touch screen compatible fingertips. Retail hang-tagged.	S, M, L, XL, 2XL	1 Pair	12 Pair

Leather Palm



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
2300LT	Economy Grade with Safety Cuff. Retail hang-tagged.	L	1 Pair	12 Pair
2300XL	Economy Grade with Safety Cuff. Not Retail hang-tagged.	XL	1 Pair	12 Pair

Leather Drivers

Cow, Goat or Deer Skin



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
3200-T	Cow - Premium Grade beige cow grain leather. Keystone thumb. Retail hang-tagged.	M, L, XL	1 Pair	12 Pair
3200DST	Deer - Standard Grade Deer Skin Drivers. Keystone thumb. Retail hang-tagged.	M, L, XL, 2XL	1 Pair	12 Pair
3200DTH	Deer - Premium Grade Deerskin Drivers. Insulated with 40 gram 3M thinsulate. Retail hang-tagged.	M, L, XL	1 Pair	12 Pair
3200GINT	Goat - Premium Grade Goatskin Drivers. Insulated with 120 grams Cold Keep insulation. Carded	M, L, XL, 2XL	1 Pair	12 Pair

Hot Rod Premium

Mechanics with Touch Screen responsive Fingertips



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
HR8200	AireFlex synthetic leather palm with flexible TPR impact protection on the knuckles. Touch screen responsive fingertips. Reinforced palms, fingertips and thumb crotch. The back of the glove is a stretchable mesh material for breathability, dexterity and comfort. Hook and loop closure. Retail hang-tagged.	S, M, L, XL, 2XL	1 Pair	12 Pair
HR8200KEV	Same features as above but features Araline inner liner which provides cut and heat protection. ANSI cut Level 5. Retail hang-tagged.	M, L, XL, 2XL	1 Pair	12 Pair



**Hot Rod Insulated
Goatskin Mechanics**



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
HR2800INT	Premium grade grain goatskin leather palm lined with 70 grams of 3M Thinsulate insulation. Black spandex back of hand with padded knuckle. Hook and loop closure with built in nylon storm flap to protect hands from the elements. Retail hang-tagged.	S, M, L, XL, 2XL	1 Pair	12 Pair

**Gripster Sport
Mechanics** with silicone patterned palm



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
SG9003	Flexible Spandex over AireFlex synthetic leather provides great breathability. Silicone based palm provides excellent dexterity with a great grip. Reinforced thumb & fingertips. Hook & loop closure. Retail hang-tagged.	M, L, XL, 2XL, 3XL	1 Pair	12 Pair

**Hot Rod Premium
Goatskin Mechanics**



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
HR3008	Premium Goatskin palm. Spandex back. Reinforced thumb crotch. Velcro closure. Retail hang-tagged.	M, L, XL, 2XL	1 Pair	12 Pair
HR4008	Premium Goatskin palm. Spandex back. Reinforced thumb crotch. Velcro closure. Open cuff. Retail hang-tagged.	M, L, XL, 2XL	1 Pair	12 Pair

**Gripster Sport
Insulated Mechanics**
with 40 grams 3M Thinsulate



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
SG9001IN	Black spandex backing for excellent comfort. AireFlex synthetic leather palm and fingertips with special tacky reinforcement for a great grip. Waterproof bladder. 40 grams of 3M Thinsulate. Terry cloth brow wipe on thumb. Elastic cuff with Hook & loop closure and storm flap. Retail hang-tagged.	M, L, XL	1 Pair	12 Pair

**Hot Rod
Mechanics**



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
HR3200	Flexible Spandex over synthetic leather. Padded palm. Elastic Cuff. Retail hang-tagged	M, L, XL, 2XL	1 Pair	12 Pair
HR9000	Flexible Spandex over synthetic leather. Padded palm. Hook & loop closure. Retail hang-tagged.	S, M, L, XL, 2XL	1 Pair	12 Pair



Linda and Katelyn Egbers
Gettin muddy in Kentucky.
Linda is wearing Swardfish X BH2519AF Glasses, Page 49.

Earmuffs



HP-M4



HP-M2

STOCK NO.	Description	Sound Rating	Minimum Order Qty.	Quantity Per Case
HP-M2	High-Visibility Lime - Folding Earmuff. Durable ABS cups and soft PVC cushions. ANSI S3.19-1974. Boxed	NRR: 23dB	1	20
HP-M4	High-Visibility Lime - Padded Band Earmuff. Durable ABS cups and soft PVC cushions. ANSI S3.19-1974. Boxed	NRR: 27dB	1	20


Earplugs



Foam



Silicone

STOCK NO.	Description	Sound Rating	Minimum Dispensers Order Qty.	Quantity Dispensers Per Case
 HP-BF1	Banded Earplugs. Lightweight and durable curved band with polyurethane pods. Each band comes with 2 pairs of ear pods. Individually bagged.	NRR: 22dB	1 Each	10 Each
HP-F1	Uncorded Foam Earplugs. 200 pairs per counter dispenser.	NRR: 33dB	1 Disp.	10 Disp.
HP-F2	Corded Foam Earplugs. 100 pairs per counter dispenser.	NRR: 33dB	1 Disp	10 Disp.
HP-S1	Uncorded Silicone Earplugs. 100 pairs per counter dispenser.	NRR: 23dB	1 Disp	10 Disp.
HP-S2	Corded Silicone Earplugs. 100 pairs per counter dispenser.	NRR: 23dB	1 Disp	10 Disp.

Safety Vest



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Case
GLO-002	Class 2 - mesh safety vest. High visibility fluorescent lime base fabric with contrasting orange backing under silver glass bead reflective stripes. Zipper closure. Two inside pockets. Individually bagged.	S to 5XL	1	50

Bullhead Cooling Towels



Soft absorbent microfiber material. Just soak in water for instant cooling relief. Reuseable and machine washable.

STOCK NO.	Description	Towel Size	Minimum Order Qty.	Quantity Per Case
GLO-CT2	Microfiber cooling towel packed in reusable plastic tube.	16"x25"	1 Pair	50

Bullhead Hard Hats




Made with HPPE material to provide a lightweight product with weather/chemical resistance and nonconductive properties. Proprietary "Gripster" dots underneath the helmet allow for easy on/off. Premium comfort six point suspension with EZ-click adjustable ratchet fit system. Fits sizes 6.5 to 8. Pre-assembled, individually packaged & retail ready.

STOCK NO.	Description	Minimum Order Qty.	Quantity Per Case
HH-C2-W	Cap style - Unvented - White	1	6
HH-C2-Y	Cap style - Unvented - Yellow	1	6
HH-C3-W	Cap style - Vented - White	1	6
HH-C3-Y	Cap style - Vented - Yellow	1	6
HH-F1-W	Full Brim style - Unvented - White	1	6
HH-F1-Y	Full Brim style - Unvented - Yellow	1	6



FrogWear Neck Gaiter

multi-functional stretch headwear



Lightweight, seamless tubular neck gaiters are designed to be worn in multiple different ways such as a face guard, beanie, balaclava, head band, hair tie, helmet liner and much more. They provide protection from the sun, wind, insects and dust. Keeps skin cool and comfortable which helps in maintaining hydration.

STOCK NO.	Description		Minimum Order Qty.	Quantity Per Pack
NG-200	Neck Gaiter - Orange	100% soft polyester	1	6
NG-201	Neck Gaiter - Yellow	100% soft polyester	1	6
NG-203	Neck Gaiter - Orange with sharks and bones	100% soft polyester	1	6
NG-204	Neck Gaiter - Camouflage	100% soft polyester	1	6
NG-401	Neck Gaiter - USA flag	95% soft polyester. 5% spandex	1	6
NG-402	Neck Gaiter - Blue Waves	95% soft polyester. 5% spandex	1	6
NG-403	Neck Gaiter - Joker	95% soft polyester. 5% spandex	1	6


Balaclava



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
WL120	Soft thermal fleece. Shoulder length. One size fits all. Individually bagged.	one size	1	12
WL220	Soft thermal fleece. Spandex Top. Shoulder length. One size fits all. Individually bagged.	one size	1	12

Knee Pads & Kneeling Pads




STOCK NO.	Description	Minimum Order Qty.	Quantity Per Case
KP111G	Knee Pad: Premium gel lined & lightweight. The cap features a non slip leather surface with heavy duty nylon face. Buckle Closures. Retail hang-tagged.	1 Pair	20 Pair
KP311G	Knee Pad: Premium gel lined with breathable, stretchable body. PVC hard cap. Padded thigh strap with buckle closure. Hook & Loop Calf Closure. Retail hang-tagged.	1 Pair	20 Pair
KP411	Knee Pad: Non Marring PVC hard cap with non slip gripping ridges. Buckle Closures. Retail hang-tagged.	1 Pair	20 Pair
KP431	Knee Pad: Non Marring, brass riveted PVC cap. Buckle closures. Retail hang-tagged.	1 Pair	20 Pair
KP422	Knee Pad: Lightweight, high density padded polyester cap free knee pads. Non slip leather surface. Hook & Loop Closure. Retail hang-tagged.	1 Pair	20 Pair
 KP480	Kneeling Pad: High density, water repellent NBR foam. 1"x8"x16". Individually wrapped. Retail ready.	1 Each	20 Each
KP482	Kneeling Pad: High density, water repellent NBR foam. 1"x14"x21". Individually wrapped. Retail ready.	1 Each	20 Each






Pavon



All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 138mm Frame weight: 24 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH511	Clear Frame, Clear Lens	1	12
BH511AF	Clear Frame, Clear Anti-Fog Lens	1	12
BH516	Clear Frame, Indoor/Outdoor Lens	1	12
BH584	Yellow Frame, Yellow Lens	1	12
BH525	Blue Frame, Light Blue Lens	1	12
BH543	Black Frame, Smoke Lens	1	12
BH543AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH5410	Black Frame, Red Mirror Lens	1	12

Torrent



All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 135mm Frame weight: 24 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH111	Clear Frame, Clear Lens	1	12
BH111AF	Clear Frame, Clear Anti-Fog Lens	1	12
BH136	Black Frame, Indoor/Outdoor Lens	1	12
BH134	Yellow Frame, Yellow Lens	1	12
BH133	Black Frame, Smoke Lens	1	12
BH133AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH149	Black Frame, Blue Mirror Lens	1	12
BH147	Black Frame, Silver Mirror Lens	1	12



Safety Glasses with Reading Magnifiers

Torrent Readers



Spearfish Readers



Non-Prescription safety eyewear for people who can no longer see the fine print. **MAGNIFICATION INSERTS** decrease eyestrain. Impact and scratch resistant lenses provide 99.9% UV protection. Meets ANSI Z87.1 standards.

	Lens Tint and Magnification Power		
Stock No.	The Torrent Readers feature a lightweight, contemporary frameless frame with magnification diopters positioned at the bottom inside of the lens. Each pair is individually bagged and retail ready.	Minimum Order Qty.	Quantity Per Case
BH11110	Torrent Clear - 1.0 power	1	12
BH11115	Torrent Clear - 1.5 power	1	12
BH11120	Torrent Clear - 2.0 power	1	12
BH11125	Torrent Clear - 2.5 power	1	12
BH13310	Torrent Smoke - 1.0 power	1	12
BH13315	Torrent Smoke - 1.5 power	1	12
BH13320	Torrent Smoke - 2.0 power	1	12
BH13325	Torrent Smoke - 2.5 power	1	12

Stock No.	The Spearfish Readers feature a flexible frame with vented temples, soft TPR nose piece and temple ends. The magnification diopter is positioned at the bottom inside of the lens. The PFT lenses are permanently coated to prevent fogging. Individually bagged and retail ready. Free counter display box when ordering by the dozen. Each pair includes a retainer cord and is individually bagged and retail ready.		
BH225115PFT	Spearfish Clear - 1.5 power	1	12
BH225120PFT	Spearfish Clear - 2.0 power	1	12
BH225125PFT	Spearfish Clear - 2.5 power	1	12
BH225315PFT	Spearfish Smoke - 1.5 power	1	12
BH225320PFT	Spearfish Smoke - 2.0 power	1	12
BH225325PFT	Spearfish Smoke - 2.5 power	1	12

Maki



Fashion/Sport inspired design. All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 130mm Frame weight: 31 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH145712	Black Frame, POLARIZED Silver Mirror Lens	1	12
BH14209	Silver Frame, POLARIZED Blue Mirror Lens	1	12
BH1433AF	Black Frame, Smoke Anti-Fog Lens	1	12
 BH1433PFT	Black Frame, Smoke - Performance Anti Fog Lens	1	12
BH1419AF	Clear Frame, Blue Mirror Anti-Fog Precision Lens	1	12
BH14183AF	White Frame, Smoke Anti-Fog Lens	1	12
BH14103	Pink Camo Frame, Smoke Lens	1	12
BH14G	Removable Gasket For Maki's	1	12

Swordfish X




This is a trim-fit alternative to the Swordfish style. They fit faces with smaller profile while retaining the maximum protection available. **Each pair individually wrapped and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH25116PFT	Clear Frame, POLARIZED Green Mirror Precision Anti-Fog Lens	1	12
BH2519AF	Clear Frame, Blue Mirror Anti-Fog Lens	1	12
BH25187	White Frame, Silver Mirror Lens	1	12
BH2551AF	Black Frame, Clear Anti-Fog Lens	1	12
BH2553AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH2556AF	Black Frame, Indoor Outdoor Anti-Fog Lens	1	12

Swordfish



All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Soft adjustable nose piece. Frame width: 132mm Frame weight: 24 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH1031AF	Black Frame, Clear Anti-Fog Lens	1	12
BH1067	Black Frame, Silver Mirror Lens	1	12
BH1063AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH10116AF	Clear Frame, Green Mirror Anti-Fog Lens	1	12
 BH10616AF	Black Frame, Green ARC FLASH rated Lens	1	12
BH10711	Brown Frame, Brown Flash Mirror Precision Lens	1	12
BH106129	Black Frame, Blue Mirror POLARIZED Precision Lens	1	12
BH10613AF	Black Frame, Photochromic variable tint Anti-Fog lens transitions clear to smoke when moving indoors to outdoors.	1	12
BH1061213AF	Black Frame, POLARIZED Photochromic variable tint Anti-Fog lens transitions clear to smoke when moving indoors to outdoors.	1	12

Pompano



Lightweight full frame style. A good choice for many face types. All lenses provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame Width: 137 mm Weight: 28 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH2769PFT	Black Frame, POLARIZED Blue Mirror Performance Anti-Fog Lens	1	12
BH27116AF	Clear Frame, Green Mirror Performance Anti-Fog Lens	1	12
BH2763AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH2766AF	Black Frame, Indoor/ Outdoor Anti-Fog Lens	1	12



Javelin



All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 136mm Frame weight: 32 grams. **Each pair individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH12610	Black Frame, Red Mirror Precision Lens	1	12
BH1233AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH12108	Camo Frame, Brown Precision Lens	1	12



Dorado



All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 140mm Frame weight: 29 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH969	Black Frame, Blue Revo Lens	1	12
BH943AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH95129PFT	Black frame, Blue Mirror POLARIZED Performance Anti Fog Lens	1	12
BH9117	Red to Black Frame, Silver Mirror Lens	1	12
BH991AF	Gray Frame, Clear Anti-Fog Lens	1	12
BH9187	White Frame, Silver Mirror Lens	1	12





Bullhead's next generation of Anti-Fog consistently clear, fogless performance even after washing, wiping and wear!



Stinger



All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 144mm Frame weight: 30 grams. **Each pair individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH691	Gray Frame, Clear Lens	1	12
BH691AF	Gray Frame, Clear Anti-Fog Lens	1	12
New BH691PFT	Gray Frame, Clear Performance Anti-Fog Lens	1	12
BH666	Black Frame, Indoor/Outdoor Lens	1	12
BH6117	Black & Silver Frame, Silver Mirror Lens	1	12
BH654	Black Frame, Yellow Lens	1	12
BH633AF	Black Frame, Smoke Gray Anti-Fog Lens	1	12
New BH633PFT	Black Frame, Smoke Gray Performance Anti-Fog Lens	1	12
BH61712	Black Frame, POLARIZED Gray Anti-Fog Lens	1	12
BH6103AF	Camo Frame, Smoke Gray Anti-Fog Lens	1	12
BH6108AF	Camo Frame, Brown Precision Anti-Fog Lens	1	12
BH61084AF	Camo Frame, Yellow Anti-Fog Lens	1	12



Mojarra



All lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 137mm Frame weight: 26 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH1133AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH1169	Black Frame, Blue Mirror Lens	1	12
BH11108	Camo Frame, Brown Lens	1	12
BH11711	Black Frame, Brown POLARIZED Precision Lens	1	12



Spearfish



Flexible frame. TPR nose piece. All lenses including clear provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 143mm - weight: 24 grams. Each dozen is packaged in retail ready box.

Retainer cord included with each pair of Spearfish glasses.

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH2251AF	Black Frame, Clear Anti-Fog Lens	1	12
New BH2251PFT	Black Frame, Clear Performance Anti-Fog Lens	1	12
BH2253AF	Black Frame, Smoke Anti-Fog Lens	1	12
New BH2253PFT	Black Frame, Smoke Performance Anti-Fog Lens	1	12
BH22108AF	Camo Frame, Brown Anti-Fog Lens	1	12
BH2259	Black Frame, Blue Mirror Lens	1	12

Sawfish



Ultra-light, full-frame design that boasts chiseled lines and sleek curvature. Features inset Soft TPR nose bridge and temple ends. Frame width: 132mm. Weight 30 grams. **Each pair individually wrapped and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH261016AF	Woodland Camo Frame, Green mirror Anti-Fog Lens	1	12
BH2679PFT	Tortoise/Black Frame, Blue Mirror Performance POLARIZED Anti-Fog Lens	1	12
BH2677AF	Tortoise/Black Frame, Silver Mirror Anti-Fog Lens	1	12
BH2661AF	Matte Black Frame, Clear Anti-Fog Lens	1	12
BH2663AF	Matte Black Frame, Smoke Anti-Fog Lens	1	12



BATORAY

Displays are FREE with initial purchase of 96 pair of glasses.



BHD36

36 Piece two-sided Rotating Counter Display

BHLC21



BHHC



BHR1



BHR2



Bullhead Accessories

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BHR1	Cotton Retainer Cord	1	12
BHR2	Elastic Retainer Cord	1	12
BHR3	Stainless Steel Cord	1	12
BHR4	String Retainer Cord	1	12
BHMB	Microfiber Bag	1	12
BHHC	Hard Case for glasses - zipper closure	1	12
BHLC21	Lens cleaning wipes, pre-moistened, silicone free, anti-static, anti-fog, 100 wipes per dispenser box.	1	12

BHR3



BHR4



Hi, I am Joey Egbers and this was me when I was one year old. I fell on a toy and almost tore my eyelid off. Thank God, I'm okay! Please take my advice and wear your Bullhead Safety Glasses so this doesn't happen to you.



Terms:

Net 30

**No Minimum Order
and Same Day Shipping****Freight Policy:**

Batoray will pay freight charges on orders totaling over \$350.
Orders under \$350 are plus freight.

Claims:

1. All claims and shortages must be made within 5 days after receipt of order.
The Return Goods Authorization (RGA) Form can be found on our website
Contact Us Tab / Return Policy.
2. Items returned to stock are subject to a 15% restocking charge.
3. All special order products are non-returnable.
4. Batoray cannot be held responsible for typographical errors or comments
found to be inaccurate.

Pricing:

Please call or send email to sales@BATORAY.com to request a price file in an excel format.

Check out our website to learn more about BATORAY.

www.BATORAY.com

Thanks for doing business with us!

BATORAY
WHOLESALE DISTRIBUTORS
BATTERIES - FLASHLIGHTS - WORK GEAR