

March 2025

# BATORAY



## WHOLESALE DISTRIBUTORS

**BATTERIES - FLASHLIGHTS - WORK GEAR**

648 Elm Street, Ludlow, Kentucky 41016

Phone: (859) 431-7587 • Fax: (859) 431-0600

Visit our website: [www.batoray.com](http://www.batoray.com) • email: [sales@batoray.com](mailto:sales@batoray.com)



Family Owned & Operated Since 1987.

# BATORAY

## WHOLESALE DISTRIBUTORS

BATTERIES - FLASHLIGHTS - WORK GEAR

648 Elm Street Ludlow, KY 41016  
 (859) 431-7587 Fax (859) 431-0600  
 (800) 450-6776  
 www.Batoray.com

- No Minimum Order
- Custom Battery Assembly
- Master Distributor - Large Inventory
- No additional charge for broken case orders
- Same Day Shipping
- Standard Terms = Net 30
- Credit Card Convenience Fee 2%
- Freight Paid on orders over \$400.00
- Low Everyday Pricing
- Volume Discount Pricing available
- Expert product knowledge and experience
- Owned and operated by the Egbers Family since 1987

Wholesale Only - We're committed to making sure your customers remain **your** customers!

### Table of Contents

Manufacturer	Products	Page(s)
Accusharp	Knives and Knife Sharpeners	
After Bite	Insect Bite Treatment	
BATORAY	Battery Assemblies	
BATORAY	Battery Assemblies - Connectors	
Ben's	Insect Repellant	
Bullhead	Safety Glasses and Work Gear	
Coros	Batteries	
Duracell	Batteries	
Easy Care	First Aid Kits	
Energizer	Batteries and Flashlights	
EPIC-TIANS	Shoe Boot Covers	
Evergreen	Batteries	
FDK, Sanyo, Saft	Batteries	
Global Glove	Gloves	
Harris	Wasp and Hornet Killer and Insect Repellant	
Natrapel	Insect Repellant	
Nite-Ize	Innovative Accessories	
Panasonic	Batteries	
Pelican	Flashlights and Coolers	
PowerSonic	Batteries and Chargers	
Procell	Batteries	
Rayovac	Batteries and Flashlights	
Streamlight	Flashlights	
Titus	Batteries	
Terms and Conditions		



Dave "Skip" Egbers, in our original office in 1989. It was because of his vision that BATORAY is what it is today. As he traveled the country as one of Rayovac's top sales representatives, he recognized a need for a Master Distributor. He wanted to attract customers who could not meet the factory minimum purchase requirements or simply preferred better service than a large manufacturer could provide. Today, BATORAY has a nationwide customer base and continues to provide top notch customer service with Joe Egbers serving as President and his nephew, Jacob Finke, serving as Vice President and Operations Manager.

## Custom Battery Assembly

 **Single Cell Assemblies:**



**PSAA-84R**  
AA Nickel Cadmium  
1.2 Volts 800 MAH



**PSSC-60**  
Sub C Nickel Cadmium  
1.2 Volts 1,500 MAH




**CR14250SE-16**  
1/2 AA Lithium  
3 Volts 1,200 MAH



**CR17450SE-R-09**  
4/5A Lithium  
3 Volts 2,500 MAH



**LS17330-17**  
2/3A Lithium  
3.6 Volts 1,200 MAH



**BL06-09**  
AA Lithium  
3.6 Volts 2,400 MAH



**PS4/5A-60**  
4/5A Nickel Cadmium  
1.2 Volts 1,200 MAH



**BR2/3A-49**  
2/3A Lithium  
3 Volts 1,200 MAH

 **2 Cell Side x Side Assemblies:**



**PSAA2-05**  
AA Nickel Cadmium  
2.4 Volts 800 MAH



**PSAA2-84**  
AA Nickel Cadmium  
2.4 Volts 800 MAH



**BRC2F-09**  
C Lithium  
6 Volts 10,000 MAH

BATORAY manufactures hundreds of different battery assemblies. Only our most popular are published in this Catalog. If you need help with our assemblies or any of our products, please reach out to us. We are glad to help. Thank you, Joe Egbers, President

 **2 Cell Stick Assemblies:**



**PSAA2S-05**  
AA Nickel Cadmium  
2.4 Volts 800 MAH



**PSSC2S-WL**  
Sub C Nickel Cadmium  
2.4 Volts 1,500 MAH




## Custom Battery Assembly continued...



3 Cell Stick Assemblies:



**PSAA3S-12R**  
AA Nickel Cadmium  
3.6 Volts 800 MAH



3 Cell 1 x 2 Assemblies:



**PSAA3-1X2S-43**  
AA Nickel Cadmium  
3.6 Volts 800 MAH



3 Cell 1 x 2 Assemblies:



**PSAA3-1X2-51R**  
AA Nickel Cadmium  
3.6 Volts 800 MAH



3 Cell Side x Side Assemblies:




**PSAA3-60**  
AA Nickel Cadmium  
3.6 Volts 800 MAH



4 Cell Stick Assemblies:



**PSAA4S-05**  
AA Nickel Cadmium  
4.8 Volts 800 MAH



4 Cell 2 x 2 Assemblies:



**PSAA4-2X2S-84R**  
AA Nickel Cadmium  
4.8 Volts 800 MAH



4 Cell 2 x 2 Assemblies:



**PSAA4-2X2-84**  
AA Nickel Cadmium  
4.8 Volts 800 MAH



4 Cell 2 x 2 Nested Assemblies:



**BR2/3A4-2X2N-09**  
2/3A Lithium  
6 Volts 2,400 MAH



4 Cell Side x Side Assemblies:



**PSAA4-20**  
AA Nickel Cadmium  
4.8 Volts 800 MAH



5 Cell Side x Side Assemblies:




**PSAA5-05**  
AA Nickel Cadmium  
6 Volts 800 MAH



5 Cell 3 x 2 Nested Assemblies:



**PSD5-3X2-20**  
D Nickel Cadmium  
6 Volts 4,000 MAH



5 Cell 3 x 2 Stick Assemblies:




**PSC5-3X2S-20**  
C Nickel Cadmium  
6 Volts 2,500 MAH



Dave and Marty Egbers, BATORAY founders, getting ready to ride in the Fort Mitchell, Kentucky Independence Day Parade. They are both now retired after having worked at BATORAY for over 30 years. We thank them for their vision, dedication and service to our company.

## Custom Battery Assembly continued...



6 Cell 2 x 3  
Assemblies:




**PSAA6-2X3-05R**  
AA Nickel Cadmium  
7.2 Volts 800 MAH



6 Cell  
2 x 3 Stick  
Assemblies:



**PSAA6-2X3S-67**  
AA Nickel Cadmium  
7.2 Volts 800 MAH




6 Cell  
3 x 2 Stick  
Assemblies:



**PSAA6-3X2S-67**  
AA Nickel Cadmium  
7.2 Volts 800 MAH



7 Cell Side x Side  
Assemblies:



**PSC7-05**  
C Nickel Cadmium  
8.4 Volts 2,500 MAH



8 Cell 2 x 4  
Assemblies:




**PSAA8-2X4-84R**  
AA Nickel Cadmium  
9.6 Volts 800 MAH



8 Cell 2 x 4 Stick  
Assemblies:




**PSAA8-2X4S-04R**  
AA Nickel Cadmium  
9.6 Volts 800 MAH



10 Cell 2 x 5  
Assemblies:



**PSD10-6V-82**  
D Nickel Cadmium  
6 Volts 4,000 MAH



10 Cell 2 x 5 Nested  
Assemblies:



**PSF10-2X5N-20**  
F Nickel Cadmium  
12 Volts 8,000 MAH



10 Cell 2 x 5 Stick  
Assemblies:



**PSD10-2X5S-27**  
D Nickel Cadmium  
12 Volts 4,000 MAH


















12 Cell 4 x 3 Stick  
Assemblies:










**PSD12-4X3S-87**  
D Nickel Cadmium  
14.4 Volts 4,000 MAH

## Connector Options

Part # and Dimensions	Connector
<b>WH-04</b> <b>WH-04R</b> (Reverse Polarity) L.32xW.23xH.13	
<b>WH-05</b> <b>WH-05R</b> (Reverse Polarity) L.58xW.22xH.19	
<b>WH-06</b> <b>WH-06R</b> (Reverse Polarity) L.78xW.30xH.13 <b>(Female Pins)</b>	
<b>WH-09</b> <b>WH-09R</b> (Reverse Polarity) L.56xW.21xH.21	
<b>WH-10</b> <b>WH-10R</b> (Reverse Polarity) L.63xW.34xH.27	
<b>WH-12</b> <b>WH-12R</b> (Reverse Polarity) (2 Pin) L.52xW.20xH.13	
<b>WH-14</b> <b>WH-14R</b> (Reverse Polarity) L.63xW.33xH.25	

Part # and Dimensions	Connector
<b>WH-15</b> <b>WH-15R</b> (Reverse Polarity) L.60xW.20xH.10	
<b>WH-16</b> (3 Pin) L.58xW.34xH.16	
<b>WH-17</b> (2 Pin) L.49xW.24xH.16	
<b>WH-20</b> <b>WH-20R</b> (Reverse Polarity) L.85xW.43xH.24	
<b>WH-24</b> <b>WH-24R</b> (Reverse Polarity) (24 mates with WH-51) L.72xW.32xH.28	
<b>WH-26</b> <b>WH-26R</b> (Reverse Polarity) L.50xW.32xH.21	
<b>WH-32</b> L.72xW.33xH.30	
<b>WH-42</b> L1.03xW.54xH.25 <b>(Same Housing as WH-82 but this one has Female Pins)</b>	

Part # and Dimensions	Connector
<b>WH-43</b> L.78xW.29xH.45	
<b>WH-44</b> <b>WH-44R</b> (Reverse Polarity) L.58xW.22xH.19	
<b>WH-49</b> L.55xW.21xH.09	
<b>WH-51</b> <b>WH-51R</b> (Reverse Polarity) L.47xW.22xH.16	
<b>WH-52</b> L.71xW.51xH.14	
<b>WH-57</b> L.24xW.18xH.14	
<b>WH-60</b> <b>WH-60R</b> (Reverse Polarity) (2 Pin) L.52xW.20xH.13	
<b>WH-62</b> L.31xW.22xH.19	

Images enlarged to show detail. Reference dimensions for actual size.

## Connector Options continued...

Part # and Dimensions	Connector	Part # and Dimensions	Connector	Part # and Dimensions	Connector
<b>WH-65</b> <b>WH-65R (Reverse Polarity)</b> L.26xW.27xH.13 <b>(Female Pins)</b>		<b>WH-81</b> L.26xW.24xH.16		<b>WH-101</b> (2 Pin) L.52xW.30xH.12	
<b>WH-67</b> <b>WH-67R (Reverse Polarity)</b> L.81xW.34xH.19 <b>(Female Pins)</b>		<b>WH-82</b> L.1.03xW.54xH.25 <b>(Same Housing as WH-42 but this one has Male Pins)</b>		<b>WH-103</b> L.32xW.32xH.16	
<b>WH-69</b> L.19xW.13xH.10		<b>WH-84</b> <b>WH-84R (Reverse Polarity)</b> L.30xW.22xH.16		<b>WH-117</b> <b>WH-117R (Reverse Polarity)</b> L.56xW.41xH.20	
<b>WH-73</b> L.20xW.23xH.16		<b>WH-85</b> L.98xW.33xH.15		<b>WH-120</b> L.1.08xW.43xH.19	
<b>WH-74</b> L.55xW.20xH.12		<b>WH-87</b> L.94xW.73xH.34		<b>WH-122</b> <b>WH-122R (Reverse Polarity)</b> L.27xW.17xH.15	
<b>WH-75</b> <b>WH-75R (Reverse Polarity)</b> L.63xW.50xH.26		<b>WH-89</b> L.1.43xW.76xH.34		<b>WH-135</b> L.71xW.43xH.20	
<b>WH-76</b> <b>WH-76R (Reverse Polarity)</b> L.16xW.13xH.08		<b>WH-92</b> L.49xW.32xH.20		<b>WH-138</b> L.53xW.20xH.12	
<b>WH-80</b> L.97xW.62xH.26		<b>WH-100</b> L.31xW.22xH.14		<b>WH-186</b> L.53xW.30xH.23	

Please reference our website for a [complete](#) listing of Connector Options

## RAYOVAC ULTRA PRO Industrial Multi-Pack Batteries (Shrink Wrapped)

STOCK NO.	Description	Minimum Order Qty.	Batteries per Pack	Packs per case	Batteries per case	Weight per Battery
ALAAA-8	Alkaline AAA Size Batteries	1 Battery	8	12	96	0.03
ALAA-8	Alkaline AA Size Batteries	1 Battery	8	12	96	0.05
ALC-6	Alkaline C Size Batteries	1 Battery	6	12	72	0.16
ALD-6	Alkaline D Size Batteries	1 Battery	6	12	72	0.32
AL9V-6	Alkaline 9-volt Batteries	1 Battery	6	12	72	0.11



## RAYOVAC ULTRA PRO Industrial Multi-Pack Batteries (Contractor Pack) - Reclosable Clam Pack

STOCK NO.	Description	Minimum Order Qty.	Batteries per Pack	Packs per case	Batteries per case	Weight Per Battery
ALAAA-18	Alkaline AAA Batteries	18 Batteries	18	12	216	0.03
ALAAA-24	Alkaline AAA Batteries	24 Batteries	24	12	288	0.03
ALAA-24	Alkaline AA Batteries	24 Batteries	24	12	288	0.05
ALC-12	Alkaline C Batteries	12 Batteries	12	8	96	0.16
ALD-12	Alkaline D Batteries	12 Batteries	12	8	96	0.32
AL9V-12	Alkaline 9-volt Batteries	12 Batteries	12	12	144	0.11



## RAYOVAC High Energy Series Batteries Long-Lasting Power for High Use Devices

STOCK NO.	Description	Minimum Order Qty.	Batteries per Pack	Batteries per Case	Weight per Battery
824BULK	Alkaline AAA Batteries	500 Batteries	--	500	0.03
815BULK	Alkaline AA Batteries	620 Batteries	--	620	0.05
814BULK	Alkaline C Batteries	168 Batteries	--	168	0.17
813BULK	Alkaline D Batteries	105 Batteries	--	105	0.30
A1604BULK	Alkaline 9-volt Batteries	210 Batteries	--	210	0.11



**INDCD Display**  
Rayovac Metal Counter Display. Free when ordering a case of AA, AAA, C, D, and 9V contractor pack batteries. Dimensions: 9"x10"x32"

## RAYOVAC Lantern Batteries

STOCK NO.	Description	Minimum Order Qty.	Batteries per Case	Weight per Battery
944-2	6-volt battery with Spring Terminals - Heavy Duty - 2 per pack	1 Pack	4	2.54
945	6-volt Screw Terminals - Heavy Duty	1 Each	4	1.38
926	12-volt battery with Screw Terminals, General Purpose	1 Each	6	2.83



**INDWD Display**  
Rayovac Metal Wall Display. Free when ordering a case of AA, AAA, C, D, and 9V contractor pack batteries. Dimensions: 9"x12"x24"  
Works with peg and slatwall.



## Energizer Industrial Alkaline Batteries - Display Packs

STOCK NO.	Description	Minimum Order Qty.	Batteries per Inner Carton	Batteries per Master Case	Weight per Battery
EN91	Industrial Alkaline AA Battery	1 Battery	24	144	0.05
EN92	Industrial Alkaline AAA Battery	1 Battery	24	144	0.03
EN93	Industrial Alkaline C Battery	1 Battery	12	72	0.16
EN95	Industrial Alkaline D Battery	1 Battery	12	72	0.32
EN22	Industrial Alkaline 9V Battery	1 Battery	12	72	0.11



## Energizer MAX Alkaline Batteries - Display & Volumn Packs

STOCK NO.	Description	Minimum Order Qty.	Batteries per Inner Carton	Batteries per Master Case	Weight per Battery
E91	MAX Alkaline AA Battery - Display Pack	1 Battery	24	144	0.05
E91VP	MAX Alkaline AA battery - Volumn Pack	620 Batteries	--	620	0.05
E92	MAX Alkaline AAA Battery - Display Pack	1 Battery	24	144	0.03
E92VP	MAX Alkaline AAA battery - Volumn Pack	1189 Batteries	--	1189	0.03
E93FP-8	MAX Alkaline C Battery-Display Pack	144 Batteries	12	96	0.16
E95FP-8	MAX Alkaline D Battery-Display Pack	144 Batteries	12	96	0.32



E95FP-8



**INDCD Display**  
Energizer Metal Counter Display. Free when ordering a case of AA, AAA, C, D, and 9V batteries.  
Dimensions: 9"x10"x32"

## Energizer Max Alkaline Batteries - Retail Carded

STOCK NO.	Description	Minimum Order Qty.	Cards Per Inner Carton	Cards Per Master Case	Weight per Battery
E91BP-2	MAX Alkaline AA Battery - 2 per Card	12 Cards	12	24	0.13
E91BP-4	MAX Alkaline AA Battery - 4 per Card	12 Cards	12	24	0.23
E91MP-8	MAX Alkaline AA Battery - 8 per Card	6 Cards	6	24	0.4
E92BP-2	MAX Alkaline AAA Battery - 2 per Card	12 Cards	12	24	0.04
E92BP-4	MAX Alkaline AAA Battery - 4 per Card	12 Cards	12	24	0.08
E92MP-8	MAX Alkaline AAA Battery - 8 per Card	6 Cards	6	24	0.15
E93BP-2	MAX Alkaline C Battery - 2 per Card	6 Cards	6	12	0.32
E95BP-2	MAX Alkaline D Battery - 2 per Card	12 Cards	12	24	0.62
522BP	MAX Alkaline 9V Battery - 1 per Card	12 Cards	12	24	0.13
522BP-2	MAX Alkaline 9V Battery - 2 per Card	12 Cards	12	24	0.25



**INDWD Display**  
Energizer Metal Wall Display. Free when ordering a case of AA, AAA, C, D, and 9V batteries.  
Dimensions: 9"x12"x24"  
Works with peg and slatwall.

## Energizer Lithium, Special Application and Lantern Batteries

STOCK NO.	Description	Minimum Order Qty.	Inner Case Qty.	Master Case Quantity	Weight per Item
LN91	Energizer AA Industrial Lithium 1.5 volt Battery	1 Battery	24	144	0.05
L91BP-2	Energizer AA Ultimate Lithium 1.5 volt Battery - 2 per card	1 Card	6	24	0.04
L91SBP-4	Energizer AA Ultimate Lithium 1.5 volt Battery - 4 per card	1 Card	6	24	0.07
LN92	Energizer AAA Industrial Lithium 1.5 volt Battery	1 Battery	24	144	0.02
L92BP-2	Energizer AAA Ultimate Lithium 1.5 volt Battery - 2 per card	1 Card	6	24	0.03
L92SBP-4	Energizer AAA Ultimate Lithium 1.5 volt battery - 4 per card	1 Card	6	24	0.05
LN522	Energizer 9 Volt Industrial Lithium Battery - 12 batteries per Display Box	1 Battery	12	48	0.11
EL123APBP	Energizer 123A 3 volt Ultimate Lithium battery - 1 battery per card	1 Battery	6	24	0.04
EL123A	Energizer 123A 3 volt Ultimate Lithium battery - 10 per pack	1 Battery	10	400	0.04
EL1CR2BP	Energizer CR2 3 volt Lithium Battery - 1 per card	1 Battery	6	24	0.05
ELN1CR2-8	Energizer CR2 3 volt Lithium Battery - 8 batteries per Display Box	1 Battery	8	64	0.04
EL223APBP	Energizer 223A 6 volt Lithium Battery - 1 per card	1 Battery	6	24	0.06
EL2CR5BP	Energizer 2CR5 6 volt Lithium Battery - 1 per card	1 Battery	6	24	0.06
E96VP	Energizer AAAA Alkaline Battery - 20 per pack	1 Battery	20	1148	0.02
E96BP-2	Energizer AAAA Alkaline Battery - 2 per card	1 Card	6	12	0.04
E90BP-2	Energizer N cell 1.5 volt Battery - 2 per card	1 Card	6	48	0.04
A23BPZ	Energizer 12 volt Alkaline Battery - 1 per card	1 Battery	12	72	0.03
A23BPZ-2	Energizer 12 volt Alkaline Battery - 2 per card	1 Card	12	72	0.06
A544BPZ	Energizer 6 volt alkaline battery (28A) - 1 per card	1 Battery	6	72	0.05
1209	Eveready 6 volt Heavy Duty Lantern Battery - spring top	1 Battery	-	12	1.26
529	Energizer MAX 6 volt alkaline lantern battery - spring top	1 Battery	-	6	1.70



A23



AAAA  
E96VP



E90



1209



529



Coin Cells located  
on Page 12




Industrial Lithium



Joe Egbers and friends opening morning of the 2024 wild turkey season, Carroll County, Kentucky.

## Energizer RECHARGE Nickel Metal Hydride Batteries and Chargers

Rechargeable Nickel Metal Hydride (Ni-MH) Batteries and Chargers  
 Pre-charged and ready to use right out of the package, they can be used in any device and in any charger and are ideal for high drain devices. The worlds first rechargeable battery made with 4% recycled batteries.



STOCK NO.	Description	Minimum Order Qty.	Inner Case Qty.	Case Qty.	Weight per Item
NH50BP-2	Rechargeable D Batteries (2,500 mAh) - 2 Batteries per Card	1 Card	6 Cards	24 Cards	0.38
NH35BP-2	Rechargeable C Batteries (2,500 mAh) - 2 Batteries per Card	1 Card	6 Cards	24 Cards	0.33
NH15BP-4	Rechargeable AA Batteries (2,300 mAh) - 4 Batteries per Card	1 Card	6 Cards	24 Cards	0.15
NH15BP-8	Rechargeable AA Batteries (2,300 mAh) - 8 Batteries per Card	1 Card	6 Cards	12 Cards	0.26
NH12BP-4	Rechargeable AAA Batteries (800 mAh) - 4 Batteries per Card	1 Card	6 Cards	24 Cards	0.08
NH22NBP	Rechargeable 9 volt Battery (175 mAh) - 1 Batteries per Card	1 Card	6 Cards	24 Cards	0.11
CHFC	Battery Charger. Universal. Charges up to (4) AA or (4) AAA or (4) C or (4) D or (2) 9 volt batteries. Helps to maximize battery performance. Ensures full charge. LED charge status indicator. Carded	1	3	3	0.8
CHVCMWB-4	Battery Charger. Value Charger. Charges (2 or 4) AA or AAA batteries in anywhere from 6 to 10 hours based on mAh of batteries. Safety auto shut off. Charge status indicator. Overcharge protection. Includes (4) AA NiMH batteries. Carded	1	3	3	0.4
CHPROWB4	Battery Charger. PRO Series. Charges (2 or 4) AA or AAA batteries in anywhere from 3 to 5 hours based on mAh of batteries. Safety auto shut off. Charge status indicator. Overcharge protection. Includes (4) AA NiMH batteries. Carded	1	3	3	0.6



CHFC

CHPROWB4



CHVCMWB-4



Joe Egbers  
 Eastern Wild Turkey  
 Carroll County, KY



Jake Finke  
 Eastern Wild Turkey  
 Gallatin County, KY



Joey Egbers  
 Eastern Wild Turkey  
 Letcher County, KY



**No Minimum Order  
and Same Day Shipping**

## Energizer Button Cell and Lithium Coin Cell Batteries

BP = 1 per card / 6 cards per pack / 72 per case.

All others are 5 batteries per perforated strip pack. 100 per case.

STOCK NO.	Description	Minimum Order Qty.	Quantity Per Pack
A76BP	1.5-volt Alkaline Button Cell Battery	1 Battery	6
317	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
315	1.5 volt silver oxide Button Cell	1 Battery	6
319	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
321	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
329	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
337	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
344	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
357-303	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
357BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
362-361	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
364BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
365	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
371BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
373	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
377BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
379BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
379	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
386-301	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
389BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
392BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
392-384	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
393	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
394-380	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
395BP	1.5-volt Silver Oxide Button Cell Battery	1 Battery	6
397-396	1.5-volt Silver Oxide Button Cell Battery	1 Battery	5
ECR1025BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR1216	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR1216BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR1220	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR1616BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR1620BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR1632BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR2012	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECRN2016	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR2016BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECRN2025	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR2025BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
CR2032VP	3.0-volt Lithium Coin Cell Battery - Bulk 25 per Tray	200 Batteries	200
ECRN2032	3.0-volt Lithium Coin Cell Battery	1 Battery	5
ECR2032BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR2430BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6
ECR2450BP	3.0-volt Lithium Coin Cell Battery	1 Battery	6

Perforated Strip Pack



Blister Pack



357BP



Items ending in "BP" are for Blister Packs

Button Cell



Coin Cell





Evergreen Batteries			
STOCK NO.	Description	Minimum Order Qty.	Qty. Per Pack
H2500-AA	AA Button Top 1.2 volt 2500 mAh Ni-Mh. Rechargeable	1 Battery	50
N800-AA	AA Button Top 1.2 volt 800 mAh Ni-Cd. Rechargeable	1 Battery	50
N300-AAA	AAA Button Top 1.2 volt 300 mAh Ni-Cd. Rechargeable	1 Battery	50
PS-4/5A	4/5A Flat Top 1.2 volt 1200 mAh Ni-Cd. Rechargeable	1 Battery	10
N2500-C	C Button Top 1.2 volt 2500 mAh Ni-Cd. Rechargeable	1 Battery	10
N4000-D	D Button Top 1.2 volt 4000 mAh Ni-Cd. Rechargeable	1 Battery	20
N2400-1/2D-B	1/2 D Button Top 1.2 volt 2400 mAh Ni-Cd. Rechargeable	1 Battery	10
L1028	Alkaline 12 volt - Crosses to 23A	1 Battery	5
L828	Alkaline 12 volt - Crosses to A27	1 Battery	5
LR1N	Alkaline 1.5 volt N Cell	1 Battery	2
L1325	Alkaline 6 volt. Crosses to: PX28AB	1 Battery	5
L544	Lithium 6 volt. Crosses to: PX28LB	1 Battery	2
L1131	Alkaline 1.5 volt Button Cell	1 Battery	10
L1154	Alkaline 1.5 volt Button Cell - Crosses to: LR44, A76	1 Battery	10
L1560F	Alkaline 1.5 volt Button Cell - Crosses to: PX625A or EPX625	1 Battery	5
CR1/3N	Lithium 3 volt Battery	1 Battery	5
CR2	Lithium 3 volt Battery	1 Battery	2
CR927	Lithium 3 volt Coin Cell	1 Battery	5
CR1225	Lithium 3 volt Coin Cell	1 Battery	5
CR1616	Lithium 3 volt Coin Cell	1 Battery	5
CR1620	Lithium 3 volt Coin Cell	1 Battery	5
CR1632	Lithium 3 volt Coin Cell	1 Battery	5
CR2016	Lithium 3 volt Coin Cell	1 Battery	5
CR2025	Lithium 3 volt Coin Cell	1 Battery	5
CR2032	Lithium 3 volt Coin Cell	1 Battery	5
CR2325	Lithium 3 volt Coin Cell	1 Battery	5
CR2330	Lithium 3 volt Coin Cell	1 Battery	5
CR2335	Lithium 3 volt Coin Cell	1 Battery	1
CR2354	Lithium 3 volt Coin Cell	1 Battery	5
CR2450	Lithium 3 volt Coin Cell	1 Battery	5
CR2450N	Lithium 3 volt Coin Cell	1 Battery	1
CR2477	Lithium 3 volt Coin Cell	1 Battery	5
CR2477N	Lithium 3 volt Coin Cell	1 Battery	4
CR3032	Lithium 3 volt Coin Cell	1 Battery	1
391	Silver Oxide 1.5 volt Button Cell	1 Battery	10
392	Silver Oxide 1.5 volt Button Cell	1 Battery	10
357F	Silver Oxide 1.5 volt Button Cell - Crosses to: 357, SR44	1 Battery	10
DL-02	Door Lock Battery - 4 AA Alkaline side x side with Hole	1 Battery	24
DL-08	Door Lock Battery - 4 AA Alkaline side x side	1 Battery	24
A10	Zinc Air Hearing Aid - 6 Batteries per card	1 Card	10
A13	Zinc Air Hearing Aid - 6 Batteries per card	1 Card	10
A312	Zinc Air Hearing Aid - 6 Batteries per card	1 Card	10
A312-10	Zinc Air Hearing Aid - 10 Batteries per card	1 Card	10
A675	Zinc Air Hearing Aid - 6 Batteries per card	1 Card	10



Nickel Metal Hydride



Nickel Cadmium Batteries



Lithium Cylindrical



Lithium Coin Cells



Hearing Aid Batteries

Panasonic Alkaline & Lithium Batteries					
STOCK NO.	Description	Minimum Order Qty.	Batteries per Case	Weight per Battery	
CR123A	3 volt Lithium Battery (10 per shrink)	1 Battery	800	0.04	
CR-123APA/1B	3 volt Lithium Battery (1 per card)	1 Battery	12	0.05	
CR-123APA/2B	3 volt Lithium Battery (2 per card)	1 Battery	12	0.08	
CR-P2PA/1B	6 volt Lithium Battery (1 per card)	1 Battery	12	0.05	
2CR-5MPA/1B	6 volt Lithium Battery (1 per card)	1 Battery	12	0.05	
CR-2PA/1B	3 volt Lithium Battery (1 per card)	1 Battery	12	0.05	
CR-2PA/2B	3 volt Lithium Battery (2 per card)	1 Battery	12	0.08	
BR1225	3 volt Lithium Battery	1 Battery	1	0.05	
BR2032	3 volt Lithium Battery	1 Battery	1	0.05	
BR2325	3 volt Lithium Battery	1 Battery	1	0.05	
BR2/3A	3 volt Lithium 2/3A Battery	1 Battery	200	0.03	
BR-A	3 volt Lithium A Battery	1 Battery	200	0.02	
BR-C	3 volt Lithium C Battery	1 Battery	10	0.02	
LR6XWA/B	Alkaline AA (Industrial label) <b>Bulk</b> (no shrink)	500 Batteries	500	0.05	
LR03XWA/B	Alkaline AAA (Industrial label) <b>Bulk</b> (no shrink)	500 Batteries	500	0.03	
LR6PA/4S	Alkaline AA Battery (4 per shrink)	420 Batteries	420	0.05	
LR03PA/4S	Alkaline AAA Battery (4 per shrink)	400 Batteries	400	0.03	



CR123A



CR2



CR-P2PA/1B



2CR-5MPA/1B



BR2/3A



BR-A



BR-C



Panasonic Alkaline Batteries (Carded)					
STOCK NO.	Description	Minimum Order Qty.	Cards per Inner Carton	Cards per Case	Weight per Card
AM-4PA/2B	Alkaline AAA Batteries - Carded (2 per card)	12 Cards	12	48	0.04
AM-4PA/4B	Alkaline AAA Batteries - Carded (4 per card)	12 Cards	12	48	0.08
AM-3PA/2B	Alkaline AA Batteries - Carded (2 per card)	12 Cards	12	48	0.13
AM-3PA/4B	Alkaline AA Batteries - Carded (4 per card)	12 Cards	12	48	0.23
AM-2PA/2B	Alkaline C Batteries - Carded (2 per card)	12 Cards	12	48	0.32
AM-1PA/2B	Alkaline D Batteries - Carded (2 per card)	12 Cards	12	48	0.62
6AM-6PA/1B	Alkaline 9 Volt Battery - Carded (1 per card)	12 Cards	12	48	0.13



Alkaline Carded

## DURACELL®

DURACELL Alkaline Batteries (Retail Carded)						
STOCK NO.	Description	Minimum Order Qty.	Cards per Inner Carton	Cards per Case	Weight per Card	
MN2400B2	Duracell Coppertop Alkaline AAA Batteries - Carded (2 per card)	18 Cards	18	54	0.12	
MN2400B4	Duracell Coppertop Alkaline AAA Batteries - Carded (4 per card)	18 Cards	18	54	0.23	
MN1500B2	Duracell Coppertop Alkaline AA Batteries - Carded (2 per card)	14 Cards	14	56	0.13	
MN1500B4	Duracell Coppertop Alkaline AA Batteries - Carded (4 per card)	14 Cards	14	56	0.23	
MN1400B2	Duracell Coppertop Alkaline C Batteries - Carded (2 per card)	8 Cards	8	48	0.33	
MN1300B2	Duracell Coppertop Alkaline D Batteries - Carded (2 per card)	6 Cards	6	48	0.63	
MN1604B	Duracell Coppertop Alkaline 9 Volt Battery - Carded (1 per card)	12 Cards	12	48	0.14	
MN1604B2	Duracell Coppertop Alkaline 9 Volt Battery - Carded (2 per card)	12 Cards	12	48	0.25	



<b>PROCELL CONSTANT Alkaline Batteries - Boxed</b>					
Specifically engineered to deliver consistent performance while lasting longer in low-drain devices.					
STOCK NO.	Description	Minimum Order Qty.	Batteries Per Inner Carton	Batteries Per Case	Weight per Battery
PC1300	Procell Constant Alkaline D Battery	1 Battery	12	72	0.32
PC1400	Procell Constant Alkaline C Battery	1 Battery	12	72	0.16
PC1500	Procell Constant Alkaline AA Battery	1 Battery	24	144	0.05
PC2400	Procell Constant Alkaline AAA Battery	1 Battery	24	144	0.03
PC1604	Procell Constant Alkaline 9 Volt Battery	1 Battery	12	72	0.11



<b>PROCELL INTENSE Alkaline Batteries - Boxed</b>					
Specifically engineered to deliver precise pulses of energy while lasting longer in high-drain professional devices.					
STOCK NO.	Description	Minimum Order Qty.	Batteries Per Inner Carton	Batteries Per Case	Weight per Battery
PX1300	Procell Intense Alkaline D Battery	1 Battery	12	72	0.32
PX1400	Procell Intense Alkaline C Battery	1 Battery	12	72	0.16
PX1500	Procell Intense Alkaline AA Battery	1 Battery	24	144	0.05
PX2400	Procell Intense Alkaline AAA Battery	1 Battery	24	144	0.03
PX1604	Procell Intense Alkaline 9 Volt Battery	1 Battery	12	72	0.11



<b>DURACELL Photo, Electronic, Medical &amp; Special Application Batteries</b>				
STOCK NO.	Description	Minimum Order Qty.	Pack Qty.	Weight Per Battery
DL1/3NB	3 volt Lithium Battery	1 Battery	6	0.02
DL2016BPK	3 volt Lithium Coin Cell Battery	1 Battery	6	0.02
DL2025BPK	3 volt Lithium Coin Cell Battery	1 Battery	6	0.02
DL2032BPK	3 volt Lithium Coin Cell Battery	1 Battery	6	0.02
DL2430BPK	3 volt Lithium Coin Cell Battery	1 Battery	6	0.02
DL2450BPK	3 volt Lithium Coin Cell Battery	1 Battery	6	0.02
DL123A	3 volt Lithium Battery - Bulk	1 Battery	10	0.04
MN175B	7.5 volt Alkaline Battery	1 Battery	6	0.05
MN21B	12 volt Alkaline Battery	1 Battery	6	0.02
MN21B2PK	12 volt Alkaline Battery - 2 per Card	1 Card	6	0.06
MN27B	12 volt Alkaline Battery	1 Battery	6	0.01
PX28AB	6 volt Alkaline Battery	1 Battery	6	0.01
PX28LB	6 volt Lithium Battery	1 Battery	6	0.02
PC133A	4.5 volt Alkaline Battery	1 Battery	--	0.08
MN908	6 volt, 13Ah Battery - Spring Terminal	1 Battery	6	1.72
MN9100B2	N cell Alkaline Battery - 2 per Card	1 Card	6	0.06
MX2500B2	AAAA Alkaline Battery - 2 per Card	1 Card	6	0.06
PX76A/675AB	1.5 volt Alkaline Button Battery	1 Battery	6	0.04
D303/357B	1.5 volt Silver Oxide Button Battery	1 Battery	6	0.04



MN21B



DL123A



MN908

## Titus Primary Lithium Thionyl Chloride High Energy Bobbin Cell Batteries

STOCK NO.	Description	Battery Size	Volts	MAH	Battery Dimensions (inches)	Minimum Order Qty.
ER14505	Titus Lithium Battery - Button Top	AA	3.6	2400	.55 x 1.94	1 Battery
ER14505-AX	Titus Lithium Battery - Axial Leads	AA	3.6	2400	.55 x 1.94	1 Battery
ER14250	Titus Lithium Battery - Button Top	1/2 AA	3.6	1200	.55 x .98	1 Battery
ER14335	Titus Lithium Battery - Button Top	2/3 AA	3.6	1650	.55 x 1.27	1 Battery
ER17505	Titus Lithium battery - Button Top	A	3.6	3400	.65 x 1.97	1 Battery
ER26500	Titus Lithium battery - Button Top	C	3.6	8500	1.01 x 1.89	1 Battery
ER34615	Titus Lithium battery - Button Top	D	3.6	19000	1.31 x 2.30	1 Battery



## Coros Primary Lithium Thionyl Chloride High Energy Bobbin Cell Batteries

STOCK NO.	Description	Battery Size	Volts	MAH	Battery Dimensions (inches)	Minimum Order Qty.
CLE-06	Coros Lithium Battery - Button Top	AA	3.6	2400	.55 x 1.94	1 Battery
CLE-03	Coros Lithium Battery - Button Top	1/2 AA	3.6	1200	.55 x .98	1 Battery
CLE-04	Coros Lithium Battery - Button Top	2/3 AA	3.6	1650	.55 x 1.27	1 Battery
CLE-10	Coros Lithium Battery - Button Top	A	3.6	3600	.65 x 1.97	1 Battery
CLE-14	Coros Lithium Battery - Button Top	C	3.6	8500	1.01 x 1.89	1 Battery
CLE-20	Coros Lithium Battery - Button Top	D	3.6	19000	1.31 x 2.30	1 Battery



## FDK (Sanyo), Saft, Ultrafire, Ultralast Batteries

STOCK NO.	Description	Battery Size	Volts	MAH	Battery Dimensions (inches)	Minimum Order Qty.
CR14250SE	FDK Sanyo Lithium Battery - Flat Top	1/2 AA	3	850	.56 x .97	1 Battery
CR17335SE	FDK Sanyo Lithium Battery - Flat Top	2/3 A	3	1800	.66 x 1.31	1 Battery
CR17450SE	FDK Sanyo Lithium Battery - Flat Top	A	3	2500	.66 x 1.76	1 Battery
LS17330	SAFT Lithium Battery - Button Top	2/3A	3.6	2100	.63 x 1.24	1 Battery



Mark Wainscott, BATORAY sales, and his wife Julie.  
Cave Run Lake, Daniel Boone National Forest, Morehead, KY

**No Minimum Order  
and Same Day Shipping**



## PS Series

### PS Series Batteries - General Purpose Design

This series features Absorbent Glass Mat (AGM) technology for superior performance. They are valve regulated, spill proof and allow for safe operation in any position. UL recognized under file number MH 20845.

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PS-445	4	4.5	1.89	2.09	3.70	1 Each	20	1.5	F2
PS-4100	4	10	4.01	1.97	3.70	1 Each	10	3.1	F1
PS-610	6	1.1	2.00	1.65	2.00	1 Each	20	0.6	F1
PS-612	6	1.4	3.82	0.94	2.00	1 Each	20	0.6	F1
PS-621	6	2	1.69	1.46	2.99	1 Each	20	0.75	F1
PS-628	6	2.9	2.60	1.30	3.86	1 Each	20	1.25	F1
PS-630	6	3.5	5.28	1.34	2.35	1 Each	20	1.5	F1
PS-632	6	3.5	2.60	1.30	4.65	1 Each	20	1.5	F1
PS-640	6	4.5	2.76	1.86	3.94	1 Each	20	2	F1
PS-650	6	5	2.64	2.64	3.94	1 Each	25	2	F1 or SP
PS-670	6	7	5.95	1.34	3.70	1 Each	10	3	F1
PS-682	6	9	3.86	2.20	4.65	1 Each	10	3.3	F1
PS-6100	6	12	5.95	2.00	3.70	1 Each	10	5	F1 or F2
PS-6120	6	13	4.25	2.80	5.55	1 Each	10	5.2	FP
PS-6200	6	20	6.18	3.27	4.92	1 Each	4	8.2	NB1
PS-6360	6	36	6.25	3.35	6.50	1 Each	2	13.8	F2
PS-6580	6	58	7.28	4.41	8.07	1 Each	1	21	F2
PS-62000	6	210	12.05	6.65	8.65	1 Each	1	64	T8
PS-832	8	3.2	5.29	1.44	2.49	1 Each	10	1.9	F1
PS-1208WL	12	0.8	3.78	0.98	2.44	1 Each	20	0.8	WL
PS-1212	12	1.4	3.78	1.69	2.04	1 Each	20	1.3	F1
PS-1220	12	2.5	7.00	1.38	2.36	1 Each	20	2	F1
PS-1221S	12	2	5.91	0.80	3.52	1 Each	20	1.7	F1/0
PS-1223	12	2.3	7.17	0.94	2.40	1 Each	20	1.8	PC
PS-1227	12	2.9	3.11	2.20	3.90	1 Each	10	2.4	F1
PS-1228	12	2.8	5.24	1.30	3.82	1 Each	10	2.6	F1
PS-1229L	12	2.9	7.00	1.38	2.36	1 Each	10	2.2	F1
PS-1230	12	3.4	5.24	2.64	2.36	1 Each	10	2.6	F1
PS-1238	12	3.8	7.68	1.85	2.91	1 Each	10	3.5	F1
PS-1250	12	5	3.54	2.76	3.98	1 Each	10	4	F1 or F2
PS-1270	12	7	5.94	2.56	3.70	1 Each	5	4.8	F1 or F2
PS-1280	12	8	5.94	2.56	3.72	1 Each	5	5.8	F1 or F2
PS-1282L	12	9	7.72	2.20	4.65	1 Each	1	6.7	F1
PS-1282S	12	9	3.86	4.40	4.65	1 Each	1	6.7	F1
PS-1290	12	9	5.94	2.56	3.70	1 Each	5	6.1	F2 or NB1
PS-12100H	12	10.5	5.94	2.56	4.40	1 Each	5	7.23	F2
PS-12100	12	12	5.94	4.00	3.70	1 Each	4	9.2	F1 or F2
PS-12120	12	12	5.94	3.86	3.66	1 Each	4	9	F2 or NB1
PS-12140	12	14	5.94	3.86	3.70	1 Each	4	9	F2
PS-12120L	12	12	8.52	2.75	5.75	1 Each	4	9.9	FP
PS-12180	12	18	7.13	3.00	6.57	1 Each	2	13	F2, NB2, T12
PS-12200	12	20	7.13	3.00	6.57	1 Each	2	13.2	NB1



## PS Series continued...

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PS-12260	12	26	6.56	6.97	4.92	1 Each	2	18.7	F2, NB2, T12
PS-12280	12	28	6.50	4.92	6.89	1 Each	2	19.4	NB1
PS-12350	12	35	7.68	5.12	6.46	1 Each	1	26.5	NB3 or T6
PS-6360-1X2	12	36	6.25	6.75	6.50	1 Each	1	27.6	F2
PS-6360-1X2 L	12	36	12.50	3.50	6.50	1 Each	1	27.6	F2
PS-12400	12	40	7.76	6.50	6.69	1 Each	1	31	NB4
PS-12550	12	55	8.90	5.31	8.15	1 Each	1	41.1	U or T6
PS-12750	12	75	10.25	6.69	7.95	1 Each	1	52.3	U or T6
PS-121000	12	100	12.05	6.61	8.19	1 Each	1	65.7	U or T6
PS-121100	12	110	13.00	6.81	8.35	1 Each	1	69.5	T11
PS-121400	12	140	13.50	6.73	10.80	1 Each	1	99	T11



## PSH-Series

### PSH Series Batteries - High Rate Discharge Series

This series has the same features as the PS series but are specifically designed for high rate discharge applications. Valve regulated. Rugged, fire retardant case and cover.

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PSH-655FR	6	5.5	2.76	1.86	3.94	1 Each	20	2	F1
PSH-1255FR	12	6	3.54	2.76	3.98	1 Each	10	4.19	F2
PSH-1280FR	12	8.5	5.94	2.56	3.72	1 Each	5	6	F2
PSH-12100FR	12	10.5	5.94	2.56	4.37	1 Each	5	7.05	F2
PSH-12180FR	12	21	7.14	3.03	6.59	1 Each	2	13.3	NB2



## PHR-Series

### PHR Series Batteries - High Rate Discharge Series

This series features Absorbent Glass Mat (AGM) technology, thicker plates and lead calcium alloy grids designed for High Rate Discharge UPS system applications. Life expectancy of 10 years in standby mode. Valve regulated, rugged, fire retardant case and cover.

STOCK NO.	Voltage	AMP. Hours	Watts / cell@ 15 min.	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PHR-1236	12	8.5	36	5.95	2.56	3.68	1 Each	1	5.3	F2
PHR-1290	12	21	90	7.14	2.99	6.56	1 Each	1	14	T12
PHR-12100	12	30	103	6.50	4.92	6.97	1 Each	1	21.38	T12
PHR-12200	12	60	192	9.02	5.43	8.15	1 Each	1	40.12	T6
PHR-12300	12	80	279	10.20	6.61	8.19	1 Each	1	58.4	T6
PHR-12350	12	98	340	11.97	6.61	8.19	1 Each	1	68.7	T6



When Power-Sonic batteries need to be replaced, please do not toss the spent ones in the trash. Ship them to us and we will have them recycled.



### PG Series Rechargeable Batteries

#### PG Series Rechargeable Batteries - High Rate Discharge Series

This series features Absorbent Glass Mat (AGM) technology but has thicker plates and lead calcium alloy grids that yield a life expectancy of 12 years in standby mode. Valve regulated. Rugged, fire retardant case and cover.

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PG-12V28 FR	12	28	6.56	6.96	4.92	1 Each	1	18.5	T12
PG-12V35 FR	12	35	7.80	5.20	6.22	1 Each	1	27	T6
PG-12V55 FR	12	56	8.98	5.39	8.27	1 Each	1	39.5	T6
PG-12V75 FR	12	75	13.70	6.57	7.00	1 Each	1	55.1	T6
PG-12V75T FR	12	75	10.24	6.61	8.27	1 Each	1	55.1	T6
PG-12V100 FR	12	92	12.05	6.61	8.27	1 Each	1	60.3	T6



### PSL-BTC Lithium Series

#### Bluetooth Communication Capable

#### PSL Bluetooth Series Batteries

The PSL Bluetooth series of LiFeP04 batteries have been designed as a drop in replacement to Sealed Lead Acid batteries. Combining proven lithium iron phosphate technology with an intelligent protection circuit module (PCM), the PSL Bluetooth series delivers more power, faster charging, 10 times the number of charge cycles and 40% less weight than the equivalent lead acid battery. With the free Bluetooth app you can get instant access to the battery state of charge, voltage, cycles and a complete log on any potential issues. Rugged impact and fire resistant case and cover. 10 year, 2000 cycles warranty.

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PSL-BTC-1290	12.8	9	5.94	2.55	3.74	1 Each	5	2.64	F2
PSL-BTC-12120	12.8	12	5.94	3.87	3.74	1 Each	4	3.52	F2



### PSL - Lithium Series Rechargeable Batteries

The PSL Medical Lithium Series feature super safe lithium Ion phosphate (LiFeP04) chemistry; Battery Management System (BMS) controls the parameters of the battery to provide optimum safety by protecting against over-charging and over-discharging; Enhanced electrical design for reduced heat generation; Delivers twice the power of lead acid batteries even at high discharge rates; up to 10 times more charge cycles than sealed lead batteries; Rugged impact and fire resistant case and cover. 10 year, 2,000 cycles warranty.

STOCK NO.	Voltage	AMP. Hours	Length / Inches	Width / Inches	Height / Inches	Min. Order Qty.	Qty. per Case	Weight Each (lbs)	Terminal
PSL-12500	12.8	51.4	7.70	5.20	7.20	1 Each	1 Each	13.00	M6



### Terminal Adaptors

STOCK NO.	Description
035021	Changes F1 terminals to F2
035018	Changes F2 terminals to F1
035025	Changes NB terminals to F2

035021  
F1 to F2



035018  
F2 to F1





035025  
NB to F2




### Terminal Adaptors


## TERMINAL INFORMATION

**1**  **FASTON**  
0.187" x 0.032"  
quick disconnect tabs.

**2**  **FASTON**  
0.250" x 0.032"  
quick disconnect tabs

**P**  **FASTON POLARIZED**  
Positive: "F2", Negative: "F1"

**1/0**   
6 4.8  
21 ±0.6


**iP**  **SPRING TERMINALS**  
Fully collapsible positive  
and negative contacts


**WL** **INSULATED WIRE LEADS**  
• Molex Housing 5264-02 &  
5263-PBT plug on PS-605  
• AMP Housing 1-480318-0 &  
8116-1 on PS-1208


**PC** **PRESSURE CONTACTS**


**TH**  **TOY BATTERY CONNECTORS**  
H-connector PS-6120 TH


**TS**  **TOY BATTERY CONNECTORS**  
S-connector PS-6120 TS


**U**   
Positive: 17.4, 18, 22, 19  
Negative: 15.9, 18, 22, 17.5  
Torque: 11.0-14.7 Nxm


**NB1**   
12 12 4.8 5.6 2  
Torque: 2.0-3.0 Nxm


**NB2**   
14 13 4.5 6 2  
Torque: 3.9-5.4 Nxm


**NB3**   
16.5 16 7 6 6  
Torque: 3.9-5.4 Nxm

**NB4**   
15 18 4.7 6 5.5  
Torque: 3.9-5.4 Nxm

**B, T6** **THREADED INSERT - 6mm STUD**  
  
16mm M6 6mm  
Torque: 3.9-5.4 Nxm

**T8** **THREADED INSERT - 6mm STUD**  
  
20mm M6 6mm  
Torque: 3.9-5.4 Nxm

**T11** **THREADED INSERT - 8mm STUD**  
  
20mm M8 7mm  
Torque: 11.0-14.7 Nxm

**T12** **THREADED INSERT - 5mm STUD**  
  
12mm M5 6mm  
Torque: 2.0-3.0 Nxm

## Power Sport and Hyper Sport Series

The **PowerSport** series are sealed lead acid batteries using AGM (Absorbant Glass Matt) technology, are factory sealed and maintenance free.

The **HyperSport** series uses LiFePO4 lithium Iron Phosphate technology. They are factory sealed, are 4x lighter, 4x faster charging and last 4x longer than typical sealed lead batteries.

Call for cross reference to other brands or with the make, model and year of the vehicle.



## Power-Sonic Sealed Lead Acid Battery Chargers

Automatic, current sensing dual-rate charging for efficient, care-free operation. LED indicators show the state of charge. All models include alligator clip connectors with insulated sleeves.

STOCK NO.	Description
PSC-6500ACX	6 Volt battery charger for 2-5 AH batteries
PSC-61000ACX	6 Volt battery charger for 5-12 AH batteries
PSC-12500ACX	12 Volt battery charger for 2-5 AH batteries
PSC-121000ACX	12 Volt battery charger for 15-12 AH batteries
PSC-124000ACX	12 Volt battery charger for 14-55 AH batteries

PSC-6500ACX



PSC-124000ACX



PSC-121000ACX



When Power-Sonic batteries need to be replaced, please do not toss the spent ones in the trash. Ship them to us and we will have them recycled.



**No Minimum Order  
and Same Day Shipping**

**RAYOVAC 1AAA LED Penlight**



Anodized aluminum body LED penlight. Push button on/off tailcap switch. Pocket clip. Includes (1) AAA battery. Free counter display tray when ordering full case. **Carded**

Size: 4.57" x .53"

**BEPN1AAA-BTB** Rayovac Penlight

Replacement Battery: AAA

Specifications: 3 Lumens 11m 5.5 hours

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 6

**RAYOVAC 3AAA LED Flashlight**



Machined aluminum body. Push button on/off tailcap switch. Includes (3) AAA batteries. Free counter display tray when ordering full case. **Bulk Packaged**

Size: 3.56" x 1.18" x 1.03"

**ROVMLHH32SH** Rayovac Flashlight

Replacement Battery: AAA x 3

Specifications: 80 Lumens 70m 5.5 hours

Safety Ratings: None

Minimum Order: 12 Each / Case Qty. 12

**RAYOVAC Ultraviolet Blacklight LED Flashlight**



Anodized aluminum body with rubber handle. 15 Ultraviolet LED's in a flood pattern. Tailcap switch. Includes (3) alkaline AAA batteries. **Carded**

Size: 3.95" x 1.00" x 1.29"

**ROVBEUV3AAA** Rayovac UV Inspection Light

Replacement Battery: AAA x 3

Specifications: Ultraviolet 7 hour run time

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 6

UPC: 12800518852

**RAYOVAC Comfort Grip 2AA LED Flashlight**



Ergonomic Plastic body with easy to use push button switch. Includes 2 AA batteries. **Carded**

Size: 6" x 1.45" x 1.2"

**GP HH21** Rayovac Economy Flashlight

Replacement Battery: AA x 2

Specifications: 50 Lumens 50m 15 hours

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 12800536627

**RAYOVAC Indestructible 3AAA LED Flashlight**



Virtually Indestructible aluminum body with Shock absorbing rubber bezel and tailcap. Recessed tailcap switch with High and Low modes. Shatter proof lens. Includes (3) AAA batteries. Free counter display tray when ordering full case. Try Me! **Carded**

Size: 5.34" x 1.2" x 1.5"

**DIY3AAA1** Rayovac Tactical Flashlight

Replacement Battery: AAA x 3

Specifications: 300 Lumens 168m 2 hours (High) 39 hours (Low) 30 foot drop tested

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 1280051557

**RAYOVAC Indestructible 2AA LED Flashlight**



Virtually Indestructible aluminum body with shock absorbing rubber bezel and tailcap. Recessed tailcap switch with High and Low modes. Shatter proof lens. Includes (2) AA batteries. Free counter display tray when ordering full case. Try Me! **Carded**

Size: 6.5" x .90" x 1.38"

**DIY2AA1** Rayovac UV Tactical Flashlight

Replacement Battery: AA x 2

Specifications: 350 Lumens 154m 2 hours (High) 12 hours (Low) 30 foot drop tested

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 12800524983

**RAYOVAC Tactical LED Flashlight**



Machined aluminum body. Tailcap switch with High, Low and Strobe modes. Spot to flood focus. Includes (3) AAA batteries and holster. Free counter display tray when ordering full case. **Carded**

Size: 5.00" x 1.4" x 1.00"

**RN3AAA-BXT** Rayovac Tactical Flashlight

Replacement Battery: AAA x 3

Specifications: 320 Lumens 170m 3.5 hours (High)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 1280051225



Linda Egbers (left) and Katelyn Egbers riding the trails in Letcher County, KY.

## RAYOVAC Economy 2D LED Flashlight



Plastic body with anti Roll design. Easy to use push button switch. Wrist lanyard. Operates on (2) D batteries (not included). **Carded**

Size: 7" x 2.3" x 1.54"

LC1L2D1 Rayovac Economy 2 cell D Flashlight

Replacement Battery: D X 2

Specifications: 25 Lumens 35m 120 hours

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 12

UPC: 12800536641

## RAYOVAC Workhorse Industrial LED Flashlight



Body made of impact and chemical resistant polypropylene. Weatherproof and shockproof. Non-Roll design. Protected slide switch. Tailcap ring. 3 LED's with magnifying lens create a nice beam. Includes (2) D batteries. **Carded**

Size: 7.5" x 1.6" x 2.2"

WHH2D-BA Rayovac Industrial Flashlight

Replacement Battery: D X 2

Specifications: 20 Lumens 32m 5.5 hours 7 foot drop tested

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 6

UPC: 12800508303

## RAYOVAC 6 Volt LED Lantern



Super tough plastic body. Easy to use push button switch. 4 super bright LED's. Includes (1) 6 volt spring top battery. **Boxed**

Size: 7" x 5"

BEPLN6V-BTB Rayovac 6 volt Lantern

Replacement Battery: 944

Specifications: 200 Lumens 120m 30 hours

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 12800519144

## RAYOVAC Indestructible LED Spotlight



Virtually Indestructible Anodized aluminum body. Pistol grip trigger switch with High, Medium and Low modes. Trigger lock to prevent accidental activation. Shock absorbing rubber bezel and back. Shatter proof lens. ANSI IP67 waterproof to 3 feet. Drop tested to 13 feet. Dustproof. Includes (6) AA batteries and wrist lanyard. Try Me! **Boxed**

Size: 6.5" x 3" (not including handle)

DIYSP6AA1 Rayovac Spotlight

Replacement Battery: AA x 6

Specifications: 750 Lumens 440m 8 hours (High) 40 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 2

UPC: 12800519842

## RAYOVAC Indestructible LED Lantern



Virtually Indestructible Anodized aluminum body. Easy push button switch with High, Medium and low modes. Shock absorbing rubber top and bottom. Shatter proof lens and reflector. Top handle folds away for storage. Hanging hook. Waterproof to 3 feet. Dustproof. Includes (3) D batteries. Try Me! **Boxed**

Size: 8" x 3.25"

DIYLN3D-BXB Rayovac Lantern

Replacement Battery: D x 3

Specifications: 600 Lumens 13m 40 hours (High) 260 hours (Low) 15 foot drop tested

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 2

UPC: 12800519835



## RAYOVAC Indestructible 3AA LED Headlamp



Virtually Indestructible Anodized aluminum body. Multi-Function push button switch with High and Low modes. Orange peel reflector provides a bright, pleasing **FLOOD** beam. Shock absorbing rubber bezel. Shatter proof lens. Pivoting head. Moisture wicking head strap. IP67 waterproof to 3 feet. Includes (3) AAA batteries. Free counter display tray when ordering full case. Try Me! **Carded**

Size: 1.46" x 2.43"

DIYHL3AAA-BXTB Rayovac Headlamp - Spot Beam

Replacement Battery: AAA x 3

Specifications: 100 Lumens 30m 9 hours (High) 20 hours (Low) 30 foot drop tested

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 12800524969

## RAYOVAC Indestructible 3AA LED Headlamp



Virtually Indestructible Anodized aluminum body. Multi-Function push button switch with High and Low modes. High intensity **SPOT** beam. Shock absorbing rubber bezel. Shatter proof lens. Pivoting head. Moisture wicking head strap. IP67 waterproof to 3 feet. Includes (3) AAA batteries. Free counter display tray when ordering full case. Try Me! **Carded**

Size: 1.46" x 2.43"

DIYPHL3AAA-BXTB Rayovac Headlamp - Spot Beam

Replacement Battery: AAA x 3

Specifications: 210 Lumens 75m 5 hours (High) 17 hours (Low) 30 foot drop tested

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 12800524976

## Energizer 2AAA LED Inspection Penlight



Anodized aluminum body with ergonomic design. Push button on/off tactical switch. Pocket clip. IPX4 rated waterproof. Includes (2) AAA batteries. **Carded**

Size: 4.96" x .55"

**ENPMHH22E** - Energizer Inspection Penlight

Replacement Battery: AAA x 2

Specifications: 100 Lumens 50m 5 hours

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC:

## Energizer 1 AA LED Flashlight



Durable machined aluminum body. Tailcap switch with High, Low and flash modes. Includes (1) AA battery, multi directional pocket clip and lanyard. **Carded**

Size: 3.95" x .86"

**ENPMHH11E** - Energizer Flashlight

Replacement Battery: AA X 1

Specifications: 130 Lumens 65m 4 hours (High mode)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800136343

## Energizer Safety Rated 2AA LED Flashlight



Body made of impact and chemical resistant polypropylene. Push button on/off switch is easy to use with gloved hands. Intrinsically safe rated for hazardous location lighting. Waterproof. Operates on (2) AA batteries. **Display Boxed**

Size: 7.5" x 2.27" x 1.30"

**ENISHH21E** - Energizer Safety Flashlight

Replacement Battery: (2) AA Cell Batteries (not included)

Specifications: 150 Lumens 175m 12 hours

Safety Ratings: Class 1 Div 1

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800133823

## Energizer 2 AA LED Flashlight



Durable machined aluminum body. Multi-Function push button switch One touch digital focusing. Easily go from spot to flood. High, Low and Flash Modes. Includes (2) AA batteries and lanyard. **Carded**

Size: 6" x 1.18" x 1.20"

**EPMZH21E** - Energizer Flashlight

Replacement Battery: AA X 2

Specifications: 400 Lumens 115m 4 hours (High) 21 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800129321

## Energizer USB Rechargeable Tactical LED Flashlight



The TAC-R 700 features a durable machined aluminum body and Multi-Function tailcap push button switch. Choose High, Medium, Low or Strobe modes. Includes removeable pocket clip and Micro USB charge cord. Free display box when ordering full case. **Carded**

Size: 6.22" x 1.28" x 1.02"

**ENPMTRL8** - Energizer Tactical Flashlight

Replacement Battery: Lithium ion - Non replaceable - Hundreds of charge cycles

Specifications: 700 Lumens 100m 2 hours (High) 30 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800141125

## Energizer Hard Case Pivoting Head Flashlight



One of the toughest flashlights your ever own. Designed to last 25+ years. Super tough polymer body. Head pivots 175° to aim light were needed. Magnetic base. Push button switch with High, Low and dimable modes. Shatter proof lens delivers a wide, intense beam. IPX4 water resistant. (2) AA batteries included. **Carded**

Size: 6.75" x 1.93" x 1.22"

**HCSW21E** - Energizer Hard Case Flashlight

Replacement Battery: AA x 2

Specifications: 300 Lumens 30m 5.5 hours 7 meter drop tested

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800127259

## Energizer WeatherReady Rechargeable Flashlight



The WeatherReady rechargeable Power Failure LED flashlight plugs directly into AC outlet using a retractable plug. Turns on automatically during a power outage. **Carded**

Size: 5.00" x 1.45" x 1.02 x .88"

**RCL1FN2WR** - Energizer Rechargeable Flashlight

Replacement Battery: (1) AAA NiMh Battery (Included)

Specifications: 40 Lumens 30m 3 hours

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 3

UPC: 39800132291



Joe Egbers Rainbow Trout  
Cumberland River, Burkesville, KY.

## Energizer Pro Series Rechargeable Inspection Light



Professional-grade Hybrid Dual Power Flashlight. Designed with performance, flexibility and durability to meet tough standards while on the job. Non-Conductive polymer body with Non-Slip grip. Anti-Roll design. Operates on rechargeable lithium or (2) alkaline AAA batteries. Powerful LED technology that includes high CRI for high definition color clarity. Easy to use tailcap push button switch with High, Medium and Low modes. Next press-Off. Built in pocket clip and USB-C charge port. Includes rechargeable battery, alkaline batteries, charge cord and holster. IP67 dust proof and waterproof. **Display Boxed**

Size: 6.25" x .90"

**ENYPHH22** - Inspection Light

Replacement Battery: Li-Ion or AAA x 2

Specifications: 350 Lumens 40m  
Alkaline High: 100 Lumens 40m  
4 hours (High) 12 hours (Low)  
Alkaline: 3 hours (High) 5 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800143143

## Energizer Pro Series Rechargeable Flashlight - Small



Professional-grade Hybrid Dual Power Flashlight. Designed with performance, flexibility and durability to meet tough standards while on the job. Polymer body with Non-Slip grip. Anti-Roll design. Large push button switch that's easy to use with gloves. High, Medium, Low and Flashing modes. Next press-Off. Built-In magnets for hands free use or storage. Operates on rechargeable lithium or (2) alkaline AA batteries. Powerful LED technology that includes high CRI for high definition color clarity. Includes rechargeable battery, alkaline batteries, USB-C charge cord and holster. IP67 dust proof and waterproof. **Display Boxed**

Size: 7.35" x 1.38"

**ENYPHH21** - Pro Series Hybrid - Small

Replacement Battery: Li-Ion 18650 or AA x 2

Specifications:  
Rechargeable High: 500 Lumens 200m  
Alkaline High: 150 Lumens 90m  
Rechargeable: 9 hours (High) 32 hours (Low)  
Alkaline: 5 hours (High) 55 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800143167

## Energizer Pro Series Rechargeable Flashlight - Medium



Professional-grade Hybrid Dual Power Flashlight. Designed with performance, flexibility and durability to meet tough standards while on the job. Polymer body with Non-Slip grip. Anti-Roll design. Large push button switch that's easy to use with gloves. High, Medium, Low and Flashing modes. Next press-Off. Built-In magnets for hands free use or storage. Operates on rechargeable lithium or (6) alkaline AAA batteries. Powerful LED technology that includes high CRI for high definition color clarity. Includes rechargeable battery, alkaline batteries, USB-C charge cord and holster. IP67 dust proof and waterproof. **Display Boxed**

Size: 7.75" x 1.60"

**ENYPHH62** - Pro Series Hybrid - Medium

Replacement Battery: Li-Ion 21700 or AAA x 6

Specifications:  
Rechargeable High : 1000 Lumens 140m  
Alkaline High: 600 Lumens 110m  
Rechargeable: 6 hours (High) 20 hours (Low)  
Alkaline: 4 hours (High) 15 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800143181

## Energizer Rechargeable Panel Work Light



Two adjustable LED panels. Each with 10 super bright LED's. Both panels and legs are fully adjustable so you can direct light to where it is needed. Hangs anywhere. Body made of impact resistant polypropylene. Push button switch with High and Low modes. Battery life indicator. USB charge out port. IPX4 water resistant. Includes Micro USB cord. **Display Boxed**

Size: 8.00" x 6.00"

**ENAWLL8** - Energizer Panel Work Light

Replacement Battery: Lithium Ion - Non replaceable

Specifications: 1100 Lumens 6 hours

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 2

UPC: 39800137173

## Energizer Pro Series Rechargeable Work Light



Professional-grade Hybrid Dual Power Work Light. Designed with performance, flexibility and durability to meet tough standards while on the job. Polymer body with Non-Slip grip. Anti-Roll design. Large push button switch that's easy to use with gloves. User can easily choose lantern/flood mode or the flashlight mode. High, Medium and Low settings. Next press-Off. Built-In magnets, Hanger hook and adjustable legs to direct light. Tri-Pod adaptable. Operates on rechargeable lithium or (3) alkaline AA batteries. Powerful LED technology that includes high CRI for high definition color clarity. Built-in USB-C charge port and USB-A charge out port so user can charge other devices. Includes rechargeable batteries, alkaline batteries and USB-C charge cord. IP67 dust proof and waterproof. **Display Boxed**

Size: 9.5" x 4.00"

**ENYPWL31** - Pro Series Hybrid Work Light

Replacement Battery: Li-Ion 18650 x 2 or AA x 3

Specifications:  
Rechargeable High : 1000 Lumens 150m  
Alkaline High: 250 Lumens 115m  
Rechargeable: 6 hours (High) 60 hours (Low)  
Alkaline: 10 hours (High) 40 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800143129



Joe Egbers  
Wild Boar, Jamestown, Tennessee.  
Organic Pork!



## Energizer 2D LED Flashlight



Body made of impact and chemical resistant polypropylene. Weatherproof and shockproof. Simple, easy to use on/off slide switch. 3 LED's create a nice beam. Includes stowable ring hanger. Operates on (2) D batteries. **Bulk Pack**

Size: 7.75" x 2.34" x 1.61"

**1251L** - Eveready Industrial Flashlight

Replacement Battery: (2) D cell batteries (Not Included)

Specifications: 35 Lumens 45m 113 hours

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 12

UPC: 39800120342

## Energizer Safety Rated 2D LED Flashlight



Body made of impact and chemical resistant polypropylene. Push button on/off switch is easy to use with gloved hands. Intrinsically safe rated for hazardous location lighting. Waterproof. Operates on (2) D batteries. **Display Boxed**

Size: 8.25" x 2.18" x 1.69"

**ENISHH25E** - Energizer Safety Flashlight

Replacement Battery: (2) D Cell Batteries (Not Included)

Specifications: 150 Lumens 175m 65 hours

Safety Ratings: Class 1 Div 1

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800133755

## Energizer 6 AA LED Flashlight



Durable machined aluminum body. Multi-Function push button switch allows you to choose High, Medium, Low, Digital focus or Strobe. Next touch Off. Includes (6) AA batteries. **Carded**

Size: 8.75" x 1.94" x 1.41"

**ENPMZH611** - Energizer Flashlight

Replacement Battery: AA X 6

Specifications: 1500 Lumens 230m 4 hours (High) 15 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800134592

## Energizer Vision LED Headlamp



Lightweight and comfortable. This LED headlamp has a powerful light beam with high or low modes. Push button switch. Pivoting head. Elastic head strap. IPX4 water resistant. Includes (3) AAA batteries. **Carded**

Size: 2.3" x 1.75" x 1.30"

**HDA32E** - Energizer Headlamp

Replacement Battery: AAA x 3

Specifications: 200 Lumens 50m 7 hours (High) 20 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800125149

## Energizer Industrial LED Headlamp



Lightweight and comfortable. This LED headlamp has a powerful light beam with High, Medium, Low, Night vision red and dimable modes. Push button switch. Next push Off. Pivoting head. Non Slip elastic head strap with silicone backing. IPX4 water resistant. Includes (3) AAA batteries. **Display Boxed**

Size: 2.3" x 1.75" x 1.30"

**HDDIN32EB** - Energizer Industrial Headlamp

Replacement Battery: AAA x 3

Specifications: 400 Lumens 85m 3 hours (High) 35 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800134493

## Energizer Industrial LED Headlamp



Lightweight and comfortable. This LED headlamp has a powerful light beam with High, Medium, Low and dimable modes. Push button switch. Next push Off. Pivoting head. Non Slip elastic head strap with silicone backing. IPX4 water resistant. Includes (3) AAA batteries. **Display Boxed**

Size: 2.3" x 1.75" x 1.30"

**HDBIN32EB** - Energizer Industrial Headlamp

Replacement Battery: AAA x 3

Specifications: 300 Lumens 55m 4 hours (High) 35 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800134509

## Energizer Pro Series Hybrid Rechargeable Headlamp



Professional-grade Hybrid Dual Power Headlamp. Designed with performance, flexibility and durability to meet tough standards while on the job. Polymer body with Non-Slip elastic strap with silicone backing. Pivoting head. Multi function push button switch with High, Medium, Low, digital focus and night vision green modes. Next press-Off. Operates on rechargeable lithium or (3) alkaline AAA batteries. Powerful LED technology that includes high CRI for high definition color clarity. Includes rechargeable battery, alkaline batteries and USB-C charge cord. IP67 dust proof and waterproof. **Display Boxed**

Size: 2.55" x 1.95" x 1.47"

**ENY25A32P** - Pro Series Headlamp

Replacement Battery: Li Ion or AAA x 3

Specifications:  
Rechargeable High : 500 Lumens 75m  
Alkaline High: 400 Lumens 75m  
Rechargeable: 3 hours (High) 15 hours (Low)  
Alkaline: 2 hours (High) 15 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800143204

## Energizer Pro Series Hybrid Rechargeable Headlamp



Professional-grade Hybrid Dual Power Headlamp. Designed with performance, flexibility and durability to meet tough standards while on the job. Polymer body with Non-Slip elastic strap with silicone backing. Pivoting head. Power Pack on the back of the head. Multi function push button switch with High, Medium, Low, digital focus, night vision Red & Green with flash option. Next press-Off. Operates on rechargeable lithium or (4) alkaline AAA batteries. Powerful LED technology that includes high CRI for high definition color clarity. Includes rechargeable battery, alkaline batteries and USB-C charge cord. IP67 dust proof and waterproof. **Display Boxed**

Size: 2.44" x 1.25" x 1.12"

**ENY38A42P** - Pro Series Headlamp

Replacement Battery: Li-Ion 18650 or AAA x 4

Specifications:  
Rechargeable High: 650 Lumens 100m  
Alkaline High: 600 Lumens 100m Rechargeable:  
6 hours (High) 35 hours (Low)  
Alkaline: 2 hours (High) 12 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 4

UPC: 39800143228

## POCKET MATE<sup>®</sup> USB Compact Rechargeable Pocket Light



The Pocket Mate is small in size but big on power. Conveniently fits in your pocket or clips to the visor of your hat for hands-free use. Spring-loaded clip with carabiner shape hangs cleanly on key ring, zipper, etc. Recessed Multi-Function push button switch with charge status indicator allows user to choose high and low settings. IPX4 water resistant. Includes Micro-USB charge cord. **Display Boxed**

Size: .55" x 1.00" x 2.00"

**73300** - Pocket Mate USB - Silver body

**73301** - Pocket Mate USB - Red body

**73302** - Pocket Mate USB - Blue body

**73303** - Pocket Mate USB - Pink body

Replacement Battery: Lithium Polymer - Non-replaceable  
(2 year warranty)

Light Output: 325 Lumens (High) 45 Lumens (Low)

Run Time: 20 mins (High) 1 hour (Low)

Minimum Order: 1 Each / Case Qty. 6

## MACROSTREAM<sup>®</sup> USB Rechargeable Flashlight



**Macrostream<sup>®</sup> USB** This compact, rechargeable LED personal light fits in the palm of your hand or in your pocket. Machined aluminum body. Rubber push button tail cap switch with High and Low modes, unbreakable lens and removable multi-directional pocket clip. Sliding metal sleeve protects USB port. Includes Micro USB charge cord. **Carded**

Size: 4.50" x .83"

**66320** - MacroStream<sup>®</sup> USB - Black Body - White LED.

Replacement Battery: 66321 (Lithium Ion)

Replacement Pocket Clip: 666012

Safety Ratings: None

Light Output: 500 Lumens / 90 m

Run Time: 2 hours High 8 hours Low

Minimum Order: 1 Each / Case Qty. 6

### Microstream USB



## MICROSTREAM<sup>®</sup> Pocket Light



This LED Pocket Light is so small you can keep it in your pocket or clip it to a cap for hands free lighting. Machined aluminum body. Rubber push button tail cap switch, o-ring sealed, unbreakable Lens and removable multi-directional pocket clip. Includes 1 alkaline AAA battery. **Carded**

Size: 3.6" x .60"

**66318** - MicroStream<sup>®</sup> - Black Body - White LED.

**66323** - MicroStream<sup>®</sup> - Red Body - White LED

Replacement Battery: Alkaline AAA X 1

Replacement Pocket Clip: 666032

Safety Ratings: None

Light Output: 45 Lumens / 420 cd / 41 m

Run Time: 2.25 hours

Minimum Order: 1 Each / Case Qty. 6

## MICROSTREAM<sup>®</sup> USB Rechargeable Pocket Light



This Rechargeable USB LED Pocket Light is so small, you can keep it in your pocket or clip it to a cap for hands free lighting. Machined aluminum body. Rubber push button tail cap switch allows user to choose high or low beam. O-ring sealed, unbreakable Lens and removable multi-directional pocket clip. Sliding metal sleeve protects USB charge port. Includes micro USB cord and lanyard. **Carded**

Size: 3.87" x .61"

**66601** - MicroStream<sup>®</sup> USB - Black body - White LED

**66602** - MicroStream<sup>®</sup> USB - Red body - White LED

**66603** - MicroStream<sup>®</sup> USB - Blue body - White LED

**66608** - MicroStream<sup>®</sup> USB - Coyote Tan body - White LED

Replacement Battery: 66607 (Lithium Ion)

Replacement Pocket Clip: 991335

Safety Ratings: None

Light Output: 250 Lumens 1,150cd 68m

Run Time: 1.5 hours High, 3.5 hours Low

Minimum Order: 1 Each / Case Qty. 6



## STYLUS<sup>®</sup> LED Penlight



This bright, long-running, Ultra slim, machined aluminum high intensity LED penlight goes anywhere you need it. Includes removable pocket clip and (3) AAAA alkaline batteries. **Carded**

Size: .375" x 6.21"

**65018** - Stylus<sup>®</sup> - Black body with White LED

**65022** - Stylus<sup>®</sup> - Black body with Blue LED

Replacement Battery: 65030 (6 batteries per card) or E96VP

Safety Ratings: None (safety approved model special order only)

Light Output: White LED: 11 Lumens 140cd 24m  
Blue LED: 2 Lumens 110cd 21m

Run Time: 24 hours

Minimum Order: 1 Each / Case Qty. 12

## STYLUS REACH<sup>®</sup> LED Penlight



This bright, long-running, Ultra slim, machined aluminum high intensity LED penlight goes anywhere you need it. Includes a flexible extension for a maximum reach of 14". Also Includes a removable pocket clip and (3) AAAA alkaline batteries. **Carded**

Size .375" x 6.21" Flexible extension increase length to 14"

**65618** - Stylus<sup>®</sup> Reach - Black body with White LED

Replacement Battery: 65030 (6 batteries per card) or E96VP

Safety Ratings: None

Light Output: White LED: 11 Lumens 140cd 24m

Run Time: 24 hours

Minimum Order: 1 Each / Case Qty. 12

## STYLUS PRO<sup>®</sup> HAZ-LO Flashlight



This is an intrinsically safe and extremely durable alkaline battery-powered penlight. It features a tail switch with momentary and constant on operation, a removable pocket clip, and amazing brightness for a light it's size. IPX7 rated waterproof to 1 meter for 30 minutes. Batteries included. **Boxed**

Size: .64" x 5.92"

**66300** - Stylus Pro<sup>®</sup> HAZ-LO - Yellow body with White LED

Replacement Battery: AAA x 2

Safety Ratings: Class I & II, Div I

Light Output: 105 Lumens 380cd 39m

Run Time: 2.25 hours

Minimum Order: 1 Each / Case Qty. 6

**STYLUS PRO®  
Penlights**



Slim, bright & rugged, this LED penlight features a machined aluminum body. Rubber push button tail cap on/off and momentary contact switch. O-ring sealed, unbreakable lens and removable pocket clip. Includes (2) alkaline AAA batteries and belt holster. IPX4 water resistant. **Carded**

Size: 5.3" x .51"

**66118** - Stylus Pro® - Black Body - White LED

**66121** - Stylus Pro® - Silver Body - White LED

**66129** - Stylus Pro® - Green Body - White LED

**66120** - Stylus Pro® - Red Body - White LED

**66122** - Stylus Pro® - Blue Body - White LED

**66128** - Stylus Pro® - Orange Body - White LED

Replacement Battery: AAA x 2

Safety Ratings: None

Light Output: 100 Lumens 62m

Run Time: 8 hours

Minimum Order: 1 Each / Case Qty. 6

**PROTAC® 1 AAA  
Flashlight**



A good choice for anyone who needs a compact, back-up light without compromising on power. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Operates on one alkaline or lithium AAA battery. Machined aluminum body. Impact resistant tempered glass lens. Removable multi directional pocket clip. Anti Roll head. Includes alkaline battery and nylon holster. **Carded**

Size: 3.94" x .71" x .57"

**88049** - Protac® 1 AAA

Replacement Battery: AAA x 1

Safety Ratings: None

Light Output: 115 Lumens / 890 cd / 60 m

Run Time: 1.7 hours (Alkaline) 2.25 hours (Lithium)

Body Color: Black only

Minimum Order: 1 Each / Case Qty. 6



Counter Display Box available for Microstream and Stylus Pro. FREE with qualifying order. Call for details.



**STYLUS PRO® USB  
Rechargeable Penlights**



Super bright USB Rechargeable LED Penlight. Machined aluminium Body. Rubber push button tail cap switch allows user to choose between high and low beams. Sliding metal sleeve protects USB charge port. O-ring sealed, unbreakable Lens and removable pocket clip. Includes micro USB cord and nylon holster. **Carded**

Size: 5.95" x .63"

**66133** - Stylus Pro® USB - Black Body - White LED. (includes AC adaptor)

**66134** - Stylus Pro® USB - Black Body - White LED.

**66149** - Stylus Pro® USB UV - Black body - ULTRA VIOLET LED.

Replacement Battery: 66143 (Lithium Ion)

Replacement Pocket Clip: 940103

Safety Ratings: None

Light Output:  
350 Lumens 109m (Stylus Pro® USB)  
325 mW (Stylus Pro® USB UV)

Run Time: 1.5 hours High, 3.5 Low (Stylus Pro® USB)  
2.5 hours (Stylus Pro® USB UV)

Minimum Order: 1 Each / Case Qty. 6

**STREAMLIGHT JR®  
REACH Flashlight**



With it's flexible cable and magnetic clip, you can put this handy light anywhere and see anything. Body made of anodized aluminum. Tailcap switch with momentary contact or constant on modes. Unbreakable lens. IPX4 rated for water-resistance. O-ring sealed. Includes (2) AA alkaline batteries. **Carded**

Size: .73"x6.5" Cable extends length to 14"

**71600** - JR REACH®

Replacement Battery: Alkaline or Lithium AA x 2

Safety Ratings: None

Light Output: 115 Lumens 1,500cd 77m

Run Time: 7.5 hours

Body Color: Black only

Minimum Order: 1 Each / Case Qty. 6

**PROTAC® 2 AA  
TACTICAL FLASHLIGHT**



Small enough to carry in a pocket, lightweight, yet extremely bright. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Solid state power regulation provides maxium light output throughout battery life. Machined aluminum body. Removable and Unbreakable pocket clip. Anti Roll head. includes 2 alkaline AA batteries and nylon belt holster. IPX7 waterproof to 1 meter for 30 minutes. **Carded**

Size: 6.14" x .9" x .65"

**88033** - Protac® 2 AA

Replacement Battery: AA x 2

Safety Ratings: None

Light Output: 250 Lumens 4,250cd 130m (High)  
18 Lumens (Low)

Run Time: 2 hours (High) 43 hours (Low)

Body Color: Black only

Minimum Order: 1 Each / Case Qty. 6

**PROTAC® 2 AA-X  
Rechargeable  
TACTICAL  
Flashlight**



Multi-fuel Personal Carry Tactical flashlight. Uses Streamlights Lithium Polymer USB-C rechargeable battery pack. It also accepts two AA alkaline batteries as a back up. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Solid state power regulation provides maxium light output throughout battery life. Machined aluminum body. Removable and Unbreakable pocket clip. Anti Roll head. includes rechargeable battery pack, USB-C cord and nylon belt holster. IPX7 waterproof to 1 meter for 30 minutes. **Boxed**

Size: 6.00" x .78" x .67"

**88135** - Protac® 2 AA-X

Replacement Battery: 940215 (Lithium Polymer) or AA alkaline x 2

Safety Ratings: None

Light Output: Lithium Polymer 550 Lumens  
10,250cd 203m (High)

Light Output: Alkaline 270 Lumens 5,000cd  
141m (High)

Run Time: Lithium Polymer: 2.25 hours (High)  
16 hours (Low)  
Alkaline: 2.5 hours (High) 48 hours (Low)

Body Color: Black

Minimum Order: 1 Each / Case Qty. 6

## MEGASTREAM® USB Rechargeable Flashlight



This high lumen LED rechargeable USB flashlight is extremely bright. It fits conveniently in your pocket or clips to your gear. It's battery pack can be charged inside or outside of the light. Machined aluminum body. Rubber push button tail cap switch allows user to choose high or low beam. O-ring sealed, unbreakable lens and removable pocket clip. IPX7 waterproof to 1m for 30 minutes. Sliding metal sleeve protects USB charge port. Includes USB-C charge cord. **Boxed**

Size: 5.3" x 1.1"

**66210** - MegaStream® USB - Black body

Replacement Battery: 22131 (SL-B34) (Lithium Ion)

Safety Ratings: None

Light Output: 1,800 Lumens 26,000cd 322m (High)

Run Time: 2 hours High, 3.5 hours Medium, 13 hours Low

Minimum Order: 1 Each / Case Qty. 6

## JR® LED and JR F-STOP® LED FLASHLIGHT



The JR LED® body is made of rugged anodized aluminum. Recessed tail button switch with momentary or constant on modes. Unbreakable lens. Will operate using alkaline or lithium AA batteries. Includes 2 alkaline AA batteries, removable pocket clip and nylon belt holster. **Carded**

The JR F-STOP® has all of the same features as listed above but has a sliding Lens that provides a smooth transition from flood beam to spot beam. **Carded**

Size: 6.5" x 1.12" x .75"

**71500** - JR LED®

**71700** - JR F-STOP®

Replacement Battery: Alkaline or Lithium AA x 2

Safety Ratings: None

Body Color: Black only

Light Output: 250 Lumens 5,600cd 150m

Run Time: 10 hours

Minimum Order: 1 Each / Case Qty. 6

## PROTAC® 1L-1AA Flashlight



This is a perfect EDC (Everyday Carry Light). This multi-fuel, ultra-compact aluminum body flashlight accepts a single lithium CR123A or alkaline AA battery, providing you with ultimate flexibility in the field. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: high-Strobe-low, High Only, Low-High. Includes (1) CR123A battery, removeable multi-directional pocket clip and holster. IPX waterproof to 1m for 30 minutes. **Carded**

Size: 4.25" x .95" x .85"

**88061** - Protac® 1L-1AA

Replacement Battery: AAA x 1

Safety Ratings: None

Body Color:

Light Output: CR123A: 350 lumens, 6,400cd, 160m (High)

Run Time CR123A: 1.5 hours (High) 14 hours (Low)  
Alkaline AA: 1.2 hours (High) 7.5 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## PROTAC® 2.0 Rechargeable Flashlight



The High Performance machined aluminum body Protac 2.0 produces 2,000 lumens without sacrificing run time. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Sliding metal sleeve protects access to the charge port. IP67 rated dust-tight and waterproof. Includes USB-C charge cord and nylon holster. **Display Boxed**

Size: 6.1" x 1.46" x 1.02"

**89000** - Protac® 2.0

Replacement Battery: SL-B50 protected LI-ION rechargeable

Safety Ratings: None

Body Color:

Light Output: 2,000 Lumens / 17,300cd / 262m

Run Time: 2.5 hours (High) 4.5 hours (Med) 25 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## PROTAC® 2L Tactical Flashlight



Compact and lightweight yet powerful and bright with long run times. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: high-Strobe-low, High Only, Low-High. Machined aluminum body. IPX7 waterproof to 1 meter for 30 minutes. Maximum light output throughout battery life. Includes pocket clip, (2) CR123A batteries and belt holster. **Carded**

Size: 4.77" x .9" x .77"

**88031** - Protac® 2L

Replacement Battery: Lithium CR123A x 2

Safety Ratings: None

Body Color:

Light Output: 350 lumens / 6,300cd / 159m

Run Time C4 LED: 3.25 hours (High) 30 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## PROTAC® 90X USB Flashlight



The Multi-Fuel ProTac 90X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use. It runs on either the Streamlight rechargeable SL-B26 Li-Ion rechargeable battery or (2) CR123A lithium batteries. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Momentary or constant on operation. IPX7 waterproof to 1 meter for 30 minutes. Includes SL-B26 battery and holster. **Display Boxed**

Size: 4.39" x 1.14" x .94"

**88095** - Protac® 90X USB

Replacement Battery: 22101 (SL-B26 rechargeable) or (2) CR123A

Safety Ratings: None

Body Color: Black

Light Output: 1,000 lumens, 7,350cd, 171 meters (High)

Run Time: SL-B26: 1.75 hours (High), 4.75 hours (Med), 24 hours (Low)  
CR123 : 2.5 hours (High), 4 hours (Med), 21 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

**SL-B26® BATTERIES & CHARGERS**  
**SL-B50® BATTERIES**


Streamlight rechargeable lithium-Ion replacement batteries. Include built in charge port and charge status indicator. Integrated safety curcuit protects battery from overcharge.

**22101** - SL-B26 with Micro USB charge port. 3.7v 2,600 Mah. 1 Battery Per Pack

**22102** - SL-B26 with Micro USB charge port. 3.7v 2,600 Mah. 2 Batteries Per Pack

**20221** - Lithium Ion bank charger with 110V AC transformer. Charges up to 8 Streamlight SL-B26 batteries.

**22010** - Lithium Ion USB charge cradle. Charges up to 2 Streamlight SL-B26 batteries. Includes USB cord and 2 batteries

**22100** - Lithium Ion USB charge cradle. Charges up to 2 Streamlight SL-B26 batteries. Does not include batteries or charge cord.

**22111** - SL-B50 with USB-C charge port. 3.6v 4,900 Mah. 1 battery per pack

**22112** - SL-B50 with USB-C charge port. 3.6v 4,900Mah. 2 batteries per pack

**PROTAC HL® USB**  
**Rechargeable**  
**Flashlight**


Features multiple power source capability. It operates on either the SL-B26 rechargeable lithium ion battery or two CR123A non rechargeable batteries. Machined aluminum body. Anti Roll Head. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Momentary or constant on operation. **Carded**

Size: 6.5" x 1.07"

**88052** - Protac® HL USB (includes SL-B26 battery)

Replacement Battery: 22101 (SL-B26) or CR123A x 2

Safety Ratings: None

Light Output: 1,000 Lumens 219 m

Run Time: 1.5 hours (High) 23 hours (Low)

Body Color: Black

Minimum Order: 1 Each / Case Qty. 6

**PROTAC® HL-X / HL-X USB**  
**Rechargeable**  
**Flashlight**


The ProTac HL-X is a multi-fuel tactical light that comes in 2 versions. The Protac HL-X USB is a rechargeable system that uses the Streamlight SL-B26 protected Li-ion USB rechargeable battery pack with integrated USB charging port. The ProTac HL-X includes CR123A batteries. Multi-battery versatility means the user can use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. Body made of machined aluminum. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Momentary or constant on operation. Includes Multi purpose clip. IP68 rated; dust tight and waterproof to 2 meters. **Carded**

Size: 5.43" x 1.44" x 1"

**88064** - Protac® HL-X (includes 2 CR123 lithium batteries)

**88084** - Protac® HL-X USB (includes rechargeable SL-B26 battery)

Replacement Battery: 22101 (SL-B26 Rechargeable) or (2) CR123A

Safety Ratings: None

Light Output: 1,000 Lumens 27,100cd 330m

Run Time: 1.25 hours (High) 3 hours (Medium) 20 hours (Low)

Body Color: Black

Minimum Order: 1 Each / Case Qty. 6

**PROTAC HL® Flashlight**


This tactical flashlight has a far reaching beam. Features a machined aluminum body and Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: high-Strobe-low, High Only, Low-High. IPX7 rated waterproof to 1 meter for 30 minutes. Includes 2 CR123A lithium batteries and pocket clip. **Carded**

Size: 5.4" x 1.4" x 1"

**88040** - Protac® HL

Replacement Battery: CR123A x 2

Safety Ratings: None

Body Color: Black

Light Output: 750 lumens / 18,300cd / 270m (High)

Run Time C4 LED: 27 hours / 6 UV's 63 hours / 3 UV's 81 hours

Minimum Order: 1 Each / Case Qty. 6

**POLYTAC® Flashlight**


Rugged polymer housing, non-slip grip, superior brightness and extended run times make the PolyTac ideal for the broadest range of lighting applications. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Includes removeable pocket clip and (2) CR123A batteries. Maximum light output throughout entire battery life. IPX7 waterproof to 1m for 30 minutes. **Carded**

Size: 5.34" x 1.25" x 1.00"

**88850** - PolyTac® - Black

Replacement Battery: CR123A x 2

Safety Ratings: None

Body Color: Black

Light Output: 600 Lumens 11,500cd 214m (High)

Run Time: 2.75h (High) 5.5h (Med) 34h (Low)

Minimum Order: 1 Each / Case Qty. 6

**POLYTAC® X USB**  
**Rechargeable**  
**Flashlight**


This multi-fuel tactical light with super tough polymer body allows the user to use disposable batteries to power the light if the rechargeable battery pack is out of power and can't be charged. Superior grip texture for a comfortable/slip-resistant feel. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Includes removeable multi-directional pocket clip and holster. IPX7 waterproof to 1m for 30 minutes. **Display Boxed**

Size: 5.46" x 1.25" x 1.00"

**88614** - PolyTac X USB - Yellow

Replacement Battery: 22101 (SL-B26 Rechargeable) or (2) CR123A

Safety Ratings: None

Light Output: 600 Lumens 11,485cd 205m

Run Time: CR123A: 2.75h (High) 5.5h (Med) 34h (Low)  
SL-B26 rechargeable: 3.5h (High) 5.75h (Med) 36h (Low)

Minimum Order: 1 Each / Case Qty. 6

## PROTAC HL® 5-X / HL 5-X USB Rechargeable FLASHLIGHT



The ProTac HL5-X is a high-powered, multi-fuel tactical light available in 2 versions. The HL5-X USB is a rechargeable system that uses two Streamlight SL-B26 protected Li-Ion USB rechargeable battery packs. The HL 5-X includes four CR123A batteries to power the light if the rechargeable is out of power and a charging source is not available. Features a sure grip rubber sleeve and lanyard. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Momentary or constant on operation. **Boxed**

Size: 9.53" x 2.35" x 1.24"

**88074** - Protac® HL 5-X (includes 4 CR123 non-rechargeable Batteries)

**88080** - Protac® HL 5-X USB (includes 2 SL-B26 rechargeable Batteries and "Y" USB cord)

Replacement Battery: 22102 (SL-B26) x 2 or CR123A x 4

Safety Ratings: None

Light Output: 3,500 Lumens / 452 m (High) rechargeable

Run Time on CR123's: 1.5 hours High  
40 hours Low  
Run Time on 18650's: 1.25 hours High,  
11.5 hours Low

Body Color: Black

Minimum Order: 1 Each / Case Qty. 6



Jacob Finke  
Largemouth Bass, Dale Hollow Lake,  
Albany, Kentucky

## STRION® LED Rechargeable Flashlights



A powerful value that's perfect for the broadest range of lighting needs. Machined aluminum body with textured Non Slip grip. Multi Function TEN TAP programmable push button switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. IPX4 water resistant. **Boxed**

Size: 5.9" x 1.25" x .95"

**74300** - Strion LED - flashlight only - no chargers

**74301** - Strion LED with AC & DC chargers and (1) holder

**74303** - Strion LED with AC only and (1) charger / holder

Replacement Battery: 74175 (Lithium Ion)

Replacement Charger/Holder: 74102

Light Output:  
Strion LED: 375 Lumens 12,000cd 219m

Safety Ratings: None

Run Time:  
Strion LED: 2.5 hours (High) 4.75 hours (Med) 9.5 hours (Low)

Minimum Order: 1 Each

## STRION® 2020 Rechargeable Flashlights



The Strion 2020 is the next evolution in the Strion series. It features independently functioning head and tail switches and with an intuitive mode selector switch that allows you to easily move the light through High, Medium or Low modes. Durable anodized aluminum body. Works with existing Strion chargers. IPX7 waterproof. **Boxed**

Size: 6.33" x 1.25" x .95"

**74431** - Strion 2020 - with AC & DC chargers and 1 charger holder

Replacement Battery: 74436 (Lithium Ion)

Light Output: 1,200 Lumens 28,000cd 335m

Safety Ratings: None

Run Time: 1.75 hour (High) 5.5 hours (Med) 12 hours (Low) 3.5 (Strobe)

Minimum Order: 1 Each

## STRION LED HL® Rechargeable Flashlights



The Strion LED HL provides a high lumen beam with maximum illumination. It's wide beam pattern also floods the area around you. Machined aluminum body with textured Non Slip grip. Multi Function TEN TAP programmable push button switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. IPX4 water resistant. **Boxed**

Size: 5.9" x 1.25" x .95"

**74751** - Strion LED HL - with AC & DC chargers and (1) holder

**74752** - Strion LED HL - with AC & DC chargers and (2) holders

**74753** - Strion LED HL - with AC only and (1) charger / holder

Replacement Battery: 74175 (Lithium Ion)

Replacement Charger/Holder: 74102

Light Output: 615 Lumens 12,000cd 219m

Safety Ratings: None

Run Time: 1.25 hour (High) 2.5 hours (Med) 4.5 hours (Low)

Minimum Order: 1 Each

## POLYSTINGER® LED Rechargeable Flashlight



Intense brightness, long-range and long run time in a durable nylon polymer housing. It's the ideal combination of power, performance and durability. **Boxed**

Size: 8.07" x 1.76" x 1.21"

**76110** - Black body - Flashlight only

**76160** - Yellow body - Flashlight only

**76163** - Yellow body with AC & DC chargers and 2 holders

Replacement Battery:  
77375 (Ni-Mh) 75176 (Lithium-Ion)

Body Color: also available in Black

Light Output: 485 Lumens 28,000cd 335m

Safety Ratings: None

Run Time: 3 hours (High) 5.5 hours (Med) 10 hours (Low)

Minimum Order: 1 Each

**STINGER® 2020 Rechargeable LED Flashlights**



The next evolution in high-performance, work-ready flashlights produces 2,000 lumens. Its aluminum alloy body with textured side panels and anti-roll design is ergonomically shaped for a sure grip. It features independently functioning head-mounted and tail switches and an intuitive mode selector switch for ease of use. Easily select High, Medium, or Low modes. Double tap switch to activate strobe mode. Lithium Ion battery offers multiple charging options. IPX7 waterproof to 1m. **Boxed**

Size: 7.67" x 1.62"

**78100** - Stinger 2020 - Flashlight only

**78101** - Stinger 2020 - with AC & DC chargers and 1 Holder

Replacement Battery: 22102 (SL-B26 batteries - 2 pack) 78105 (battery holder that includes 2 SL-B26 batteries)

Facecap Ring Kit: 78113 - includes Red, Blue, Lime, Orange and Purple rings

Light Output: 2,000 Lumens 25,000cd 315m

Safety Ratings: None

Run Time: 2 hours (High) 4 hours (Med) 24 hours (Low) 3.25 hours (Strobe)

Minimum Order: 1 Each

**STINGER LED HL® Rechargeable Flashlight**



Compact aluminum body with non slip rubberized grip and anti-roll rubber ring. Super bright beam has impressive reach but also has a wide beam pattern that lights up the area around you. Snap in wall mount Charger/holder. Push button switch with High, Medium, Low or Strobe modes. **Boxed**

Size: 8.41" x 1.62" x 1.17"

**75430** - Stinger LED HL® with AC & DC chargers and 2 holders

Replacement Battery: 75375 (Ni-Mh) 75176 (Lithium-Ion)

Light Output: 800 Lumens 24,000cd 310m

Safety Ratings: None

Run Time: 1.5 hours (High) 5 hours (Low)

Minimum Order: 1 Each

**STINGER® HPL and STINGER DS® HPL Rechargeable Flashlight**



The Stinger HPL series combines two intensely bright illumination patterns into one multi-tasking beam giving you clarity up-close and deep into the horizon. Compact aluminum body with non-slip grip. Choose between standard model with one switch or the DS model with both a side switch and a tactical switch on the rear. **Boxed**

Size: HPL: 9.23" x 2.20" x 1.17" DS HPL: 9.65" x 2.20" x 1.17"

**75763** - Stinger® HPL with AC & DC steady chargers and 2 holders

**75863** - Stinger DS HPL with AC & DC steady chargers and 2 holders

Replacement Battery: 75375 (Ni-Mh) 75176 (Lithium-Ion)

Light Output: 800 Lumens 48,000cd 438m

Safety Ratings: None

Run Time: 1.5 hours (High) 2.5 hours (Med) 5 hours (Low)

Minimum Order: 1 Each

**Safety Wand Fits Stinger Flashlights**



Red Safety Wand - Fits Stinger 2020, Stinger LED. Simply slide the wand over the end of the flashlight. Fits snug and secure.

**75903** - Safety Wand

**Flip Up Lens Fits Stinger Flashlights**



Flip Up Lens - Fits Stinger 2020, Stinger LED. Simply slide the housing over the end of the flashlight. Fits snug and secure. Lens is spring loaded..

**75115** - Red Lens

**75117** - Green Lens

**STINGER® LED and STINGER DS® LED Rechargeable Flashlights**



The Stinger LED and Stinger DS LED deliver optimal balance of performance and value with the longest run time in the stinger family. Compact aluminum body with non-slip rubberized grip and anti-roll rubber ring. Choose between standard model with one switch on the side or the DS model with both a side switch and a tactical switch on the rear. Snap in wall mount Charger/holder. Four modes: High, Medium, Low or Strobe. Includes anti-roll ring. Fits existing Stinger chargers. **Boxed**.

Size: Stinger LED: 8.41" x 1.62" x 1.17" Stinger DS LED: 8.85" x 1.62" x 1.17"

**75711** - Stinger® LED with AC only and 1 holder

**75712** - Stinger LED w DC charger - 1 holder

**75713** - Stinger® LED with AC & DC chargers - 2 holders

**75811** - Stinger DS® LED (dual switch) with AC only and 1 holder

**75812** - Stinger DS LED (dual switch) w/ DC only - 1 holder

**75813** - Stinger DS® LED (dual switch) with AC & DC chargers and 2 holders

Replacement Battery: 75375 (Ni-Mh)

Body Color: Black

Light Output: 425 Lumens 26,000cd 322m

Safety Ratings: None

Run Time: 3 hours (High) 5.5 hours (Med) 10 hours (Low)

Quantity per case: 1 Each

Minimum Order: 1 Each



Joey Egbers  
Hybrid Striped Bass  
Lake Cumberland, Somerset, KY

## WEDGE® Rechargeable Flashlight



The Wedge is a compact, high-performance EDC light designed for clean pocket carry. It's outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO (Temporarily Heightened Regulated Output) mode. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance. Includes USB-C charge cord and lanyard. **Display Boxed**

Size: 5.46" x .60"

**88810** - Wedge - Black

**88811** - Wedge - Coyote

**88814** - Wedge - Red

**88817** - Wedge - Blue

**88818** - Wedge - Purple

Replacement Battery: Factory sealed Lithium Polymer

Light Output: 1,000 Lumens 3,000cd 110m  
Constant on: 300 Lumens 1,200cd 69m

Safety Ratings: None

Run Time: 3 hours in constant on mode

Minimum Order: 1 Each / Case Qty. 6

## WEDGE® XT Rechargeable Flashlight



The Wedge XT is a Ultra-Compact, high-performance EDC light designed for clean pocket carry. It's outfitted with a tactical push-button switch for easy, one-handed use. FIVE-TAP lockout of the switch prevents the light from turning on inside your pocket or bag. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge XT balances durability with performance. Includes USB-C charge cord and lanyard. **Display Boxed**

Size: 5.46" x .60"

**88812** - Wedge XT - Black

**88813** - Wedge XT - Coyote

Replacement Battery: Factory sealed Lithium Polymer

Light Output: (High) 500 Lumens, 87 meters  
(Low) 50 Lumens, 28 meters

Safety Ratings: None

Run Time: 2 hours (High) 11 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## DUALIE® 2AA



Intrinsically safe multi-function flashlight. The DUALIE 2AA has 2 switches that work independently or both at the same time. The top switch turns on a focused spot light. The bottom switch operates a soft flood light to illuminate your work area and help avoid slips, trips and falls. Integrated magnet on base for hands free operation. Removable/reversible belt/pocket clip. Body is made non conductive polymer resin. Operates on 2 AA Batteries (included). **Carded**

Size: 6.10" x 1.34" x .87"

**67750** - Dualie 2 AA with Yellow Body.

Replacement Battery: AA x 2

Body Color: Also available in Black

Safety Ratings: Class 1 & 2, Div 1

Light Output Spot: 115 Lumens / 3100cd / 111m  
Light Output Flood: 115 Lumens / 75cd / 17m  
Light Output Combined: 175 Lumens

Run Time: 24 hours (Spot), 24 hours (Flood), 15 hours combo

Minimum Order: 1 Each / Case Qty. 6

## DUALIE® 3AA



Intrinsically safe multi-function flashlight. The Dualie 3 AA has 2 switches that work independently or both at the same time. The top switch turns on a focused spot light. The bottom switch operates a soft flood light to illuminate your work area and help avoid slips, trips and falls. Rugged, integrated, snag-free clip. Body is made non conductive polymer resin. Operates on 3 AA batteries (included). Available in Standard, Magnetic Clip or with Laser. **Carded**

Size: 7" x 1.86" x 1.06"

**68750** - Dualie 3 AA with Yellow Body. **Carded**

**68782** - Dualie 3AA with Yellow Body and MAGNETIC CLIP. **Boxed**

**68760** - DUALIE 3AA with Yellow Body and LASER. **Boxed**  
(Laser Model does not have a flood light)

Replacement Battery: AA x 3

Body Color: Also available in Black

Safety Ratings: Class 1 & 2, Div 1

Light Output Spot: 140 Lumens / 7300 cd / 171m  
Light Output Flood: 140 Lumens / 80 cd / 18 m  
Light Output Combined: 245 Lumens

Run Time: 18 hours (Spot), 18 hours (Flood), 9 hours simultaneously

Minimum Order: 1 Each / Case Qty. 12

## DUALIE® Rechargeable Flashlight



Intrinsically safe multi-function flashlight. The DUALIE RECHARGEABLE has 2 switches that work independently or both at the same time. The top switch turns on a focused spot light. The bottom switch operates a soft flood light to illuminate your work area and help avoid slips, trips and falls. Rugged, integrated, snag-free clip. Body is made of non conductive polymer resin. Waterproof to 1 meter. Available in Standard or with Magnetic clip. **Carded**

Size: 7" x 1.86" x 1.06"

**68793** - Dualie Rechargeable - Yellow body with MAGNETIC CLIP and 120V/100V charger. **Boxed**

**68732** - Dualie Rechargeable - Yellow body and 120V/100V charger. **Boxed**

Replacement Battery: 68792 (Lithium Ion)

Safety Ratings: Class I & 2, Div I

Body Color: Black

Light Output Spot: 180 Lumens / 11,500cd / 7.25m  
Light Output Flood: 105 Lumens / 60cd / 18m  
Light Output Combined: 275 Lumens

Run Time: 7.25 hours (Spot) 13.5 hours (Flood) 5.5 hours (Combo)

Minimum Order: 1 Each



## 2 AA PROPOLYMER® FLASHLIGHT



This virtually indestructible safety-rated flashlight is long on run time and small enough to fit in a pocket or strap onto a helmet. Provides a focused beam with optimum peripheral illumination. Features a push button tailswitch for momentary or on-off operation. O-ring sealed construction. IPX7 rated waterproof to 1m for 30 minutes. **Carded**

Size: 6.4" x 89" x 1.32"

**67101** - Pro Polymer 2AA Haz-LO - Yellow body with White LED

Replacement Battery: AA x 2

Safety Ratings: Class I, Div I

Body Color: Also available in Black

Light Output: 105 Lumens 80cd 39m

Run Time: 2.25 hours

Minimum Order: 1 Each / Case Qty. 6

## 4 AA PROPOLYMER® FLASHLIGHT



Compact high performance safety rated flashlights. Polymer body with a tail button switch with momentary or constant on modes. Choose the soft, diffused light of the 68202 for up close work and long run time or the long reaching bright beam of the 68244. Includes 4 AA alkaline batteries. **Carded**

Size: 6.5" x 1.63" x 1.34"

**68202** - Yellow body - Flood Pattern

**68244** - Yellow body - Spot Pattern

Replacement Battery: AA x 4

Safety Ratings: 68202: UL class I div I, MSHA  
68244: UL class 1 div 2

Body Color: Also available in Black

Light Output: 68202 : 67 Lumens  
68244: 200 Lumens 12,000cd 219m

Run Time: 68202 155 hours  
68244 6 hours

Minimum Order: 1 Each / Case Qty. 6



**No Minimum Order  
and Same Day Shipping**



## SYCLONE® Rechargeable Worklight



Inspect, identify and repair with the Syclone. It produces a bright white light for everyday use or warm white high CRI light for true color paint matching or identifying color differences in wires. Ultra Compact design. Magnetic base, stowable hook. 360° rotating body aims beam where needed. **Display Boxed**

Size: 2.97" x 2.79" x 1.42"

**61510** - Syclone®

Replacement Battery: Lithium Polymer - factory replaced

Body Color: Red

Light Output: (High): 400 Lumens 141 m

Safety Ratings: None

Run Time: 2 hours (High) 4.5 hours (Med) 9.5 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## FLIPMATE® Rechargeable Worklight



Compact and versatile USB rechargeable worklight. Features a series of bright white LEDs and series of high CRI LEDs with Streamlights Color-Rite technology for paint matching or identifying differences in wires. Push button switch allows user to choose high or low in either mode. Magnetic base with stowable hang hook for hands free lighting. 270° rotating light bar aims beam where needed. Charge indicators show the state of charge. Includes micro USB cord. **Display Boxed**

Size: 2.37" x 5.44"

**61500** - BLACK body

**61501** - RED body

Replacement Battery: Lithium Ion - factory replaced

Light Output: Cool white 500 Lumens / 90 CRI  
LED's 400 Lumens

Safety Ratings: None

Run Time: 4 hours (High) 6 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## STINGER and STRION SWITCHBLADE® Rechargeable LED Work Light



Five lights in one. It's a drop light, hands-free light, UV light, bright white light and a high CRI light with Streamlights Color-Rite technology for paint matching or identifying differences in wires. The blade of the Switchblade can rotate 180° on the body. The weighted base with Magnet allows the light to stand on it's tail with the double sided light bar in any position. Retractable hook makes it even more versatile. It's the multitaskers dream light. **Boxed** (fits existing Stinger or Strion chargers)

**Body Size:**

Stinger Switchblade: folded 9.8" Extended 17"  
Strion Switchblade: folded 6" Extended 10.75"

**74850** - STRION SWITCHBLADE with micro USB charge cord. **Boxed**

**74851** - STRION SWITCHBLADE with AC charger & holder. **Boxed**

**76800** - STINGER SWITCHBLADE with micro USB charge cord. **Boxed**

**76801** - STINGER SWITCHBLADE with AC charger holder. **Boxed**

Replacement Battery:  
Stinger Switchblade 76805  
Strion Switchblade 74175

Body Color: Red

Safety Ratings: None

Light Output: Stinger Switchblade:  
800 Lumens (Cool White), 600 Lumens (90 CRI), 500 mW (UV LED)

Light Output: Strion Switchblade:  
500 Lumens (Cool White), 400 Lumens (90 CRI), 500 mW (UV LED)

Run Time: Stinger Switchblade: 3.75 hours (Cool White or 90 CRI), 15 hours UV

Run Time: Strion Switchblade:  
3 hours (Cool White or 90 CRI), 5 hours UV

Minimum Order: 1 Each / Case Qty. 6

## The Siege® Lantern



The Siege® is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! It's handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1 meter and it floats. Batteries not included. **Carded**

Size: 7.25" x 3.8" 1 lb 15oz

**44931** - 3 cell D model - Coyote tan & black body. Body size 3.8" x 7.25". Batteries not included.

**44952** - Magnetic base

Replacement Battery: Alkaline D x 3

Light Output: 540 Lumens (High)

Safety Ratings: None

Run Time: 30 hours (High) 70 hours (Med) 295 hours (Low) 430 hours (Red)

Minimum Order: 1 Each / Case Qty. 6

## WAYPOINT® Spotlight & WAYPOINT® 400 Rechargeable Spotlights



Features a cushioned pistol grip handle, rubberized Lens ring and an integrated stand for precise scene lighting. 3 lighting modes: High, Low, strobe. Ultra Bright LED in deep dish parabolic reflector produces long range targeting beam with optimum peripheral illumination. The Alkaline Model is IPX4 rated water resistant and powered by (4) alkaline C batteries (not included) or use the 12 volt DC power cord with cig lighter adaptor for unlimited use with or without the batteries installed.

The Lithium Ion rechargeable model is IPX8 rated waterproof to 2 meters and it floats. Includes AC charge cord. DC charge cord sold separately. The Rechargeable model will not turn on while being charged.

Both Models Include polymer storage mount. **Boxed**

**44900** - Waypoint® Alkaline Battery Model - Yellow Body

**44902** - Waypoint® Alkaline Battery Model - Black Body

**44910** - Waypoint® 400 Rechargeable Lithium Ion Model - Yellow Body

**44911** - Waypoint® 400 Rechargeable Lithium Ion Model - Black Body

**44924** - Red Filter Lens/cap (fits Waypoint)

**44925** - Green Filter Lens/cap (fits Waypoint)

**44915** - Red Filter Lens/cap (fits Waypoint Rechargeable)

**44916** - Green Filter Lens/cap (fits Waypoint Rechargeable)

**44923** - DC charge cord for Lithium ion rechargeable model only

**44909** - AC charge cord for Lithium ion rechargeable model only

Replacement Battery: Alkaline C x 4 (alkaline model only)

Light Output:  
Alkaline Model: 550 Lumens / 100,000 cd / 625 m (High)  
Rechargeable Model: 1400 Lumens / 400,000cd / 1,265m (High)

Run Time: Alkaline Model: 10 hours (High) 82 hours (Low)  
Rechargeable Model: 3.25 hours (High) 84 hours (Low)

Safety Ratings: None

Minimum Order: 1 Each / Case Qty. 1

## VULCAN® Clutch Multi-Function Rechargeable Lantern



This hand lantern features a unique clamping handle that opens to allow instant hands-free use. The head then fully articulates for the direct targeting of work. Three white LEDs produce a far-reaching, high lumen beam. Taillight LED's ensure you can be seen from behind. Built in battery charge indicators. Multi-function push button switch is easy to use with gloved hands. Rubberized, cushioned grip handle. IP67-rated, dust-tight and waterproof to 1 meter for 30 minutes. **Boxed**

Size: 9.39" Weight: 2.84 pounds

**44361** - VULCAN® CLUTCH includes AC & DC chargers and quick release shoulder strap - Orange Body

**44371** - VULCAN® CLUTCH includes AC & DC chargers and heavy duty shoulder strap - Yellow Body

**44365** - VULCAN® CLUTCH Vehicle Mount System (12 volt DC only) with quick release shoulder strap - Orange Body

**44375** - VULCAN® CLUTCH Vehicle Mount System (12 volt DC only) with heavy duty shoulder strap - Yellow Body

Replacement Battery: 44366 Lithium ion

Light Output: 1,700 Lumens 67,500cd 520m (High)

Safety Ratings: None

Run Time: 6.5 hours (High) 18 hours (Low) 25 hours (Flash)

Minimum Order: 1 Each



Steve Egbers, BATORAY Co-Founder, Retired.  
Dale Hollow Lake  
Albany, Kentucky

**VULCAN® 180**  
Rechargeable Lantern



The lightest portable lantern of its kind, the Vulcan 180 is designed to burn brighter and run longer making it an essential fire fighting and Utility tool. It features a 180° tilting head that allows you to direct light where you need it. Three white LEDs produce extreme brightness and two ultra-bright blue taillight LED's provide visibility from behind in thick smoke. Multi-function push button switch is easy to use with gloved hands. IP64 rated dust-tight and water resistant. **Boxed**

Size: 7.43" Weight: 2.47 pounds

**44301** - VULCAN® 180 standard system. Includes AC&DC chargers and quick release shoulder strap - Yellow Body

**44311** - VULCAN® 180 standard system. Includes AC&DC chargers and quick release shoulder strap - Orange Body

Replacement Battery: 44351 Lithium ion

Light Output: 1,200 Lumens 75,000cd 548m (High)  
350 Lumens / 22,000cd / 296m (Low)

Safety Ratings: NFPA, Class 1 - Div 2

Run Time: 5.75 hours (High) 16 hours (Low)

Minimum Order: 1 Each

**FIRE VULCAN®**



This lightweight rechargeable LED lantern is a critical fire fighting tool that even floats in water! Its super-bright beam reaches long distances, and two blue taillight LEDs make certain you can be seen by your partners in thick smoke. Toggle switch is easy to use with gloved hands and is programmable so you can control the mode in which the light comes on. Includes quick release shoulder strap. IPX7 rated waterproof to 1m for 30 minutes. **Boxed**

Size: 7.5" x 5" x 6.5" Weight: 1.85 pounds

**44450** - Fire VULCAN® Standard system - AC/DC - Orange - Orange Body

**44451** - Fire VULCAN® DC direct wire system - Orange Body

Replacement Battery: 44351 Lithium ion

Light Output: 180 Lumens 100,000cd 556m (High)  
80 Lumens 45,000cd (Low)

Safety Ratings: NFPA, Class I - Div 2

Run Time: 5 hours (High) 10 hours (Low)

Minimum Order: 1 Each

**VULCAN® 180 HAZ-LO®**  
Rechargeable Lantern



The Class I, Div 1 rated Vulcan® 180 HAZ-LO was developed for use in hazardous locations. It features a 180° tilting head with three extreme bright white LEDs allow you to direct light where you need it. Two ultra-bright blue taillight LED's provide visibility from behind in thick smoke. Multi-function push button switch is easy to use with gloved hands. IP65 rated dust-tight and water resistant. **Boxed**

Size: 7.43" Weight: 2.47 pounds

**44331** - VULCAN® HAZ-LO standard system includes AC & DC chargers and quick release shoulder strap - Orange Body

Replacement Battery: 44351 Lithium ion

Light Output: 400 Lumens 25,000cd 316m (High)  
130 Lumens 8,000cd 179m (Low)

Safety Ratings: NFPA, Class I, II, III - Div 1

Run Time: 10 hours (High) 24 hours (Low)

Minimum Order: 1 Each

**E-FLOOD® LITEBOX®**  
and **E-SPOT® LITEBOX®**



The E-SPOT Litebox has 3 LEDs that spotlight an area with focused bright light so you can search and inspect from a distance. The E-FLOOD Litebox has 6 LEDs that spread light over an entire area and an extended run time of 18 hours allows you to keep large areas illuminated for an entire shift. Both models feature a swivel head and dual rear LEDs to ensure you are seen from behind. Charging/mounting rack and shoulder strap included. **Boxed**

**45801** - E-Flood® Standard System with AC & DC chargers

**45851** - E-Spot® Standard System with AC & DC chargers

Replacement Battery: PS-6100 F1

Replacement Bulb: None

Light Output: E-Spot®: 1,500 Lumens 110,000cd 663m

Light Output: E-Flood®: 1,500 Lumens 4,700cd 137m

Safety Ratings: NFPA

Run Time: 7.5 hours (High) 17.75 hours (Low)

Minimum Order: 1 Each

## PORTABLE SCENE LIGHT II



The Portable Scene Light II features 18 LED's to produce 10,000 lumens to light up the entire scene. Toggle switch allows you to choose between 5 light intensity levels. Digital display shows intensity level and run time. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for "light tower" capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc. The perfect scene light for marking exits, post fire investigation, fire ground clean-up, mobile triage center lighting, construction sites, etc.

Size: 16" x 11" x 12" Weight: 15.38 lbs

### 46000 - Portable Scene Light II

Replacement Battery: Lithium Ion - rechargeable up to 800 times

Light Output: 10,000 Lumens

Safety Ratings: None

Run Time: 4 hours (High) 9 hours (Med) 18 hours (Low)

Minimum Order: 1 Each

## BEARTRAP® 360 Multi-Function Worklight



Inspect, identify and repair with the multi-function Beartrap 360 Worklight featuring a 360° rotating and 270° pivoting body. High Power with big performance. It produces bright white light in both flood and spot modes. Multi-function push button switch with High, medium and low settings and a battery life indicator. Tough thermoplastic construction. Rubberized grip surface to resist scratches. Chemical resistant lens. Go hands free - it clamps virtually anywhere or stands on its own and has a magnetic base and stowable hook. Can be used while charging and continues to charge while plugged in and in use. **Boxed**

Size: 7.62" Weight: 2 lbs 3 oz

61523 - Beartrap 360 - red and black body with AC charge cord

Replacement Battery: Lithium Ion

Light Output: 2,000 Lumens 69m (High)

Safety Ratings: None

Run Time: High Flood: 2.5 hours (High) 5 hours (Med) 8.75 hours (Low)  
High Spot: 4.5 hours (High) 8.75 hours (Med) 12.5 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## SURVIVOR® Alkaline Flashlight



This leading Intrinsically safe right angle flashlight features a slim profile, a D-ring for accurate light orientation and a spring-loaded clip that grabs onto your gear. Four lighting modes include high, low, flash, and moonlight (for low-level lighting to preserve batteries). Unbreakable, scratch-resistant polycarbonate lens. Push-button switch is designed for easy operation even with heavy gloves. IPX4 water-resistant. **Carded**

Size: 7.6"

90540 - Survivor - Alkaline battery powered model - Orange

Replacement Battery: Alkaline AA x 4

Replacement Battery Tray: 90542

Light Output: 175 Lumens 41,000cd 405m

Safety Ratings: Class I Div 1 MSHA

Run Time: 4 hours (High) 15 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## SURVIVOR® X Alkaline Flashlight



This leading Intrinsically safe right angle flashlight features a slim profile, a D-ring for accurate light orientation and a spring-loaded clip that grabs onto your gear. The Survivor X provides added features and increased output. Uses lithium ion battery pack that is easily interchangeable with alkaline batteries. Four lighting modes include high, low, flash, and moonlight (for low-level lighting to preserve batteries). Unbreakable, scratch-resistant polycarbonate lens. Push-button switch is designed for easy operation even with heavy gloves. IP67 rated dust tight and waterproof. **Carded**

Size: 7.6"

90952 - Survivor X - Orange

Replacement Battery: Lithium-Ion 90341 Alkaline AA x 4

Replacement Battery Cartridge: 90342

Light Output: 250 Lumens 50,000cd 447m

Safety Ratings: Class I Div 1

Run Time: SL-B26 rechargeable: 4 hours (High) 15 hours (Low)

Alkaline: 5 hours (High) 15 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## SURVIVOR Pivot® Alkaline or Rechargeable Flashlight



This Multi-Function Safety Rated flashlight features a dual beam and 90-degree articulating head. It's spot beam uses a cool white, high power LED for maximum distance illumination and its flood beam is angled downward for area illumination. Beams can be used independently or together. Battery status push button indicator switch. It's rugged nylon body is virtually indestructible. Strong spring loaded clip securely grabs onto belts and gear. The D ring provides forward hanging orientation. No tools required to change batteries. Available in alkaline or rechargeable model - with or without magnets.

Size: 7.93 x 3.29"

91800 - Survivor Pivot - Alkaline - Orange

91802 - Survivor Pivot - AC/DC rechargeable - Orange

91825 - Survivor Pivot - Alkaline - Orange with Magnet

91830 - Survivor Pivot - AC/DC rechargeable - Orange with Magnet

Replacement Battery: Lithium-Ion 90341 Alkaline AA x 3

Light Output: 300 Lumens 369m (High Spot) 300 Lumens 35m (High Flood)

Safety Ratings: Class I & II Div 1

Run Time:

Rechargeable: 4.25 hours (High) 16 hours (Low)  
Alkaline: 5.5 hours (High) 15 hours (Low)

Minimum Order: 1 Each / Case Qty. 6



Joe Egbers and his daughter, Katelyn, riding the trails in Letcher County, KY.

**PORTABLE SCENE LIGHT**



The portable scene light provides rapid deployment on site, and it goes anywhere. With its 90° swivel neck, it's easy to shine light into the most out-of-the-way place. The head extends deploys to maximum height within seconds. It provides 3 levels of lighting and substantial run time to last through several shifts, even days. The unique defuser lets you select a flood or spot beam in all three levels. It's designed to adapt to tight spaces, but rugged enough to be stable in wide open terrain or steps. The regulated light provides consistent output throughout the life of the battery. It's an indispensable tool for first responders, construction crews, and utility workers. IP67 rated dust tight and waterproof to 1M for 30 minutes.

Size: 22.5" x 6.5" x 11" Weight: 25.5lbs

**45670** - Portable Scene Light - Pole extends up to 72"

**45680** - Portable Scene Light EXT - Pole extends up to 84"

Replacement Battery: (2) PS-1290F2

Light Output: 10,000 Lumens 95,000cd 616m (High)

Safety Ratings: None

Run Time: 2 hours (High) 12 hours (Low)

Minimum Order: 1 Each



Joey Egbers heading out to put up a new hunting stand with the help of some Nite-Ize Gear Ties.

**BANDIT® PRO USB Rechargeable LED Headlamp**



This is an ultra-lightweight, weather-resistant, personal area/work light featuring a large easy-to-use push button switch with high, low and flash modes and a lithium polymer battery. The COB LED's produce a bright, even, diffused and widespread beam. It includes a handy snap-in clip adaptor to attach the light to the bill of your cap. Battery life indicator.

Size: 2.7" x 1.13" x .75"

**61710** - Yellow body. Includes micro USB cord, elastic head strap and removable hat clip. **Carded**

**61714** - Black body. Includes micro USB cord, elastic head strap and removable hat clip. **Carded**

**61716** - Yellow body. Includes micro USB cord, elastic head strap, rubber hard hat strap and 3M Dual Lock material for strapless mounting. **Boxed**

Replacement Battery: Lithium Polymer battery is not replaceable (2 year warranty)

Light Output: 180 Lumens (High) / 35 Lumens (Low)

Safety Ratings: None

Run Time: 4.5 hours (High) 21 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

**ENDURO® Headlamp**



Ultralight and super comfortable. It features an integrated rubber/elastic head strap for versatility. Unbreakable lens. Pivoting head. Can also securely clip to the brim of your cap. Waterproof to 1 meter. Maximum light output throughout battery life. Includes (2) AAA batteries. **Carded**

Size: 1.3" x 2.25" x 1.6"

**61400** - Enduro

Replacement Battery: AAA x 2

Light Output: 50 Lumens / 1100 cd / 66 m

Safety Ratings: None

Run Time: 5.5 hours (high white LED)

Minimum Order: 1 Each / Case Qty. 6

**ENDURO® PRO USB Rechargeable Headlamp**



Save money over the cost of standard batteries with the Enduro Pro USB rechargeable headlamp. You'll always have the light you need with Spot and Flood beams, each with high, medium and low modes. Spot gives you a bright, focused beam and flood gives you soft, area illumination that won't tire your eyes on a long job. **Boxed**

Size: 2.18" x 1.80" x 1.40"

**61435** - Includes USB cord & elastic headstrap. Display **Boxed**

**61436** - Industrial series - Includes USB cord, elastic & rubber hard hat strap and 3M Dual Lock for mounting directly to hard hats. Display **Boxed**

Replacement Battery: Lithium Polymer. Factory replaced.

Light Output: High Spot: 200 Lumens 2080cd 91m High Flood: 145 Lumens 220cd 30m

Safety Ratings: None

Run Time: 7 hours (High) 21 hours (Med) 48 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## ENDURO® PRO Headlamp



Low profile headlamp has multiple modes to cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red or green light LED's (depending on model) for night vision. Multi function switch remembers the last mode used. Tilting head. IPX4 water resistant. **Carded**

Size: 2.18" x 1.80" x 1.40"

**61420** - Includes yellow face plate, white & red LED's & elastic headstrap. **Carded**

**61422** - Industrial Series includes yellow face plate, white & red LED's & elastic and rubber hard hat strap, and 3M Dual Lock for mounting directly to hard hats. **Boxed**

**61425** - Includes Coyote Tan face plate, white & green LED's & elastic headstrap. **Carded**

Replacement Battery: AAA x 3

Light Output: High Spot: 200 Lumens 2,250cd 95m

High Flood: 135 Lumens 210cd 29m

Safety Ratings: None

Run Time: 6 hours (High) 14 hours (Med) 38 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## ARGO® Headlamp



This headlamp features an intense, long distance beam for down range lighting. Impact resistant housing. Unbreakable lens, O ring sealed, pivoting head, recessed push button switch with 3 output modes. Low battery indicator. Includes elastic strap, rubber strap for hard hat use and 3 alkaline AA batteries. **Carded**

Size: 1.75" x 2.70" x 2.40"

**61301** - ARGO®

Replacement Battery: Alkaline AAA x 3

Light Output: 150 Lumens 9,250 cd 190 m

Safety Ratings: Class 1 Div 2

Run Time: 3 hours (High) 4.5 hours (Med) 30 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## SEPTOR® Headlamp



The Septor Headlamp is your ideal choice when you need a hands-free floodlight for close-up tasks or tasks at arm's length. It gives you a soft, wide beam to illuminate your work area. Impact resistant housing, Unbreakable lens, O ring sealed, pivoting head, recessed push button switch. Low battery indicator. Includes elastic strap, rubber strap for hard hat use and 3 alkaline AA batteries. **Carded**

Size: 1.75" x 2.70" x 2.40"

**61052** - SEPTOR®

Replacement Battery: Alkaline AAA x 3

Light Output: 120 Lumens 900cd 60m

Safety Ratings: Class 1 Div 2

Run Time: 3.5 hours (High) 10 hours (Med) 55 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## ENDURO® PRO HAZ-LO® Headlamp



This intrinsically safe, low profile headlamp has multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire eyes and spot/flood combination for increased light output. Multi function switch is easy to use with gloved hands. IP67 dust tight and waterproof to 1M for 30 minutes. **Boxed**

Size: 2.0" x 2.19" x 1.5"

**61424** - HAZ-LO series safety rated - Includes yellow face plate, elastic & rubber hard hat strap and 3M Dual Lock for mounting directly to hard hats. **Boxed**

Replacement Battery: AAA x 3

Light Output: 160 Lumens 1320cd 73m

Safety Ratings: UL Class1 Div 1 & MSHA

Run Time: 5 hours spot or flood, 4.75 hours spot & flood combined

Minimum Order: 1 Each / Case Qty. 6

## TRIDENT® Headlamp



The Trident multi-purpose headlamp offers the versatility of switching between either a bright light to illuminate objects at a distance or a soft flood light for tasks at arms length. Impact resistant housing, Unbreakable lens, O ring sealed, pivoting head, recessed push button switch. Low battery indicator. Includes elastic strap, rubber strap for hard hat use and 3 alkaline AA batteries. **Carded**

Size: 1.75" x 2.70" x 2.40"

**61050** - TRIDENT®

Replacement Battery: Alkaline AAA x 3

Light Output: 80 Lumens 4,000cd 126m

Safety Ratings: Class 1 Div 2

Run Time: 5.5 hours (High) 10 hours (Med) 53 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

## 3 AA HAZ-LO® Headlamp



This compact, long-running, high-performance headlamp meets the stringent requirements of Div. 1 hazardous locations. Exceptional light output with a long run time to get you through your shift. Unbreakable O-ring sealed lens. Pivoting head. Push button switch is easy to operate when wearing heavy gloves. Impact resistant housing. intrinsically safe. Includes (3) AA batteries, elastic and rubber straps. **Carded**

Size: 1.88" x 2.5" x 3.08"

**61200** - 3 AA Haz Lo® Headlamp - Yellow and Black Body

Replacement Battery: Alkaline AA x 3

Light Output: 270 Lumens 5,600cd 150m

Safety Ratings: Class 1 Div 1 & MSHA

Run Time: 8 hours

Minimum Order: 1 Each / Case Qty. 6

**TWIN-TASK® USB Rechargeable LED Headlight**



Multi-use headlamp provides a spot beam for distance lighting and a flood beam for close up tasks. Easy to use push button switch allows for high, medium and low settings. Remembers last mode used, defaults to low beam when powering on. Includes micro USB charge cord and elastic head strap. **Carded**

Size: 1.35" x 2.13" x 2.67"

**51063 - Twin Task USB Headlight**

Replacement Battery: 74175 Lithium ion

Light Output: 375 Lumens 3,650cd 121m  
High Flood: 250 Lumens 160cd 25m

Safety Ratings: None

Run Time: 4.75 hours (High) 8.5 hours (Med)  
20 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

**PROTAC HL® USB Rechargeable Headlamp**



This is the perfect rechargeable headlamp for when your task requires both hands and a bright light with a wide, long-range beam. 90° tilting head reduces neck fatigue. Machined aluminum body. Multi Function TEN TAP programmable push button switch allows user to choose between 3 different operating modes: High-Strobe-low, High Only, Low-High. Rubber port protects USB charge port. Includes optional red and green lenses. **Carded**

Size: 4.03" x 1.20" x 3.12"

**61305 - Protac® HL USB Headlight with micro USB cord, elastic and rubber straps.**

**61306 - Protac® HL USB Headlight with micro USB cord, AC adaptor, elastic and rubber straps.**

Replacement Battery: 74175 Lithium Ion (can be charged while in the headlight) or 22101 (SL-B26) Lithium Ion with charge port

Light Output: 1000 Lumens 13,500cd 232m (High)

Safety Ratings: None

Run Time: 1.75 hours (High) 3.5 hours (Med)  
24 hours (Low)

Minimum Order: 1 Each / Case Qty. 6

**PROTAC® 2.0 Rechargeable Headlamp**



The High Performance machined aluminum body produces 2,000 lumens without sacrificing run time. Multi Function TEN TAP programmable push button tailcap switch allows user to choose between 3 different operating modes: high-Strobe-low, High Only, Low-High. Sliding metal sleeve protects access to the charge port. IP64 rated dust-tight and water resistant. Includes USB-C charge cord. Display **Boxed**

Size: 4.92" x 1.46" x 2.56"

**89001 - Protac® 2.0**

Replacement Battery: SL-B50 protected LI-ION rechargeable

Light Output: 2000 Lumens 14,500cd 241m

Safety Ratings: None

Run Time: 2.25 hours (High) 4.5 hours (Med)  
25 hours (Low)

Minimum Order: 1 Each / Case Qty. 6


**Rubber HELMET Strap Fits AA size Flashlights**



This rubber strap will allow user to securely attach AA size flashlights to construction type helmets.

**99075 -Rubber Strap**

Minimum Order:



Chris Heuser, BATORAY sales, and his children. Red River Gorge Geological Area, Daniel Boone National Forest, Slade, Kentucky

## 1970 & 1975 Penlights



These LED Penlights feature an aluminum core with a ABS plastic overmold for work in tough environments. Wide beam angle. Built in pocket clip. Push button tail switch activates with a click or momentary contact. Safety model comes with helmet mount. Both models include 2 AAA batteries. **Carded**

Size: Length = 5.75"

**1970** - Standard model - Black body

**1975** - Safety approved model - Yellow body

Replacement Battery: AAA x 2

Safety Ratings:

1970 None  
1975 Class I,II, III, Div 1

Light Output:

1970: 139 Lumens 205cd 29m  
1975: 117 Lumens 141cd 24m

Run Time: 1970: 4 hours 1975: 2 hours

Minimum Order: 1 Each / Case Quantity: 6

## 2310 & 2315 Flashlights



These LED flashlights feature an aluminum core with a ABS plastic overmold for work in tough environments. Built in pocket clip. Push button tail switch activates with a click or momentary contact. long range beam. Safety model comes with helmet mount. Both models include 2 AA batteries. **Carded**

Size: Length = 6.22"

**2310** - Standard model - Black body

**2315** - Safety approved model - Yellow body

Replacement Battery: AA x 2

Safety Ratings:

2310 None 2315 Class I,II, III, Div 1

Light Output:

2310: 350 Lumens 4516cd 134m  
2315: 115 Lumens 1403cd 75m

Run Time: 2310: 2 hours 2315: 6 hours

Minimum Order: 1 Each / Case Quantity: 6

## 3345 Industrial Flashlight



This industrial grade flashlight features a variable light output sensor that automatically adjusts lumen brightness level depending on what is needed. Dual beams - spot & downcast flood. Battery level indicator. Durable polymer resin body. Integrated clip. Powered by 3 AA batteries (not included).

Size: Length = 7.25"

**3345**

Replacement Battery: AA x 3

Safety Ratings: Class I,II, III, Div 1

Light Output: 280 Lumens 3990cd 137m

Run Time: 7 hours (High) 14 (Low)

Minimum Order: 1 Each / Case Quantity: 6

## 5000 Flashlight



This flashlight features a sliding bezel that allows user to easily go from a wide flood to a spot beam. Slim and durable anodized aluminum body. Battery life indicator. High, Low and flashing modes. Tailcap push button switch. Alkaline batteries and pocket clip included. **Carded**

Size: Length = 5.59"

**5000** - Flashlight

Replacement Battery: AAA x 2

Safety Ratings: None

Light Output: 223 Lumens 1300cd 72m

Run Time: 2 hours (High) 8 hours (Low)

Minimum Order: 1 Each / Case Quantity: 6

## 2370 Tactical Flashlight



This light features a magnetic rotating dial that allows user to easily switch between bright white light, night vision red or green light. Programmable light modes: High, Strobe, Low. Anodized aluminum body. Push button switch. Steel clip and alkaline batteries are included. **Carded**

Size: Length = 6.43"

**2370** - Flashlight

Replacement Battery: AA x 2

Safety Ratings: None

Light Output: 358 Lumens 9000cd 190m

Run Time: 2 hours (High) 11 hours (Low)

Minimum Order: 1 Each / Case Quantity: 6

## 3310PLCC & 3315 LED Flashlights



Durable Polymer Body. The lightweight and compact design uses (3) AA batteries to power a single high output bright white LED. Push button on/off switch. Includes batteries, wrist lanyard and removable pocket clip. The 3310PLCC model has a glow in the dark body and a color correct LED which allows the user to see true colors. **Carded**

Size: Length = 6.14"

**3310PLCC** - Color correct model

**3315** - Safety approved model

Replacement Battery: AA x 3

Safety Ratings: Class I Div I (3315 model only)

Light Output:

3310PLCC: 283 Lumens 7150cd 169m  
3315: 160 Lumens 5143cd 144m

Run Time:

3310PLCC: 8 hours (High) 175 (Low)  
3315: 19 hours

Minimum Order: 1 Each / Case Quantity: 6



Joe Egbers, Bullfrog,  
Kenton County, KY





### 3410M & 3415M Multi-Task LED Lighting Tool



The 3410M is molded from "glow in the dark" photoluminescent material so it's easy to find, even when it's off. The 3415M is molded using high viz yellow resin. Both models feature bright white LED's. Push button switch allows user to choose High, Medium or Low modes, spot or flood beam, or both spot and flood combined. Articulating light head. Magnetic clip. Operates on (3) alkaline AA batteries. **Carded**

Size: Length = 7.44"

**3410M** - Standard model with glow in the dark body

**3415M** - Safety approved model

Replacement Battery: AA x 3

Safety Ratings:  
3410M None 3415M Class I,II, III, Div 1

Light Output:  
3410 (High): 653 Lumens, 8504 cd, 184 m  
3415M (High): 336 Lumens, 4544 cd, 135 m

Run Time: 5 hours (High) 19 (Med) 61 (Low)

Minimum Order: 1 Each / Case Quantity: 6

### 7600 USB Rechargeable Flashlight



User can choose between High, Medium, Low or Strobe modes, or choose from 5 different programs to personalize the bright white LED to your liking. Easily switch to Red or Green LED's. Anodized aluminum body. Push button tail switch. Also runs on (2) Lithium CR123 Batteries (not included). **Carded**

Size: Length = 6.19"

**7600** - includes micro USB cord, pocket clip and Lithium Ion Battery

**7600 COMBO** - includes micro USB cord, pocket clip, Lithium Ion Battery, traffic wand and holster

Replacement Battery: 2389 Lithium Ion or (2) CR123A

Safety Ratings: None

Light Output: 944 Lumens, 12693 cd, 225 m (High)

Run Time: 3.15 hours (High) 4.5 (Med) 29 (Low)

Minimum Order: 1 Each / Case Quantity: 1

### 2760 & 2765 Headlamps



Tough, lightweight and super bright. Multi function push button switch allows user to choose between High, Medium, Low, Flashing, Downcast or Red LED modes. Includes cloth strap, strap free adaptor and (3) AAA alkaline batteries. **Carded**

Size: Length = 2.25"

**2760** - Standard model - Black body

**2765** - Safety approved model - Yellow body

Replacement Battery: AAA x 3

Safety Ratings: 2765: Class I Div 1

Light Output:  
2760: (High) 289 Lumens, 2540 cd, 101 m  
2765: (High) 155 Lumens, 1649 cd, 81 m

Run Time:  
2760: 1.5 hours (High) 3.15 (Med) 5.5 (Low)  
2765: 6.0 hours (High) 14 (Low)

Minimum Order: 1 Each / Case Quantity: 6

### 2720 Gesture Activated Headlamp



Gesture Activation Control Headlamp. Variable light output. Optical 4x magnification allows for a wide or penetrating beam. Also has dual red LED's for night vision. Gloved hands, wet or oily hands are no problem with gesture motion activation technology. Batteries, cloth and rubber head straps are included. **Carded**

Size: Length = 2.48"

**2720** - Gesture Activated Headlamp

Replacement Battery: AAA x 3

Safety Ratings: None

Light Output: 200 Lumens 1684cd 82m

Run Time: 3 hours (High) 103 hours (Low)

Minimum Order: 1 Each / Case Quantity: 6

### 2750CC Headlamp



This headlamp features Correct Color LED Technology making it easier to see true color of wires and cables etc. It also features a photoluminescent body making it easily seen in the dark. Batteries, cloth and rubber straps included. **Carded**

Size: Length = 2.25"

**2750CC** - Correct Color Headlamp

Replacement Battery: AAA x 3

Safety Ratings: None

Light Output: 183 Lumens 989cd 63m

Run Time: 2.5 hours (High) 11 hours (Low)

Minimum Order: 1 Each / Case Quantity: 6



Jacob Finke and Remi.  
Tackett Creek, Tennessee



## PELICAN COOLERS

The **8 Quart** personal cooler features separate compartments for wet and dry storage, including: a dry box to store personal items, a removable inner tray to keep non-perishables cool, and a main compartment for larger items. An integrated ice pack is removable and reusable. All day cold retention. Press & Pull latches. Capacity of 6-8 cans. Collapsible carrying handle. 3 year warranty.

The **14 Quart** features commercial grade 1.5" thick polyurethane walls and a freezer grade gasketed lid, dry box designed to keep your personal items dry, Inner tray for keeping perishables cool and dry, the bottom section stores ice and drinks. Extra storage for keys and gear under the cup holder - with an easel slot for your phone or tablet. Bottle opener with magnetic catch. Carry handle. 36 hours of ice retention. Press & Pull latches. 3 year warranty.

**Larger Coolers** are Engineered for Extreme performance. 2" polyurethane insulation gives you 7-10 day ice retention. Freezer grade gasketed lid. Corrosion resistant stainless steel hardware. Press & Pull latches. Engineered Drainage. Built in Stainless Steel Bottle Opener. Moulded in Cupholders, Lock Hasp, Handles & Tiedowns. Non-Skid & non-marking raised feet. Holds up against UV exposure, salt water, sand abrasion and extreme temperature fluctuations. Pelican Coolers are built to last, guaranteed for life & Made in U.S.A.

Capacity	STOCK NO. Options	Body Color Options	Dimensions	Weight Each
8 Quart	8Q-1-WHTGRY 8Q-1DKGRYEGRN 8Q-1DSGGRY 8Q-1-CMTWHT	White/Gray Dark Gray/Green Sage Gray Cement White	Exterior: 13.40" x 9.45" x 10.50" Interior: 10.80" x 6.40" x 7.50"	5 lbs.
14 Quart	14Q-1-WHTGRY 14Q-DKGRYEGRN 14Q-1-DSGGRY 14Q-1-CMTWHT	White/Gray Dark Gray/Green Sage Gray Cement White	Exterior: 18.00" x 11.50" x 13.00" Interior: 12.75" x 7.25" x 8.75"	10 lbs.
20 Quart	20Q-1-WHTGRY 20Q-1-DKGRYEGRN 20Q-1-DSGGRY 20Q-5-CMTWHT	White/Gray Dark Gray/Green Sage Gray Cement White	Exterior: 18.80" x 12.60" x 17.70" Interior: 12.00" x 6.70" x 14.10"	12.52 lbs.
30 Quart	30Q-1-WHTGRY 30Q-1-DKGRYEGRN 30Q-1-DSGGRY 30Q-5-CMTWHT	White/Gray Dark Gray/Green Sage Gray Cement White	Exterior: 25.30" x 19.00" x 18.50" Interior: 14.60" x 10.20" x 11.00"	21.67 lbs.
45 Quart with Wheels	45QW-6-DKGRY	Graphite	Exterior: 29.66" x 20.00" x 19.25" Interior: 19.00" x 12.00" x 12.00"	37.25 lbs.
50 Quart	50Q-1-WHTGRY 50Q-1-DKGRYEGRN 50Q-1-DSGGRY 50Q-5-CMTWHT	White/Gray Dark Gray/Green Sage Gray Cement White	Exterior: 30.00" x 20.30" x 20.40" Interior: 17.50" x 11.00" x 13.70"	26.39 lbs.



8 Qt. White



14 Qt. Dark Gray/Green



20 Qt. Cement White



30 Qt. Dark Gray/Green



45 Qt. Graphite

### Re-Useable Ice Packs

Pelican's Ice Pack chills contents faster and stays cold longer than ice. Dual-Grip design for easy handling. Made in U.S.A.



STOCK NO.	Dimensions
PI-1LB	1.25" x 5.75" x 5.75"
PI-2LB	1.5" x 6.25" x 9"
PI-5LB	2" x 8.75" x 11"

### Dry Rack Baskets for Pelican Elite Coolers



Fits Cooler Size	STOCK NO.
30 Quart	30-WB
50 Quart	50-WB



50 Qt. Sage/Gray



**Gear Ties**

Rubber coated - ReUsable twist ties have a tough rubber shell that provides excellent grip. A strong wire inside the shell allows the tie to hold it's shape. Organize or tie down virtually anything from small cords to large sporting equipment. Waterproof and safe for use in fresh or salt water. UV resistant. Won't scratch or mark. Use in any weather. Twist it, Tie it. Reuse it.



Stock No.	Length	Color Options and Quantity per Card	Minimum Order Qty.	Master Case Qty.
GT12-01-2R3	12"	Black - 2 per card	1 Card	6
GT18-01-2R3	18"	Black - 2 per card	1 Card	6
GT24-01-2R3	24"	Black - 2 per card	1 Card	6
GT32-01-2R3	32"	Black - 2 per card	1 Card	6
GT64-01-R6	64"	Black - 1 per card	1 Card	6
GT18-33-2R3	18"	Yellow - 2 per card	1 Card	6
GT24-33-2R3	24"	Yellow - 2 per card	1 Card	6
GT32-33-2R3	32"	Yellow - 2 per card	1 Card	6
GT18-31-2R3	18"	Orange - 2 per card	1 Card	6
GT32-31-2R3	32"	Orange - 2 per card	1 Card	6
GTPP18-A1-R8	18"	Pro Pack 6 per pack. Assorted colors	1 Card	4
GTPP32-A1-R8	32"	Pro Pack 6 per pack. Assorted colors	1 Card	4
GTDH1	9"x13"	Gear Tie Header Sign	1	1

**Gear Tie Pro Utility Straps**


Make light work of securing loads and bundling gear. They feature a strong aluminum buckle and a stretchy, UV-resistant rubber strap allowing you to take on a variety of items.



Stock No.	Width/Length	Color Options and Quantity per Card	Minimum Order Qty.	Master Case Qty.
USS12-01-R3	.92" x 12"	Black - 1 per card - 70 lbs load limit	1	4
USS12-31-R3	.92" x 12"	Orange - 1 per card - 70 lbs load limit	1	4
USS18-01-R3	.92" x 18"	Black - 1 per card - 70 lbs load limit	1	4
USS18-31-R3	.92" x 18"	Orange - 1 per card - 70 lbs load limit	1	4
USL24-01-R3	1.06" x 24"	Black - 1 per card - 80 lbs load limit	1	4
USL24-31-2R3	1.06" x 24"	Orange - 1 per card - 80 lbs load limit	1	4

**G-Series Dual Chamber CARABINER**

These carabiners feature two connected yet distinct chambers and are built with strong stainless steel. Clip your keys etc. into the first chamber of the carabiner and pass them through the inner gate to the second chamber to keep them safe and secure.



Stock No.	Description	Minimum Order Qty.	Master Case Qty.
GS1-01-2R6	G-SERIES size #1 - Black Body Dimensions: .71"x1.42"x.26"- 2 per Card	1 Each	4
GS1-11-2R6	Same as above but Stainless Steel Body	1 Each	4
GS2-01-R6	G-SERIES size #2 - Black Body Dimensions: 1.02"x2.00"x.26"- 1 per Card	1 Each	4
GS2-11-R6	Same as above but Stainless Steel Body	1 Each	4
GS3-01-R6	G-SERIES size #3 - Black body Dimensions: 1.26"x2.51"x.26"-1 per Card	1 Each	4
GS3-11-R6	Same as above but Stainless Steel Body	1 Each	4
GS4-01-R6	G-SERIES size #4 - Black body Dimensions: 1.50"x3.00"x.26"- 1 per Card	1 Each	4
GS4-11-R6	Same as above but Stainless Steel Body	1 Each	4

**B-SERIES Dual Carabiner**



The B-Series Dual Carabiner feature a unique B-shaped load-bearing design comprised of dual inner spring gates. The precision engineering ensures your gear stays securely clipped, while providing easy detachment with a simple push of the gates.

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
BS3-11-R3	B-SERIES #3 - Stainless steel body Dimensions: 0.9" x 2.3" x 0.2" Weight rating: 150 lbs. 1 per card <b>Carded</b>	1 Each	4
BS4-11-R3	B-SERIES #4 - Stainless steel body Dimensions: 1.18" x 2.89" x 0.28" Weight rating: 200 lbs. 1 per card <b>Carded</b>	1 Each	4

## FlipOut Dual Carabiner



This swiveling dual carabiner features dual gates to connect and attach gear, spins a full 360°, and unfolds for double duty. Made of durable cast aluminum, FlipOut has a working load limit of 40 pounds, allowing you to clip and secure bulky backpacks, hoses, cords, water bottles, shoes, and beyond.

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
FO-01-R3	Extended dimensions: 2.69" x 6.53 Folded dimensions: 2.69" x 3.72" 1 per card <b>Carded</b>	1 Each	4

## Steele Orbiter Dash Mount Kit



This powerful magnetic phone mounting system allows you to easily attach, detach and rotate your phone on the dash mount. The low-profile metal plate adheres to your phone or case using 3M 3DDLSE adhesive, creating a strong magnetic connection with the Orbiter Magnetic Socket. The dash mount adheres to dash using strong, removable 3M VHB adhesive. **Boxed**

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
STODK-01-R8	Steele Orbiter Dash Kit. Includes Dash mount ball, Orbiter magnetic socket and metal plate. <b>Boxed</b>	1 Each	3
STP-11-R8	Steele Pedestal Mount. <b>Boxed</b>	1 Each	3
STO-01-R7	Steele magnetic socket and metal plate. <b>Boxed</b>	1 Each	3

## CamJam Strap Wrap



This easy-to-use tool features a lightweight body with an attached elastic cord, allowing you to wrap a tie down strap up to 1" into a tidy bundle for easy storage. Alternatively, you can use the strap wrap on-the-move, securing excess strap under tension to prevent flapping. Organizes plus stores strap between use.

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
CJSW-01-2R3	CamJam Strap Wrap. 2 per card. <b>Carded</b>	1 Each	4

## Dual CamJam Tie Down Strap



The Dual CamJam Tie Down Strap is the ultimate tie down for all your gear, tools, and toys. It's adjustable zink alloy buckle features two separate cam locking mechanisms for precise positioning and security. The non slip buckle on the cam latches securely and allows user to gradually and easily release - even under pressure. The Nite Ize high quality polypropylene webbing strap features an integrated end loop for strength and versatility. Working load limit: 530 lbs. Breaking strength: 1200 lbs.

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
CJD12-09-R3	Dual CamJam with 12' of Nite Ize 1" webbing. <b>Carded</b>	1 Each	3
CJD-11-R3	Dual CamJam - without webbing strap. Works with Virtually all 1" webbing straps. <b>Carded</b>	1 Each	3

## CamJam Tie Down Straps



CamJam Tie Down Strap. Features a 1" wide high density weave polypropylene strap that is securely attached to a sturdy cast zink alloy cam mechanism and protective pad. The non-slip buckle on the cam latches securely and allows the user to gradually and easily release - even under high tension. 700 lbs working load limit. **Carded**

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
CJWR6-09-2R6	2 per card. Strap length: 6 feet	1 Each	3
CJWR12-09-2R6	2 per card. Strap length: 12 feet	1 Each	3
CJWR18-09-2R6	2 per card. Strap length: 18 feet	1 Each	3

### CamJam SlideLock Rope and Cord Tighteners



Easily tighten any Rope. Durable cast aluminum. When paired with a rope or cord, these tighteners offer a knot-free solution for tensioning, connecting and securing serious loads. Rotating cam allows easy and safe tension adjustments. Spring loaded locking clip for securely anchoring to D-rings or other structures.

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
CJSLS-01-R3	CamJam Slidelock cord tightener. Works best with paracord or solid braided cords from 2mm to 5mm. Working load limit: 100 lbs. Breaking strength 840 lbs. Dimensions: 2.8" x 1.45" x .54". <b>Carded</b>	1 Each	3
CJSLL-01-R3	CamJam Slidelock rope tightener. Works best with solid braided rope from 3mm to 9mm. Working load limit 250 lbs. Breaking strength of 1,500 lbs. Dimensions: 4.5" x 2.25" x .57". <b>Carded</b>	1 Each	3
CJSLS-0131-R3	CamJam Slidelock cord tightener. Works best with paracord or solid braided cords from 2mm to 5mm. Working load limit: 100 lbs. Breaking strength 840 lbs. Dimensions: 2.8" x 1.45" x .54". <b>INCLUDES 10' OF PARACORD. Carded</b>	1 Each	3
CJSLL-0102-R3	CamJam Slidelock rope tightener. Works best with solid braided rope from 3mm to 9mm. Working load limit 250 lbs. Breaking strength of 1,500 lbs. Dimensions: 4.5" x 2.25" x .57". <b>INCLUDES 10 FEET OF ROPE. Carded</b>	1 Each	3

### CamJam Ratchet Strap Systems



The ratchet strap - reinvented. This patented design is the first of its kind, providing secure attachment, effortless tensioning of heavy loads and easy, controlled tension release. The adjustable ratchet system allows you to position the ratchet anywhere on the strap for ultimate device accessibility and flexibility when securing loads. The stitched-in loop on the heavy duty 1" polyester webbing strap enables you to securely attach to an anchor point. The lever pawl allows you to easily release the highest tension without hassle. Built better. Lasts Longer. **Boxed**

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
CJRS12-09-2R8	CamJam Ratchet Strap System. 500 LB working load limit. 1000 LB break strength. Includes (2) ratchets and (2) 12 foot long straps. <b>Carded</b>	1 Each	3
CJRL-15-2R8	CamJam Ratchet Strap System. 1000 LB working load limit. 3000 LB break strength. Includes (2) ratchets and (2) 15 foot long straps. <b>Carded</b>	1 Each	3

### CamJam Ring Rope Tightener + Webbing Sling



This ultra-strong, knot free tightener makes it a cinch to tighten nearly any rope or cord. Featuring a simple pull-to-tighten, durable case aluminum cam mechanism, quick-release lever, and webbing sling. The webbing sling on the tightener allows you to create a girth hitch around various anchor points, providing a soft universal connection without scratching or scuffing the surface.

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
CJRWS-09-R3	CamJam Ring cord tightener with 12" webbing sling. Works best with paracord or solid braided cords from 2mm to 5mm. Working load limit: 240 lbs. Breaking strength 720 lbs. <b>Carded</b>	1 Each	3
CJRWL-09-R3	CamJam Ring rope tightener with 18" webbing sling. Works best with solid braided cords from 3mm to 9mm. Working load limit: 400 lbs. Breaking strength 1200 lbs. <b>Carded</b>	1 Each	3

### CamJam HookLock Strap Hook



Spring-actuated strap hook with 2 interlocking hooks made of tempered steel with corrosion-resistant nickel plating. Easy push-on, twist-off design, staying attached without tension for easy tie down setup. The innovative HookLock design allows a strap to pass smoothly through the guide channel at its base. The hook threads onto 1" tie down straps and secures to bars, D-rings, and anchor points up to 1" in diameter. Achieve ultimate versatility and security.

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
CJHL-11-2R8	CamJam HookLock Strap Hook. 2 per card. Working load limit: 1,000 lbs. Break strength: 3,000 lbs. <b>Carded</b>	1 Each	3

## Radiant RL3 Powerswitch Rechargeable Lantern



This lantern is equipped with six modes: 4 classic white modes from 5 to 500 lumens, and 2 ambient amber modes. Capable of recharging phones and devices in a pinch with its built-in USB out port. Lantern switches to reserve alkaline batteries when rechargeable Lithium Ion battery drops below 10%. Includes USB-C cord, built-in carabiner clip and lens-protecting storage bag that doubles as a light diffuser. IXP4 weatherproof and impact resistant. 3-AA alkaline batteries (not included). Dimensions: 2 1/2" x 7 1/2"

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
RL3-03-R8	Powerswitch Rechargeable Lantern. <b>Carded</b>	1 Each	3

## Pockets Holsters & Phone Holsters

Durable Ballistic Nylon. Belt clip rotates and locks into 8 positions. Hook & loop closures.



LHS-03

CCCXT-03-01



Pockets NPXL-03-01

Stock No.	Description	Dimensions	Minimum Order Qty.	Master Case Qty.
NPXL-03-01	<b>Pockets XL Holster.</b> Holds 2 AA size flashlights. Multi-Tools and other small items. Versatile clip for clothing or belts. Hook & Loop Closure. <b>Carded</b>	7.25" x 4.59" x 1.78"	1 Each	12
LHS-03	<b>Stretch Holster.</b> Universal holster with elastic sides, expands to fit most shapes and sizes of flashlights. <b>Carded</b>	5.87" x 2.10" x 1.77"	1 Each	6
CCCXT-01-R3	Pockets Phone Holster - Xtra Tall	Fits Phones up to 6.3" x 3.1"	1 Each	6
CCC2W-01-R3	Pockets Phone Holster - 2XL	Fits Phones up to 6.7" x 3.5"	1 Each	3

## Flash Flight 11" Flying Disc



Stock No.	Description	Minimum Order Qty.	Master Case Qty.
FFD-08-10-R	Made of lightweight, durable materials, with true balance and long, straight flight. It looks, feels and flies like the highest quality non-illuminated discs. With a simple press of the switch, the disc lights up a LED fiber-optic array that extends to its rim so the entire disc is illuminated from every angle. Water resistant and it floats. Operates for up to 20 hours on 2 CR2016 lithium batteries. LED color is RED. <b>Carded</b>	1 Disc	6

## Radiant Revolve + Solar Rechargeable Lantern



This lightweight, compact, dual powered lantern allows you to charge via it's high quality, ultra-efficient solar panel or it's built in Lithium-ion battery. Adjustable color temperature LEDs allow user to switch between cool white or Amber light in High (90 lumens), Medium or Low modes. 360° revolving body for optimal charging and directional light. Includes built in carabiner clip for easy attachment to a pack, tent or tree. USB-C charge cord included. Run Time: 30 hours low, 5 hours High. Dimensions: 3"x3"

Stock No.	Description	Minimum Order Qty.	Master Case Qty.
RRSLR-01-R3	Solar Rechargeable Lantern. <b>Carded</b>	1 Each	3

**SHARP N EASY 2-Step Ceramic Knife Sharpener**



The Sharp N Easy knife sharpener has coarse ceramic rods on one side and fine ceramic rods on the other. It has over molded grips that allow the user to have a comfortable and secure grip while sharpening. Dimensions: 2.5" x 2.5". **Free Counter Display** when ordering 24.

Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00011	Sharp N Easy two step sharpener	Blue/Black	1 Each	24 Each

**Accusharp 2-Step Carbide Ceramic Knife Sharpener**



The Carbide-Ceramic knife sharpener features Pre-angled diamond-honed tungsten carbide blades on one side and fine ceramic rods on the other. It has over molded grips that allow the user to have a comfortable and secure grip while sharpening. Dimensions: 2.5" x 2.5". **Free counter display** when ordering 24.

Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00343	Accusharp 2-Step Carbide Ceramic Sharpener	Blue/White	1 Each	24 Each

**ACCUSHARP Knife Sharpeners**



**Made in the USA**



Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00001	A knife sharpener anyone can use! In about 10 seconds, sharpens knives, cleavers, axes and many other cutting tools. Full length finger guard. The replaceable diamond honed tungsten carbide blades will provide years of reliable service. Will not rust and is dishwasher safe. Dimensions: 5/8" x 5.5". <b>Free display box with every 12 ordered. Carded</b>	White	1 Each	12 Each
00003	Replacement Blade	--	1 Each	12 Each

**Pull-Through Knife Sharpener**



Commercial grade sharpener has diamond honed tungsten carbide blades and fine ceramic rods. The heavy duty handle with over moulded rubber provides a comfortable and stable platform for sharpening your knives. Body Length: 8". **Carded**

Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00036	Pull-Through Knife Sharpener	White/Blue	1 Each	4 Each
00003	Replacement Blade	--	1 Each	12 Each



**No Minimum Order and Same Day Shipping**

## PARAFORCE Lockback Folding Knife



Lightweight polymer body. Stainless steel blade securely locks into place. Includes one-hand opening slot and pocket clip. Size: 7" open, 4" closed, 3" blade length.

Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00801	Paraforce Lockback Knife - Assorted colors: Black, Orange, Blue & Camo. <b>Free Display</b> tray when ordering 18 knives.	Assorted	18	18

## Accusharp Fillet Knife Plus 2-Step Carbide Ceramic Knife Sharpener



Lightweight 6.5" single blade full-tang fillet knife. Blade made from satin finished stainless steel then coated with titanium to strengthen the cutting edge. Non-Slip grip handle features an over molded TPR surface for a secure and comfortable grip. Includes protective sheath and Accusharp 2-Step Carbide Ceramic sharpener.

Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00736	Accusharp 6.5" Fillet Knife and Sharpener	Blue/Black	1 Each	6 Each


## Accusharp Replaceable Blade Razor Knife with 3" or 3.5" Blade



This knife allows you to quickly change out your dull blade with a new razor blade within seconds with the innovative quick release lever. The push button on the side allows you to easily lock your blade into 3-locking positions (110°, 145° and 180°). Available with a 3" or 3.5" stainless steel blade. Ergonomically designed handle for ease of use. Includes pocket clip and 2 extra replacement blades. **Carded**

Stock No.	Description	Body Color	Minimum Order Qty.	Quantity Per Case
00743	Accusharp Replaceable 3.5" Blade Razor Knife	Blue	1 Each	6 Each
00748	Accusharp Replaceable 3" Blade Razor Knife	Orange	1 Each	6 Each
00741	Accusharp Replaceable 3.5" Blade Razor Knife	Orange	1 Each	6 Each
TBD	Accusharp Replacement 3" Razor Blades (6 blades per Pack)	--	1 Pack	6 Each
00742	Accusharp Replacement 3.5" Razor Blades (6 blades per Pack)	--	1 Pack	6 Each

Joe & Linda Egbers and Family.  
High Rock Trail,  
Pine Mountain,  
Letcher County, KY




Linda Egbers, Bad Branch Falls,  
Pine Mountain, Letcher County, KY





<b>Ben's 30 Tick &amp; Insect Repellent 6 oz. Spray</b> 			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
67178	Ben's 30 tick & insect repellent 30% DEET bug spray is proven to repel disease carrying insects, including ticks & mosquitoes. It also repels chiggers, biting flies and no-see-ums. It's fragrance free so you can smell the outdoors and not your repellent and water-based so you can apply without the stinging or drying effect of alcohol. The 6oz spray bottle sprays at any angle and releases a fine, continuous mist for consistent coverage in just seconds.	1 Each	12 Each




<b>Ben's 100 Tick &amp; Insect Repellent 3.4 oz. Spray</b> 			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
07080	Ben's 100 tick & insect repellent 100% DEET bug spray is proven to repel disease carrying insects, including ticks & mosquitoes. It also repels chiggers, biting flies and no-see-ums. 10 hours of protection. Water-based so you can apply without the stinging or drying effect of alcohol. Travel size 3.4 oz pump spray bottle. <b>Carded</b>	1 Each	12 Each

<b>Ben's 30 Tick &amp; Insect Repellent 3.4 oz. Spray</b> 			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
07187	Ben's 30 tick & insect repellent 30% DEET bug spray is proven to repel disease carrying insects, including ticks & mosquitoes. It also repels chiggers, biting flies and no-see-ums. It's fragrance free so you can smell the outdoors and not your repellent and water-based so you can apply without the stinging or drying effect of alcohol. Travel size 3.4 oz pump spray bottle. <b>Carded</b>	1 Each	12 Each

<b>Ben's Clothing &amp; Gear Insect Repellent 6 oz. Continuous Spray</b> 			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
07600	Ben's Clothing & Gear insect treatment repels and kills biting insects on contact, including ticks, mosquitoes and other insects. The ultimate protector, this rugged insect repellent turns the gear you wear and carry into an extra layer of insect protection. The 0.5% permethrin formula bonds to fabric fibers and lasts up to two weeks through several wash cycles. The continuous spray makes the foaming formula easy to apply.	1 Each	12 Each


<b>Ben's 30 Tick &amp; Insect Repellent Wipes</b> 			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
07085	Ben's 30 tick & insect repellent 30% DEET bug repellent wipes are proven to repel disease carrying insects, including ticks & mosquitoes. It also repels chiggers, biting flies and no-see-ums. It's fragrance free so you can smell the outdoors and not your repellent and water-based so you can apply without the stinging or drying effect of alcohol. 12 individually wrapped pocket size wipes per box.	1 Box	12 Boxes

<b>InvisiNet Bug Jacket</b> 			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
07221	Protect your arms, hands, head and torso from swarms of insects with Ben's InvisiNet Bug Jacket and Mittens. Made with the highest visibility mosquito netting on the market, this mesh jacket with fully enclosed hood, elasticized cuffs and mittens seals bugs out without impeding your vision, so you can keep hiking, gardening, fishing, hunting or working in peace. <b>Size: L/XL</b>	1 Each	6 Each

<b>Natrapel Picaridin Insect Repellent 6 oz. Continuous Spray</b> 			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
06878	Natrapel's 20% Picaridin Tick & Insect repellent provides up to 12 hours of protection from ticks and mosquitoes. Also repels chiggers, gnats, black flies and other biting insects. The 6 oz Eco spray bottle sprays smoothly at any angle and releases a light, continuous mist, so you can achieve constant coverage across your entire body in just seconds. Natrapel is safe to apply to your clothing and gear.	1 Each	12 Each

<b>After Bite Itch Relief Gel</b> 			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
61560	Afterbite Outdoor insect bite treatment relieves the itch and discomfort caused by insect bites from mosquitoes, biting flies, bees, fire ants, and more. The itch relieving GEL formula with antihistamine provides powerful relief and comes in a Pack-Sized applicator tube that fits into pockets, backpacks, or purses. Best when used when you are bitten. The #1 pharmacist recommended brand, After Bite has been stopping the itch from bug bites for over 45 years.	1 Each	12 Each

<b>Natrapel Picaridin Insect Repellent 3.4 oz. Spray</b> 			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
06772	Natrapel's 20% Picaridin Tick & Insect repellent provides up to 12 hours of protection from ticks and mosquitoes. Also repels chiggers, gnats, black flies and other biting insects. The Natrapel is safe to apply to your clothing and gear. Travel size 3.4oz spray bottle. <b>Not Carded</b>	1 Each	12 Each

<b>Natrapel Picaridin Tick &amp; Insect Repellent Wipes</b> 			
Stock No.	Description	Minimum Order Qty.	Quantity Per Case
06095	Natrapel's 20% Picaridin Tick & Insect repellent provides up to 12 hours of protection from ticks and mosquitoes. Also repels chiggers, gnats, black flies and other biting insects. 12 individually wrapped pocket size wipes per box.	1 Each	12 Each



Scott Allen, BATORAY Sales and Assistant Operations Manager with his daughter at McGlassons Farm, Hebron, Kentucky

## First Aid Kit 25 Person with Plastic Case



Stock No.	Description	Minimum Order Qty.	Quantity Per Case
01950	Class A 25 person Plastic First Aid Kit - Plastic Case - with essential first aid items per ANSI 2015 specifications. Components are arranged in a patented easy access pocket system making the kit easier and faster to use which is vital in an emergency when you don't have time to go through everything in your kit. One side of pockets are labeled by injury type giving clear and precise treatment directions in the time of need.	1 Each	10 Each

## First Aid Kit 10 Person with Plastic Case



Stock No.	Description	Minimum Order Qty.	Quantity Per Case
01928	10 person Basic First Aid Kit - Plastic Case - with essential first aid items including EYEWASH per ANSI Z308.1 2009 specifications. Components are arranged in a patented easy access pocket system making the kit easier and faster to use which is vital in an emergency when you don't have time to go through everything in your kit. One side of pockets are labeled by injury type giving clear and precise treatment directions in the time of need.	1 Each	10 Each

## Shoe & Boot Covers

## EPIC-TIANS



STOCK NO.	Description	Size	Minimum Order Qty.	Boxes per Pallet
514673-XL	Blue Polypropylene ( <b>cloth-like</b> ) shoe/boot covers with clear-white anti-skid bottom. Machine welded seams. Unique shrink to fit design that will securely fit on almost any shoe size. Dimensions: 6"x16". 300 covers per box. 100 per inner wrap.	XL	1 Box	1 Box
723783-L	Blue polyethylene ( <b>plastic</b> ) shoe/boot covers. Lightweight and impervious to liquids. Heat sealed seams and seamless bottom. Embossed to provide skid resistance. Dimensions: 6"x16". 5 mil material thickness. 300 covers per box. 100 covers per inner bag.	L	1 Box	1 Box
537782-XL	<b>SafeTrack</b> Blue Polypropylene/Polyethylene shoe/boot covers. Impervious to liquids. Unique laminated fabric offers Unbelievable traction and skid resistance. Dimensions: 6"x17". 200 covers per box. 100 per inner wrap.	XL	1 Box	1 Box
534742-XL	<b>SafeTrack</b> GRAY Polypropylene/polyethylene shoe/boot covers with seamless bottom. The ultimate in skid resistance. Impervious to liquids. Unique laminated fabric offers Unbelievable traction and skid resistance. Dimensions: 7.5" high x 17.5" length. 200 covers per box. 100 per inner wrap	XL	1 Box	1 Box



Emily Egbers, and her Uncle Marc Egbers, getting ready to ride in the Independence Day Parade, Fort Mitchell, Kentucky to support The Point Arc of Northern Kentucky.

## Swamp Gator Natural Insect Repellent



Swamp Gator Natural insect repellent. Lotion based formula contains 5 different oils and has a light lemon scent. Spray on, rub gently and repel Mosquitos, Gnats, Flies and No-See-ums. Deet Free. Made in USA.

Stock No.	Description	Minimum Order Qty.	Case Qty.
HSG-6	Swamp Gator 6 oz. Pump Spray Bottle	12 Bottles	12 Bottles

**FREE** Counter Display Box with every order.

## PRO Sprayer



Sprays fine mist or 20 foot stream. Holds up to 32 ounces. Heavy duty construction.

Stock No.	Description	Minimum Order Qty.	Case Qty.
PRO-32	Pro Sprayer	12 Bottles	12 Bottles

## Wasp and Hornet Killer Dielectric: Electrically Non Conductive



Wasp and Hornet Killer. Electrically non-conductive with dielectric breakdown voltage up to 47,300 volts. Jet blast up to 20 feet. Instantly kills wasps, hornets, yellow jackets and many other insects on contact. Made in USA.

Stock No.	Description	Minimum Order Qty.	Case Qty.
WH-16	16 oz. Dielectric Non Conductive Wasp/Hornet Killer.	12 Bottles	12 Bottles

**Harris is the oldest EPA registered pest control brand in the U.S.A.**



Ben Pugh and his K9 partner, Brix (Z376), guarding Air Force One at CVG Airport, Hebron, KY. Ben now works at BATORAY in our battery assembly operation. His two sons serve in the United States Air Force.

Thank you for your service to our Country!





Marc Egbers, BATORAY Special Projects,  
wearing Global 3200DTH gloves, Ludlow, KY.

## String Knit



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Case
S55G	General purpose Gray Poly/Cotton string knit. 12 pair per wrap. <b>Not retail hang tagged.</b>	Mens	12 Pair	300 Pair

## Disposable Powder Free Nitrile



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Case
705BPFE	<b>3.5 mil</b> disposable powder free <b>BLACK</b> Nitrile. 9.5" Rolled cuff. Textured fingertips. Ambidextrous. Industrial use only. <b>100 gloves per dispenser box.</b>	S, M, L, XL	1 Box	10 Boxes
705VPF	<b>5 mil</b> disposable powder free <b>ROYAL BLUE</b> Nitrile. 9.5" Rolled cuff. Textured fingertips. Ambidextrous. FDA compliant for food contact. Medical grade. <b>100 gloves per dispenser box.</b>	XS, S, M, L, XL	1 Box	10 Boxes
965BPF	<b>6 mil</b> disposable powder free <b>BLACK</b> Nitrile. 9.5" long rolled cuff. Textured fingertips. Ambidextrous. Tractor tread pattern for grip. Industrial use only. <b>100 gloves per dispenser box.</b>	M, XL, 2XL	1 Box	10 Boxes
805PF	<b>8 mil</b> disposable powder free <b>BLUE</b> Nitrile. 11" long Rolled cuff. Textured finish. Ambidextrous. Approved for medical use. <b>50 gloves per dispenser box.</b>	S, M, L, XL	1 Box	10 Boxes
800F	<b>8 mil BLACK</b> Nitrile. <b>Flock lined</b> interior absorbs perspiration. 11" long Rolled cuff. Textured grip. Ambidextrous. Not for medical use. <b>50 gloves per dispenser box.</b>	S, M, L, XL, 2XL	1 Box	10 Boxes
1005PF	<b>9 mil BLUE</b> Nitrile disposable powder free Nitrile. 11" long Rolled cuff. Raised micro diamond pattern. Ambidextrous. Industrial grade. Not for medical use. <b>50 gloves per dispenser box.</b>	S, M, L, XL, 2XL	1 Box	10 Boxes

## Brown Jersey



STOCK NO.	Description	Sizes	Minimum Order Qty.	Master Case Qty.
C80BJC	8 oz <b>Large</b> Brown Jersey 100% Cotton 12 pair per Pack - <b>Not retail hang-tagged.</b>	L	12 Pair	300 Pair
C90BJ-W	9 oz <b>Small</b> Brown Jersey (poly/cotton blend) 12 pair per Pack <b>Not retail hang-tagged.</b>	S	12 Pair	300 Pair
C10BJR-LT	10 oz. <b>Large</b> Red Lined Heavyweight Jersey (poly/cotton blend). <b>Retail hang-tagged.</b>	L	1 Pair	144 Pair

## Vice Gripster



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
300RV	<b>RED</b> 10 guage poly/cotton liner with black rubber palm. Hook & loop closure. <b>Retail hang-tagged.</b>	M, L, XL	1 Pair	12 Pair
303RV	<b>BLUE</b> 13 guage seamless nylon liner with black rubber palm. Hook & loop closure. <b>Retail hang-tagged.</b>	M, L, XL	1 Pair	12 Pair



Joe Egbers replacing the batteries in the trail camera, Letcher County, Kentucky

Ice Gripster				
STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
348INT	<b>BLACK</b> 13 gauge two layer nylon shell over seamless 7 gauge brushed acrylic terry cloth provides warmth and comfort in cold conditions. Foam PVC 3/4 dip palm adds water protection to the back of the hand, enhances grip and stays flexible in low temperatures. Elastic cuff. <b>Retail hang-tagged.</b>	S, M, L, XL	1 Pair	12 Pair



Ice Gripster				
STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
380INT	<b>ORANGE</b> 13 gauge two layer polyester shell over seamless 7 gauge brushed acrylic terry cloth provides warmth and comfort in cold conditions. The first coating on this glove is fully dipped in smooth rubber to create a liquid resistant barrier. The second coating is palm dipped foam rubber to offer excellent wet or dry grip. Elastic cuff. <b>Retail hang-tagged.</b>	M, L, XL	1 Pair	12 Pair



Ice Gripster				
STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
388INT	<b>ORANGE</b> 13 gauge two layer nylon shell over seamless 10 gauge brushed acrylic terry cloth provides warmth and comfort in cold conditions. Etched rubber palm finish for a great grip. Stays flexible in cold conditions. The high visibility shell is water repellent for added protection. Elastic cuff. <b>Retail hang-tagged.</b>	M, L, XL	1 Pair	12 Pair



Tsunami Grip Light				
STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
500G	<b>BLACK</b> Foam Nitrile on Lightweight 13 gauge Nylon. Elastic wrist. <b>Not retail hang tagged.</b>	S, M, L, XL, 2XL	12 Pair	12 Pair
500G-T	<b>BLACK</b> Foam Nitrile on Lightweight 13 gauge Nylon. Elastic wrist. <b>Retail hang tagged.</b>	S, M, L, XL	1 Pair	12 Pair



Tsunami Grip Lightweight				
STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
500NFT-T	New foam technology Nitrile on 15 gauge seamless nylon and elastic shell. Bare hand sensitivity for state of the art feel. The foam nitrile is breathable and provides outstanding wet/oily grip plus extra wear and abrasion resistance. <b>Retail hang-tagged.</b>	S, M, L, XL	1 Pair	12 Pair



Premium Flexible Waterproof Triple-Coated PVC Chemical Handling Glove				
STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
8490-T	These super-flexible 12" long gloves feature a dual seamless 13-gauge cotton and 7-gauge brushed acrylic terry cloth liner that keeps your hands warm and dry. The liner flexes with the glove allowing freedom of movement. Triple-dipped premium-grade blue PVC is specially formulated for the handling of chemical residues, oils, or greasy materials and stays flexible in temperatures down to -5° F. Sandpaper finish enhances grip in wet or oily conditions. <b>Retail hang-tagged.</b>	M, L, XL, 2XL	1 Pair	12 Pair



## Material handling gloves with touch screen responsive fingertips



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
PUG14TS	Black polyurethane on green/black 13 gauge nylon with touch responsive fingertips for using touch screen devices. <b>Not Retail hang-tagged.</b>	S, M, L, XL,	1 Pair	12 Pair

## Samurai Cut Resistant



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
CR788-RT	Lightweight seamless 18 gauge Tuffalene shell. Foam nitrile palm provides excellent dry, wet or oily grip. Knit wrist cuff. ANSI level A4 cut resistant. Touch screen compatible fingertips. <b>Retail hang-tagged.</b>	S, M, L, XL, 2XL	1 Pair	12 Pair

## Hot Rod Premium Mechanics with Touch Screen responsive Fingertips



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
HR8200	AireFlex synthetic leather palm with flexible TPR impact protection on the knuckles. Touch screen responsive fingertips. Reinforced palms, fingertips and thumb crotch. The back of the glove is a stretchable mesh material for breathability, dexterity and comfort. Hook and loop closure. <b>Retail hang-tagged.</b>	S, M, L, XL, 2XL	1 Pair	12 Pair
HR8200KEV	Same features as above but features Araline inner liner which provides cut and heat protection. ANSI cut Level 5. <b>Retail hang-tagged.</b>	M, L, XL, 2XL	1 Pair	12 Pair

## Leather Drivers

Cow, Goat or Deer Skin



3200



3200DTH

STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
3200	<b>Cow</b> - Premium Grade beige cow grain leather. Keystone thumb. <b>Retail hang-tagged.</b>	M, L, XL	1 Pair	12 Pair
3200DST	<b>Deer</b> - Standard Grade Deer Skin Drivers. Keystone thumb. <b>Retail hang-tagged.</b>	M, L, XL, 2XL	1 Pair	12 Pair
3200DTH	<b>Deer</b> - Premium Grade Deerskin Drivers. <b>Insulated</b> with 40 gram 3M thinsulate. <b>Retail hang-tagged.</b>	M, L, XL	1 Pair	12 Pair

## Leather Palm



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
2300LT	Economy Grade with Safety Cuff. <b>Retail hang-tagged.</b>	L	1 Pair	12 Pair
2300XL	Economy Grade with Safety Cuff. <b>Not Retail hang-tagged.</b>	XL	1 Pair	12 Pair



Linda Egbers and her brother, Hobert, with some quality Eastern Kentucky Timber.



**Gripster Sport**

**Mechanics** with silicone patterned palm



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
SG9003	Flexible Spandex over AireFlex synthetic leather provides great breathability. Silicone based palm provides excellent dexterity with a great grip. Reinforced thumb & fingertips. Hook & loop closure. <b>Retail hang-tagged.</b>	M, L, XL, 2XL, 3XL	1 Pair	12 Pair

**Gripster Sport Insulated Mechanics**  
with 40 grams 3M Thinsulate



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
SG9001IN	Black spandex backing for excellent comfort. AireFlex synthetic leather palm and fingertips with special tacky reinforcement for a great grip. Waterproof bladder. 40 grams of 3M Thinsulate. Terry cloth brow wipe on thumb. Elastic cuff with Hook & loop closure and storm flap. <b>Retail hang-tagged.</b>	M, L, XL	1 Pair	12 Pair

**Hot Rod Premium Goatskin Mechanics**



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
HR3008	Premium Goatskin palm. Spandex back. Reinforced thumb crotch. Velcro closure. <b>Retail hang-tagged.</b>	M, L, XL, 2XL	1 Pair	12 Pair
HR4008	Premium Goatskin palm. Spandex back. Reinforced thumb crotch. Velcro closure. Open cuff. <b>Retail hang-tagged.</b>	M, L, XL, 2XL	1 Pair	12 Pair

**Gripster Sport Premium Goatskin Leather**



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
SG5308	Premium Golden Goatskin leather palm. Reinforced Double layer of leather on fingertips, palm and between thumb and index finger. Flexible spandex back allows hand to breathe. Hook & loop closure. <b>Retail hang-tagged</b>	M, L, XL, 2XL	1 Pair	12 Pair

**Touch Screen Mechanics**



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
SG6000	AireFlex Synthetic leather palm and gray spandex back of the hand. Reinforced thumb crotch, terry cloth thumb and touch screen compatible index finger and thumb tips. Neoprene cuff with hook & loop closure. <b>Retail hang-tagged.</b>	M, L, XL	1 Pair	12 Pair
SG3300	Similar features to SG6000 but with reflective accents and open cuff. <b>Retail hang-tagged.</b>	M, L, XL	1 Pair	12 Pair

**Gripster Sport Precision Mechanics**



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
HR2008	Premium Goatskin. Double palm for extra wear resistance. Reinforced thumb crotch. TPU impact protection on back of fingers. Hook & Loop closure. <b>Carded</b>	M, L, XL, 2XL	1 Pair	12 Pair



## Earmuffs



HP-M4



HP-M2

STOCK NO.	Description	Sound Rating	Minimum Order Qty.	Quantity Per Case
HP-M2	High-Visibility Lime - Folding Earmuff. Durable ABS cups and soft PVC cushions. ANSI S3.19-1974. Boxed	NRR: 23dB	1	20
HP-M4	High-Visibility Lime - Padded Band Earmuff. Durable ABS cups and soft PVC cushions. ANSI S3.19-1974. Boxed	NRR: 27dB	1	20

## Earplugs



Foam



Silicone

STOCK NO.	Description	Sound Rating	Minimum Dispensers Order Qty.	Quantity Dispensers Per Case
HP-BF1	Banded Earplugs. Lightweight and durable curved band with polyurethane pods. Each band comes with 2 pairs of ear pods. Individually bagged.	NRR: 22dB	1 Each	10 Each
HP-F1	Uncorded Foam Earplugs. 200 pairs per counter dispenser.	NRR: 33dB	1 Disp.	10 Disp.
HP-F2	Corded Foam Earplugs. 100 pairs per counter dispenser.	NRR: 33dB	1 Disp	10 Disp.
HP-S1	Uncorded Silicone Earplugs. 100 pairs per counter dispenser.	NRR: 23dB	1 Disp	10 Disp.
HP-S2	Corded Silicone Earplugs. 100 pairs per counter dispenser.	NRR: 23dB	1 Disp	10 Disp.

## Safety Vest



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Case
GLO-002	Class 2 - mesh safety vest. High visibility fluorescent lime base fabric with contrasting orange backing under silver glass bead reflective stripes. Zipper closure. Two inside pockets. Individually bagged.	S to 5XL	1	50

## Bullhead Cooling Towels



Soft absorbent microfiber material. Just soak in water for instant cooling relief. Reusable and machine washable.

STOCK NO.	Description	Towel Size	Minimum Order Qty.	Quantity Per Case
GLO-CT2	Microfiber cooling towel packed in reusable plastic tube.	16"x25"	1 Pair	50



Joe Egbers snowmobiling, Munising, Michigan



## Balaclavas and Thermal Neck Gaiters



STOCK NO.	Description	Sizes	Minimum Order Qty.	Quantity Per Pack
WL120	Soft thermal fleece Balaclava. Shoulder length. One size fits all. Individually bagged.	one size	1	12
WL220	Soft thermal fleece Balaclava. Spandex Top. Shoulder length. One size fits all. Individually bagged.	one size	1	12
WL280FR	Soft cotton balaclava. Navy blue shell. Shoulder length. Flame retardant. Meets ARC FLASH NFPA 70E category 2 standards. One size fits all. Individually bagged.	one size	1	12
WL300-YG	Thermal Neck Gaiter. Soft High Visibility fleece. 10.25" length. Integrated cinch strap with an adjustable cord lock provides a secure fit. Individually bagged.	one size	1	12
WL310-YG	Multifunctional, Hinged Balaclava. Flame retardant, High Visibility yellow/green Soft thermal fleece. Shoulder length. Breathable fleece/mesh mouth and nose panel. One size fits all. Individually bagged.	one size	1	12
WL320SE	Multifunctional, Hinged Balaclava. Flame retardant Soft thermal fleece. Shoulder length. Breathable fleece/mesh mouth and nose panel. One size fits all. Individually bagged.	one size	1	12



Linda Egbers  
No damage. Just great memories!  
Munising, Michigan

## Bullhead Hard Hats



Made with HPPE material to provide a lightweight product with weather/chemical resistance and nonconductive properties. Proprietary "Gripster" dots underneath the helmet allow for easy on/off. Premium comfort six point suspension with EZ-click adjustable ratchet fit system. Fits sizes 6.5 to 8. Pre-assembled, individually packaged & retail ready.

STOCK NO.	Description	Minimum Order Qty.	Quantity Per Case
HH-C2-W	Cap style - Unvented - White	1	6
HH-C2-Y	Cap style - Unvented - Yellow	1	6
HH-C3-W	Cap style - Vented - White	1	6
HH-C3-Y	Cap style - Vented - Yellow	1	6
HH-F1-W	Full Brim style - Unvented - White	1	6
HH-F1-Y	Full Brim style - Unvented - Yellow	1	6

## High-Visibility Ranger Hat



STOCK NO.	Description	Size	Minimum Order Qty.	Quantity Per Case
GLO-H2	This Ranger/Safari hat has a Oxford polyester top with breathable mesh sides. Silver reflective material, contrasting orange trim and reflective piping around the brim provide increased visibility. Adjustable draw string for a secure fit. Individually bagged and tagged for retail sale.	One Size	1	50



## FrogWear Neck Gaiter

multi-functional stretch headwear



Lightweight, seamless tubular neck gaiters are designed to be worn in multiple different ways such as a face guard, beanie, balaclava, head band, hair tie, helmet liner and much more. They provide protection from the sun, wind, insects and dust. Keeps skin cool and comfortable which helps in maintaining hydration.

STOCK NO.	Description		Minimum Order Qty.	Quantity Per Pack
NG-200	Neck Gaiter - Orange	100% soft polyester	1	6
NG-201	Neck Gaiter - Yellow	100% soft polyester	1	6
NG-203	Neck Gaiter - Orange with sharks and bones	100% soft polyester	1	6
NG-204	Neck Gaiter - Camouflage	100% soft polyester	1	6
NG-401	Neck Gaiter - USA flag	95% soft polyester. 5% spandex	1	6
NG-402	Neck Gaiter - Blue Waves	95% soft polyester. 5% spandex	1	6
NG-403	Neck Gaiter - Joker	95% soft polyester. 5% spandex	1	6

## Knee Pads & Kneeling Pads



STOCK NO.	Description	Minimum Order Qty.	Quantity Per Case
KP111G	<b>Knee Pad:</b> Premium gel lined & lightweight. The cap features a non slip leather surface with heavy duty nylon face. Buckle Closures. <b>Retail hang-tagged.</b>	1 Pair	20 Pair
KP311G	<b>Knee Pad:</b> Premium gel lined with breathable, stretchable body. PVC hard cap. Padded thigh strap with buckle closure. Hook & Loop Calf Closure. <b>Retail hang-tagged.</b>	1 Pair	20 Pair
KP411	<b>Knee Pad:</b> Non Marring PVC hard cap with non slip gripping ridges. Buckle Closures. <b>Retail hang-tagged.</b>	1 Pair	20 Pair
KP422	<b>Knee Pad:</b> Lightweight, high density padded polyester cap free knee pads. Non slip leather surface . Hook & Loop Closure. <b>Retail hang-tagged.</b>	1 Pair	20 Pair
KP480	<b>Kneeling Pad:</b> High density, water repellent NBR foam. 1"x8"x16". Individually wrapped. <b>Retail ready.</b>	1 Each	20 Each
KP482	<b>Kneeling Pad:</b> High density, water repellent NBR foam. 1"x14"x21". Individually wrapped. <b>Retail ready.</b>	1 Each	20 Each



Steve and Lisa Egbers hanging out on their farm in Gallatin County, Kentucky with their grandchildren.



## Pavon



All Lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 138mm Frame weight: 24 grams. Each pair is individually bagged and retail ready.



Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH511	Clear Frame, Clear Lens	1	12
BH511AF	Clear Frame, Clear Anti-Fog Lens	1	12
BH516	Clear Frame, Indoor/Outdoor Lens	1	12
BH584	Yellow Frame, Yellow Lens	1	12
BH525	Blue Frame, Light Blue Lens	1	12
BH543	Black Frame, Smoke Lens	1	12
BH543AF	Black Frame, Smoke Anti-Fog Lens	1	12

## Torrent



All Lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 135mm Frame weight: 24 grams. Each pair is individually bagged and retail ready.



Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH111	Clear Frame, Clear Lens	1	12
BH111AF	Clear Frame, Clear Anti-Fog Lens	1	12
BH136	Black Frame, Indoor/Outdoor Lens	1	12
BH134	Yellow Frame, Yellow Lens	1	12
BH133	Black Frame, Smoke Lens	1	12
BH133AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH149	Black Frame, Blue Mirror Lens	1	12
BH147	Black Frame, Silver Mirror Lens	1	12

## Torrent Readers Safety Glasses with Reading Magnifiers



The Torrent readers feature a lightweight, contemporary frameless frame with magnification diopters positioned at the bottom inside of the Lens. Impact and scratch resistant Lenses provide 99.9% UV protection. Meets ANSI Z87.1 Standards. Each pair is individually bagged and retail ready.

Stock No.	Lens Tint and Magnification Power	Minimum Order Qty.	Quantity Per Case
BH11110	Torrent Clear - 1.0 power	1	12
BH11115	Torrent Clear - 1.5 power	1	12
BH11120	Torrent Clear - 2.0 power	1	12
BH11125	Torrent Clear - 2.5 power	1	12
BH13310	Torrent Smoke - 1.0 power	1	12
BH13315	Torrent Smoke - 1.5 power	1	12
BH13320	Torrent Smoke - 2.0 power	1	12
BH13325	Torrent Smoke - 2.5 power	1	12

## Spearfish Readers Safety Glasses with Reading Magnifiers



The Spearfish readers feature a flexible frame with vented temples, soft TPR nose piece and temple ends. Magnification diopters are positioned at the bottom inside the the Lens. The PFT Lenses are permanently coated to prevent fogging, are impact and scratch resistant and provide 99.9% UV protection. Meets ANSI Z87.1 Standards. Individually bagged and retail ready. Free counter display box when ordering by the dozen. Each pair includes a retainer cord.

Stock No.	Lens Tint and Magnification Power	Minimum Order Qty.	Quantity Per Case
BH225115PFT	Spearfish Clear - 1.5 power	1	12
BH225120PFT	Spearfish Clear - 2.0 power	1	12
BH225125PFT	Spearfish Clear - 2.5 power	1	12
BH225315PFT	Spearfish Smoke - 1.5 power	1	12
BH225320PFT	Spearfish Smoke - 2.0 power	1	12
BH225325PFT	Spearfish Smoke - 2.5 power	1	12

## Tetra



These lightweight safety glasses protect with a 10-base curve wrap-around Lens. They feature telescopic co-injected, low pressure, flexible TPR temples and Soft TPR nose bridge. All Lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. **Each pair individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH861AF	Matte black frame, Clear Anti-Fog Lens	1	12
BH863AF	Matte black frame, Smoke Anti-Fog Lens	1	12
BH866AF	Matte black frame, Indoor/Outdoor Anti-Fog Lens	1	12
BH869AF	Matte black frame, Blue Mirror Anti-Fog Lens	1	12



## Spearfish



Flexible frame. TPR nose piece. All Lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 143mm - Frame weight: 24 grams. Each dozen is packaged in retail ready box.

Retainer cord included with each pair of Spearfish glasses.

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH2251AF	Black Frame, Clear Anti-Fog Lens	1	12
BH2253AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH22108AF	Camo Frame, Brown Anti-Fog Lens	1	12
BH2259	Black Frame, Blue Mirror Lens	1	12



## Stinger



All Lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 144mm Frame weight: 30 grams. **Each pair individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH691	Gray Frame, Clear Lens	1	12
BH691AF	Gray Frame, Clear Anti-Fog Lens	1	12
BH691PFT	Gray Frame, Clear Performance Anti-Fog Lens	1	12
BH666	Black Frame, Indoor/Outdoor Lens	1	12
BH6117	Black & Silver Frame, Silver Mirror Lens	1	12
BH654	Black Frame, Yellow Lens	1	12
BH633AF	Black Frame, Smoke Gray Anti-Fog Lens	1	12
BH633PFT	Black Frame, Smoke Gray Performance Anti-Fog Lens	1	12
BH61712	Black Frame, POLARIZED Gray Anti-Fog Lens	1	12
BH6103AF	Camo Frame, Smoke Gray Anti-Fog Lens	1	12
BH6108AF	Camo Frame, Brown Precision Anti-Fog Lens	1	12



## Maki



Fashion/Sport inspired design. All Lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 130mm Frame weight: 31 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH145712	Black Frame, POLARIZED Silver Mirror Lens	1	12
BH14209	Silver Frame, POLARIZED Blue Mirror Lens	1	12
BH1433PFT	Black Frame, Smoke - Performance Anti Fog Lens	1	12
BH1419AF	Clear Frame, Blue Mirror Anti-Fog Precision Lens	1	12
BH14183AF	White Frame, Smoke Anti-Fog Lens	1	12





## Dorado



All Lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame width: 140mm Frame weight: 29 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH969	Black Frame, Blue Revo Lens	1	12
BH943AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH95129PFT	Black frame, Blue Mirror POLARIZED Performance Anti Fog Lens	1	12
BH9117	Red to Black Frame, Silver Mirror Lens	1	12
BH991AF	Gray Frame, Clear Anti-Fog Lens	1	12
BH9187	White Frame, Silver Mirror Lens	1	12



## Swordfish



All Lenses, including clear, provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Soft adjustable nose piece. Frame width: 132mm Frame weight: 24 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH1031AF	Black Frame, Clear Anti-Fog Lens	1	12
BH1067	Black Frame, Silver Mirror Lens	1	12
BH1063AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH10116AF	Clear Frame, Green Mirror Anti-Fog Lens	1	12
BH10616AF	Black Frame, Green ARC FLASH rated Lens	1	12
BH10711	Brown Frame, Brown Flash Mirror Precision Lens	1	12
BH106129	Black Frame, Blue Mirror POLARIZED Precision Lens	1	12
BH10613AF	Black Frame, Photochromic variable tint Anti-Fog Lens transitions clear to smoke when moving indoors to outdoors.	1	12
BH1061213AF	Black Frame, POLARIZED Photochromic variable tint Anti-Fog Lens transitions clear to smoke when moving indoors to outdoors.	1	12



## Lionfish



These lightweight full frame safety glasses with pop-lock temple hinges to prevent floppy temples. The dual Lenses have a 6-base curve for a stylish look. Inset comfortable TPR on nose bridge and temple ends. All Lenses provide 99.9% UV protection and meet ANSI Z87.1 safety standards. **Each pair individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH3363PFT	Matte black frame, Smoke Performance Anti-Fog Lens	1	12
BH33618PFT	Tortoise/black frame, Gold Mirror Performance Anti-Fog Lens	1	12
BH33510PFT	Shiny black frame, Red Mirror Performance Anti-Fog Lens	1	12
BH3359PFT	Shiny black frame, Blue Mirror POLARIZED Performance Anti-Fog Lens	1	12
BH33716PFT	Tortoise/black frame, Green Mirror POLARIZED Performance Anti-Fog Lens	1	12



Jake Finke, Smallmouth Bass

## Whipray



The Whipray feature frames made of TR-90 material that is extremely comfortable and can bend under pressure resulting in a custom contoured fit for all-day wear. The 100% visually correct cylinder Lens is sculpted at a ten-base curve for superior coverage and crisp visual acuity. Inset comfortable TPR on nose bridge. All Lenses provide 99.9% UV protection and meet ANSI Z87.1 safety standards. **Each pair individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH3261AF	Matte black frame, Clear Anti-Fog Lens	1	12
BH3263AF	Matte black frame, Smoke Anti-Fog Lens	1	12
BH3219PFT	Silver Inlay frame, Blue Mirror POLARIZED Performance Anti-Fog Lens	1	12
BH32510PFT	Shiny black frame, Red Mirror Performance Anti-Fog Lens	1	12
BH32916PFT	Shiny gray frame, Green Mirror Performance Anti-Fog Lens	1	12



## Pompano



Lightweight full frame style. A good choice for many face types. All Lenses provide 99.9% UV protection and meet ANSI Z87.1 safety standards. Frame Width: 137 mm Frame weight: 28 grams. **Each pair is individually bagged and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH2769PFT	Black Frame, POLARIZED Blue Mirror Performance Anti-Fog Lens	1	12
BH27710PFT	Tortoise/Black frame, Red Mirror POLARIZED Performance Anti Fog Lens	1	12
BH27116AF	Clear Frame, Green Mirror Performance Anti-Fog Lens	1	12
BH2759PFT	Shiny Black frame, Blue Mirror Performance Anti Fog Lens	1	12
BH2763AF	Black Frame, Smoke Anti-Fog Lens	1	12
BH2766AF	Black Frame, Indoor/Outdoor Anti-Fog Lens	1	12



## Sawfish



Ultra-light, full-frame design that boasts chiseled lines and sleek curvature. Features inset Soft TPR nose bridge and temple ends. Frame width: 132mm. Frame weight 30 grams. **Each pair individually wrapped and retail ready.**

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BH261016AF	Woodland Camo Frame, Green mirror Anti-Fog Lens	1	12
BH2669PFT	Matte black frame, Blue Mirror Performance Anti-Fog Lens	1	12
BH2679PFT	Tortoise/Black Frame, Blue Mirror Performance POLARIZED Anti-Fog Lens	1	12
BH26719PFT	Tortoise/black frame, Gold Mirror Performance POLARIZED Anti-Fog Lens	1	12
BH2677AF	Tortoise/Black Frame, Silver Mirror Anti-Fog Lens	1	12
BH2663AF	Matte Black Frame, Smoke Anti-Fog Lens	1	12
BH26621PFT	Matte black frame, Green Arc Flash Rated Performance Anti-Fog Lens	1	12
BH26616PFT	Matte black frame, Green Performance Anti-Fog Lens	1	12



Scott Allen (left) sporting Bullhead Swordfish glasses at the Ludlow, Kentucky Vets golf outing.



## Bullhead Accessories

Stock No.	Frame Color and Lens Tint	Minimum Order Qty.	Quantity Per Case
BHR1	Cotton Retainer Cord	1	12
BHR2	Elastic Retainer Cord	1	12
BHR3	Stainless Steel Cord	1	12
BHR4	String Retainer Cord	1	12
BHMB	Microfiber Bag	1	12
BHHC	Hard Case for glasses - zipper closure	1	12
BHLC21	Lens cleaning wipes, pre-moistened, silicone free, anti-static, anti-fog, 100 wipes per dispenser box.	1	12

BHR1



# BATORAY

BHHC



BHR4



BHR3



BHR2



BHLC21



BHDF60

One-sided Floor Display. **FREE with initial purchase of 96 pair of glasses.**



BHD36

Two-sided Rotating Counter Display. **FREE with initial purchase of 96 pair of glasses.**



CPDL4

4 Station Counter Display Counter Display. **FREE with initial purchase of 48 pair of glasses.**

Hi, I am Joey Egbers and this was me when I was one year old. I fell on a toy and almost tore my eyelid off. Thank God, I'm okay! Please take my advice and wear your Bullhead Safety Glasses so this doesn't happen to you.



**Terms:**

Net 30

Credit Card Convenience Fee 2%

**Freight Policy:**

Batoray will pay freight charges on orders totaling over \$400.

Orders under \$400 are plus freight.

**Claims:**

1. All claims and shortages must be made within 5 days after receipt of order. The Return Goods Authorization (RGA) Form can be found on our website Contact Us Tab / Return Policy.
2. Items returned to stock are subject to a 15% restocking charge.
3. All special order products are non-returnable.
4. Batoray cannot be held responsible for typographical errors or comments found to be inaccurate.

**Pricing:**Please call or send email to [sales@BATORAY.com](mailto:sales@BATORAY.com) to request a price file in an excel format.**No Minimum Order  
and Same Day Shipping**

Check out our website to learn more about BATORAY.

[www.BATORAY.com](http://www.BATORAY.com)

Thanks for doing business with us!

**BATORAY**  
**WHOLESALE DISTRIBUTORS**  
**BATTERIES - FLASHLIGHTS - WORK GEAR**